


FILE NAME: C10885, \_\_C\_DRT\_-S734



D

Α

FILE NAME: C10885, \_ \_C\_ \_DRT\_-S734

	8		7			6				5		W	4
		NO. OF	A±.00	8[0.20]	B±.00	8[0.20]	C±.01	5[0.38]	D±01	0[0.25]	E±.02	0[0.51]	F+.005/
	PART NUMBER	POS.	IN	MM	IN								
	C04DRTS734	4	0.300	7.62	0.500	12.70	0.675	17.15	0.975	24.77	1.275	32.39	-
	C05DRTS734	5	0.400	10.16	0.600	15.24	0.775	19.69	1.075	27.31	1.375	34.93	
	C06DRTS734	6	0.500	12.70	0.700	17.78	0.875	22.23	1.175	29.85	1.475	37.47	
F	C07DRTS734	7	0.600	15.24	0.800	20.32	0.975	24.77	1.275	32.39	1.575	40.01	
	C08DRTS734	8	0.700	17.78	0.900	22.86	1.075	27.31	1.375	34.93	1.675	42.55	
	C10DRTS734	10	0.900	22.86	1.100	27.94	1.275	32.39	1.575	40.01	1.875	47.63	
	C12DRTS734	12	1.100	27.94	1.300	33.02	1.475	37.47	1.775	45.09	2.075	52.71	
	C13DRTS734	13	1.200	30.48	1.400	35.56	1.575	40.01	1.875	47.63	2.175	55.25	
	C15DRTS734	15	1.400	35.56	1.600	40.64	1.775	45.09	2.075	52.71	2.375	60.33	
	C17DRTS734	17	1.600	40.64	1.800	45.72	1.975	50.17	2.275	57.79	2.575	65.41	0.330
	C18DRTS734	18	1.700	43.18	1.900	48.26	2.075	52.71	2.375	60.33	2.675	67.95	
	C19DRTS734	19	1.800	45.72	2.000	50.80	2.175	55.25	2.475	62.87	2.775	70.49	
	C20DRTS734	20	1.900	48.26	2.100	53.34	2.275	57.79	2.575	65.41	2.875	73.03	
E	C22DRTS734	22	2.100	53.34	2.300	58.42	2.475	62.87	2.775	70.49	3.075	78.11	
	C23DRTS734	23	2.200	55.88	2.400	60.96	2.575	65.41	2.875	73.03	3.175	80.65	
	C25DRTS734	25	2.400	60.96	2.600	66.04	2.775	70.49	3.075	78.11	3.375	85.73	
	C26DRTS734	26	2.500	63.50	2.700	68.58	2.875	73.03	3.175	80.65	3.475	88.27	
	C28DRTS734	28	2.700	68.58	2.900	73.66	3.075	78.11	3.375	85.73	3.675	93.35	
_	C30DRTS734	30	2.900	73.66	3.100	78.74	3.275	83.19	3.575	90.81	3.875	98.43	
	C31DRTS734	31	3.000	76.20	3.200	81.28	3.375	85.73	3.675	93.35	3.975	100.97	
	C35DRTS734	35	3.400	86.36	3.600	91.44	3.775	95.89	4.075	103.51	4.375	111.13	0.400
	C36DRTS734	36	3.500	88.90	3.700	93.98	3.875	98.43	4.175	106.05	4.475	113.67	
	C40DRTS734	40	3.900	99.06	4.100	104.14	4.275	108.59	4.575	116.21	4.875	123.83	
D	C43DRTS734	43	4.200	106.68	4.400	111.76	4.575	116.21	4.875	123.83	5.175	131.45	
	C44DRTS734	44	4.300	109.22	4.500	114.30	4.675	118.75	4.975	126.37	5.275	133.99	
	C49DRTS734	49	4.800	121.92	5.000	127.00	5.175	131.45	5.475	139.07	5.775	146.69	
	C50DRTS734	50	4.900	124.46	5.100	129.54	5.275	133.99	5.575	141.61	5.875	149.23	
	C52DRTS734	52	5.100	129.54	5.300	134.62	5.475	139.07	5.775	146.69	6.075	154.31	
	C60DRTS734	60	5.900	149.86	6.100	154.94	6.275	159.39	6.575	167.01	6.875	174.63	
	C65DRTS734	65	6.400	162.56	6.600	167.64	6.775	172.09	7.075	179.71	7.375	187.33	

PART	NUMBER	CODING	
•		0704	

С

Α


8

C_	DRT\$734	
MATERIAL (INSULATOR/CONTACT) E=PBT/PHOSPHOR BRONZE OPERATING TEMP: -65°C TO +125°C PROCESSING TEMP: WAVE/MANUAL SOLDERING ONLY R=PPS/PHOSPHOR BRONZE OPERATING TEMP: -65°C TO +125°C		<ul> <li>MOUNTING STYLE</li> <li>H = .125" DIA. CLEARANCE HOLES</li> <li>I = #4-40 THREADED INSERT</li> <li>S = .125" DIA. SIDE MOUNTING</li> <li>N = NO MOUNTING EARS</li> <li>F = FLOATING BOBBIN</li> </ul>
PROCESSING TEMP: 260°C MAX FOR 20 SECS	PLATING	
G=PA9T/PHOSPHOR BRONZE OPERATING TEMP: -65°C TO +125°C PROCESSING TEMP: 260°C MAX FOR 20 SECS H=PBT/BERYLLIUM COPPER OPERATING TEMP: -65°C TO +125°C PROCESSING TEMP: 260°C MAX FOR 20 SECS A=PPS/BERYLLIUM COPPER OPERATING TEMP: -65°C TO +150°C PROCESSING TEMP: -65°C TO +150°C PROCESSING TEMP: 260°C MAX FOR 20 SECS	ALL PLATINGS ARE LEAD FREE AND HAVE CONTACT SURFACE G = .000010" GOLD Y = .000030" GOLD B = .000010" GOLD C = .000030" GOLD **E = .000100" PURE TIN, MATTE S = .000010" GOLD OVERALL M = .000030" GOLD	.000050" NICKEL UNDERPLATE TERMINATION .000005" GOLD .000005" GOLD .000100" PURE TIN, MATTE .000100" PURE TIN, MATTE OVERALL .000010" GOLD OVERALL
J=PA9T/BERYLLIUM COPPER	**ONLY AVAILABLE ON MATERIA	
OPERATING TEMP: -65°C TO +150°C PROCESSING TEMP: 260°C MAX FOR 20 SECS <b>F=PPS/SPINODAL (CONSULT FACTORY)</b> OPERATING TEMP: -65°C TO +200°C PROCESSING TEMP: 260°C MAX FOR 20 SECS AVAILABLE IN OVERALL GOLD ONLY ('S' OR 'M' PLATING CODE (CONSULT FACTORY FOR SPACIAL SOLDERING GUIDELINES)		
C=PPS/BERYLLIUM NICKEL (CONSULT FACTORY) OPERATING TEMP: -65°C TO +200°C PROCESSING TEMP: 260°C MAX FOR 20 SECS AVAILABLE IN OVERALL GOLD ONLY ('S' OR 'M' PLATING CODE W=PEEK/BERYLLIUM NICKEL (CONSULT FACTORY) OPERATING TEMP: -65°C TO +250°C PROCESSING TEMP: 260°C MAX FOR 20 SECS AVAILABLE IN OVERALL GOLD ONLY ('M' PLATING CODE ONLY)	, ,	Rohs co

6

5

7



FILE NAME: C10885, \_ \_C\_ \_DRT\_-S734