
# **CUSTOMER DRAWING**



	I.D.*	Product Dimensions				
Product	a (min)	A	В	С	D	E
Name	b (max)					max
D-436-36	2.16 (0.085)	1.27 (0.050)	2.03 (0.080)	12.95 (0.510)	6.22 (0.245)	0.38
	0.64 (0.025)	1.14 (0.045)	1.91 (0.075)	12.45 (0.490)	5.72 (0.225)	(0.015)
D-436-37	2.79 (0.110)	1.75 (0.069)	2.69 (0.106)	14.86 (0.585)	7.11 (0.280)	0.51
	0.64 (0.025)	1.63 (0.064)	2.57 (0.101)	14.35 (0.565)	6.60 (0.260)	(0.020)
D-436-38	4.32 (0.170)	2.59 (0.102)	3.89 (0.153)	14.86 (0.585)	7.11 (0.280)	1.27
	0.64 (0.025)	2.46 (0.097)	3.73 (0.147)	14.35 (0.565)	6.60 (0.260)	(0.050)

<sup>\*</sup> I.D.: a) As received; b) After unrestricted recovery thru meltable insert.

TE Connectivity				SEALED IN-LINE CRIMP SPLICE, SAE AS81824/1			
Unless otherwise specified dimensions are in millimeters. Raychem [Inches dimensions are shown in brackets] Devices  TOLERANCES: ANGLES: N/A Tyco Electronics reserves the right to			DOCUMENT NO.:	D-436-36/-37/-38			
0.00 N/A 0.0 N/A 0 N/A	ROUGHNESS IN MICRON	amend this drawing at any time. Users should evaluate the suitability of the product for their application.		REV:		DATE: Febr	ruary 21, 2014
PREPARED BY: TNGUYEN		ECO NUMBER ECO-14	: 4-002613	SCALE: NTS		SIZE:	SHEET: 1 of 2

## **CUSTOMER DRAWING**

## **MATERIALS**

- INSULATION SLEEVE: Heat-shrinkable, transparent blue, radiation cross-linked modified polyvinylidene fluoride.
- 2. SEALING RINGS: Immersion resistant thermoplastic. Color: one clear, one color coded (see table below).
- 3. CRIMP SPLICER:

Base Metal: Copper alloy 101 or 102 per ASTM B-75.

Plating: Tin, per ASTM B545.

Stamp marking XX approximately as shown on the back of inspection window.

Color code: See table below.

Product	MIL Spec	Wire Range	Color	Wgt Lbs/Mpc
Name	Equivalent	(AWG)	Code	max
D-436-36	M81824/-1-1	26 - 20	RED	1.02
D-436-37	M81824/-1-2	20 - 16	BLUE	1.61
D-436-38	M81824/-1-3	16 - 12	YELLOW	2.720

## **APPLICATION**

- 1. These parts are designed to provide immersion resistant in-line splices of 1 to 1 wires falling within size range listed above, and having insulations rated for 135°C.
- 2. Parts will meet all requirements of SAE AS81824/1 when installed as outlined below. Assembly is not required for acceptance testing inspection.
- 3. Acceptance sampling shall be in accordance with Paragraph 4.6.1 of SAE AS81824.
- 4. Packing and packaging shall be in accordance with Sections 5, Level C, of SAE AS81824.
- 5. This document takes precedence over documents reference herein.

### **ASSEMBLY PROCEDURE:**

- 1. Slide sealing sleeve onto one of the wires to be spliced.
- 2. Strip wires 5/16" to 11/32".
- 3. Insert one wire into barrel of crimp splicer and crimp using a Raychem AD-1377 crimp tool. Repeat for other wire.
- 4. Center sealing sleeve over the splice.
- 5. Apply heat, using an approved heat source, first to one of the inserts and then the other. Heat should be applied until insert melts and flows axially along the wire.

Unless otherwise specified dimensions are in millimeters. (Inches dimensions are shown in brackets)

DOCUMENT NO.:	REV:	ECO NUMBER:	DATE:	SHEET:
D-436-36/-37/-38	Е	ECO-14-002613	February 21, 2014	2 of 2