
<u> </u>	دی ا	 111	







LAYOUT SHOWN AS

Keying Shown as example

## CHARACTERISTICS

ယ

 $\sim$ 

-Mass

BASIC SERIES:

SHELL SIZE : 13

Н

SHELL TYPE : Square Flange Receptacle

CONTACT TYPE : Standard Crimp Contact

PLATING : W = Olive drab Cadmium

-Standard : Based on MIL-DTL-38999 Series III

-Shell Material	: Aluminium		
-Shell Plating	: Olive drab Cadmium		
-Insulator	: Thermoplastic		
-Contacts	: Copper Alloy		
-Seals & Grommet	: Silicon Elastomer		
-Contact Plating	: Gold over copper Alloy $0.8 \mu m$ minimum		
-Durability	: 500 Mating cycles		
-Delivered with Souriau contacts and Accessories			
-Temperature Range	-65℃ to +175℃		
-Salt Spray	: 500 hours		

: 19.49 g ± 10%

8D 0

G

13

W

04

В


F

Ν

Connector dimension			
Dim	Nominal		
Р	3.25±0.2		
PP	4.93±0.2		
R1	23.01		
R2	20.62		
S	28.6±0.3		
V	20.83+0/-1.25		
W	2.1/2.5		
Z	31.5 Max		
VV THREAD	M18x1-6g		

Е

SOURIAU shall not be liable for due to a use of the Products the Specifications issued by either (professional recomment



	ω		A			
					4	
S EXA	AMPLE				3	
s which er of t indatic untry FR	non-conformit ch does not co che Parties or t on, technical n Jurisc	mply with by a third par			2	
				MOD N°		
		CUSTOME	R DRAWING			
um	n Receptacle 8D series					
ar :	NPRDS / PROJECT					
	859					
J.CC	COM This document is the property of SOURIAU it must not be reproduced or communicated without permission					
U I	DRG N°	1		SHEET		
WO	4BN-C			1/2		
	В		А			

-	Т	G	н <b>т</b>	т	D	0	
		Contact Layout					Panel Cutout
4	,	x $( \bigcirc \bigcirc$			A	SQUARE FLANGE RECEPTACLE (TYPE C REAR MOUNTING	))
	Contraction position A B C D Shell Arrangement Size no. N 13 -4	n ID         (mm)         (mm)           +.000 (0.00)         +.150 (3.81)           +.146 (3.71)         +.035 (0.89)           +.000 (0.00)        083 (2.11)          146 (3.71)         +.035 (0.89)			₩ ₩		ØT
ω						Ø Ø/ R	im 5A AA 81 5T
	-					SOURIAU shall not be due to a use of the the Specifications issue (professional r	e Products whi ed by either of
N						PN: 8	Country FR 8D013W
					A 16-10-20 ISS DATE Designed By:	16 First Release Latest modification - by Date:	y
_					SCALE NA	G	Aluminium ieneral linear Tolerances: ±
					SOURIA	J WWW.SO	
					FORMAT A3	8	DURIAU D013W(
	Н	G	F	E	D	С	

