

NOTES:

- 1. MATERIAL
HOUSING : HIGH TEMPERATURE THERMOPLASTIC RESIN.
CONTACT : COPPER ALLOY
SHIELD : STAINLESS.
- 2 PLATING:
CONTACT : 50u" NICKEL UNDERPLATED ALL OVER.
100u" MATTE TIN ON SOLDER TAIL AREA.
GOLD PLATED ON CONTACT AREA (SEE CONTACT PLATING IN NOTE 3).

3. PART NUMBER DESCRIPTION:

10067847-X X X X X

- LF: LEAD FREE
- R : TAPE & REEL
- T : TRAY PACKAGING
- CONTACT PLATING :
- 1: 50u" Au OVER Ni
- 0: WITH PLASTIC PEG
- 1: WITHOUT PLASTIC PEG
- 0: CD PIN LAST MATE FIRST BREAK

PIN ASSIGNMENT


NO.	DESCRIPTION
#1	CD/DAT3
#2	CMD
#3	VSS
#4	VDD
#5	CLK
#6	VSS
#7	DAT0
#8	DAT1
#9	DAT2
#CD	CARD DETECTION
#WP	WRITE PROTECT
#GND	GROUND

4 MARKING INFORMATION

PXXXXXXXXXX

- V2: UD321 LUBRICANT
- V3: UD321 LUBRICANT WITH ENGINEERING CHANGE BASED ON PCN09116.
- PRODUCTION LINE CODE
- DATE CODE THROUGH 01 TO 31
- WEEK NUMBER 01 THROUGH 53
- YEAR CODE:
- MOST RIGHT OF DIGIT OF PRODUCTION.
(e.g. 2008=8)
- MANUFACTURE SITE; 1.FOR NANTONG 2 FOR DONGGUAN
- SOURCE; P FOR CHINA

CIRCUIT :



dr	Bill Lin	2008/09/28	projection 	MM 	size	A4	scale	1.000
eng	Henry Guo	2013/09/02			ecn no	ELX-N-14385-1		
chr	-	-			rel level	Released		
appr	Rick Bian	2013/09/04	product family	SD	rev	H		
		title	ASSEMBLY SD CARD READER		dwg no	10067847		
www.fci.com	cat. no.	10067847	Product - Customer Drw			sheet 3 of 3		



Copyright FCI.