





LOC		DIST		REVISIONS				
AD	00	P	LTN	DESCRIPTION	DATE	DWN	APVD	
		D		REVISED PER ECO-12-010079	01OCT2012	KH	JE	




RECOMMENDED PC BOARD LAYOUT,
 DAUGHTER BOARD,
 COMPONENT SIDE SHOWN
 SCALE 4:1

- 1 REFERENCE APPLICATION SPEC 114-13059 FOR RECOMMENDED PLATED THRU HOLE DIAMETER AND PLATING THICKNESSES.
- 2 MATERIAL:
 SHIELD - PHOSPHOR BRONZE
 CONTACT - COPPER-NICKEL-SILICON
 HOUSING, CHICKLET AND CHICKLET COVER - GLASS FILLED POLYESTER, UL 94V-0.
- 3 FINISH: SIGNAL AND GROUND CONTACTS:
 MATING AREA: MEETS THE PERFORMANCE REQUIREMENTS OF PRODUCT SPECIFICATION 108-2055; BASED ON TELCORDIA GR-1217-CORE, APPLICATIONS IN UNCONTROLLED ENVIRONMENTS
 COMPLIANT PIN AREA: 0.5µm MIN BRIGHT TIN-LEAD OVER BASE PLATING
- 4 CONNECTOR MARKED WITH PART NUMBER AND DATE CODE IN APPROXIMATE AREA SHOWN
- 5 DIMENSION APPLIES TO CENTERLINE OF THRU HOLE.
- 6 DATUMS AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
- 7. CONTACT AREA LUBRICATED WITH BELLCORE APPROVED LUBRICANT. TECHNICAL REFERENCE: GR-1217-CORE, ISSUE 1, NOVEMBER 1995.



TOP SURFACE OF DAUGHTER CARD

1469286-1
 PART NUMBER



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN S. J. MAGARO 13FEB2003	TE Connectivity
DIMENSIONS:		CHK R. A. PATTERSON 13FEB2003	
mm	0 PLC	APVD B. PATTERSON 06MAY2007	NAME
	1 PLC	PRODUCT SPEC	RECEPTACLE ASSEMBLY, 4 PAIR, 30mm, HMZd
	2 PLC	APPLICATION SPEC	SIZE CAGE CODE DRAWING NO
	3 PLC	WEIGHT	A100779C=1469286
	4 PLC	CUSTOMER DRAWING	RESTRICTED TO
	ANGLES	SCALE 8:1	SHEET 1 OF 1
	FINISH	REV D	