	т   т		0			
ØS-						
			LAYOUT SHOWN AS EXAN	ЛРLE		
	Keying Shown as example					
CHARACTERISTICS	Connector dimension					
-Standard : Based on MIL-DTL-38999 Series III	DimNominalØS35.7 Max	[				
-Shell Material : Aluminium -Shell Plating : Nickel	Z 31 Max		SOURIAU shall not be liable for any no			
-Insulator : Thermoplastic	VV THREAD M25x1-6g		due to a use of the Products which does not comply with the Specifications issued by either of the Parties or by a third party			
-Contacts : Copper Alloy	(professional recommendation, technical notice.)					
-Seals & Grommet : Silicon Elastomer		L	Country	Jurisdiction & Control List	]	
-Contact Plating : Gold over copper Alloy 0.8µm minimum			FR	Not Listed		
-Durability : 500 Mating cycles						
-Delivered with Souriau contacts and Accessories			PN: 8D517F0	oru		
-Temperature Range : -65°C to +200°C		A 14-10-2016	First Release			
-Salt Spray : 48 hours						
Mass : 28.89 g ± 10%		ISS DATE Designed By:	Latest modification - by Date:	CUSTOMER DRAWING	MOD N°	
		TITLE	TITLE Aluminium Plug 8D series			
		SCALE	General linear			
BASIC SERIES: 8D 5 - 17 F	08 P D			NPRDS / PROJECT <b>859</b>		
SHELL TYPE : Plug with RFI Shielding		NA		This document is the prop	erty of	
CONTACT TYPE : Standard Crimp Contact ORIENTATION : D			SOURIAU WWW.SOURIAU.COM SOURIAU it must not be reproduced or			
SHELL SIZE : 17				communicated without per		
PLATING : F = Nickel	CONTACT LAYOU	DT:17-08 FORMAT A3	SOURIAU D		SHEET	
			8D517F08		1/2	

_	т	۵	н <b>т</b>	m	D	0	
		Contact Layout					
4	-х (	$ \begin{array}{c} & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & $					
	Conta position A B C C D E F	Contacts    (Insert arrangement 17-8)    Location    X-axis  Y-axis    (mm)  (mm)    +.000 (0.00)  +.236 (5.99)    +.128 (3.25)  +.086 (2.18)    +.230 (5.84) 078 (1.98)    +.094 (2.39) 216 (5.49)					
ω	G H Shell Arrangement Nun size no. cor	128 (3.25) +.086 (2.18)					
	_						
						SOURIAU shall not be liable due to a use of the Produ the Specifications issued by ei (professional recomm	ucts w ither o
N						PN: 8D5	Count FR 517
					A 14-10-20 ISS DATE Designed By:	016 First Release Latest modification - by Date:	
					TITLE	Alı	umiı
					SCALE NA	General li Tolerand ±	ces:
					SOURIA	U WWW.SOURIA	<i>\</i> U.(
				_	FORMAT A3	SOUR 8D51	
L	Н	G	F	E	D	C	

