

DETAILS

Product Number	CS15887_STRADA-IP-2X6-T3-B-90
Family	Strada
Type	Assembly
Color	clear
Diameter	71,4x173 mm
Height	12,75 mm
Style	rectang
Optic Material	PMMA
Holder Material	
Fastening	screw
Status	sample approved
ROHS Compliant	Yes
Date Updated	10/03/2017

OPTICAL PROPERTIES

LED	Viewing Angle	Light Beam	Efficiency	cd/lm	Connector
XT-E	sim: Asymmetric	Asymmetric	sim: 94 %	sim: 0.000	-
XP-G2	Asymmetric deg	Asymmetric	94 %	0.760	-



H G F E D C B A

4

3

2




1

4


3

2


1



Section view A-A



Section view B-B



INDEX	PART NO	DESCRIPTION	MATERIAL	COLOUR
1	C15882	STRADA-IP-2X6-T3-B-90	PMMA	Clear
2	C14018	2X6-SEAL25	Silicone	white

Tolerances if not otherwise shown
 According to DIN ISO 2768-1
 Linear measures:
 Up to 30mm class M, otherwise class C.
 According to DIN ISO 2768-2
 Form and position: class L

LEDiL Ledil Oy
 Salorankatu 10
 FIN 24240 SALO
 Finland

THIRD ANGLE PROJECTION:

DRAWING TITLE
CS15887_STRADA-IP-2X6-T3-B-90


This drawing is the property of LEDiL Oy. It may not be reproduced, copied or communicated without a written agreement with LEDiL Oy.

SIZE	PART NUMBER
A3	CS15887

SCALE	1:1	WEIGHT	60 g	SHEET	1/1
-------	-----	--------	------	-------	-----


H G B A

Luminaire: Ledil CS15887_STRADA-IP-2X6-T3-B-90_(XP-G2)
Lamps: 1 x Cree_XP-G2_2x6_1267.06lm@250mA_P=8.64875W_I=0.25A



Luminaire: Ledil CS15887_STRADA-IP-2X6-T3-B-90_(XP-G2)

Lamps: 1 x Cree_XP-G2_2x6_1267.06lm@250mA_P=8.64875W_I=0.25A



NOTE: The typical divergence will be changed by different color, chip size and chip position tolerance. The typical total divergence is the full angle measured where the luminous intensity is half of the peak value.