



SEE DETAIL "A"



SECTION A-A


RoHS



DETAIL "A"
CHAMFER
SCALE=6:1

IMPEDANCE (Z)			
Frequency	25 MHz	100 MHz	300 MHz
Nominal (REF)	56 Ω	122 Ω	236 Ω
Minimum	- Ω	98 Ω	- Ω

Z vs. FREQUENCY
(REF. ONLY)



AGILENT E4991A Impedance/Material Analyzer
HP 16092A-Test Fixture

UNCONTROLLED DOCUMENT


NOTES: UNLESS OTHERWISE SPECIFIED

- COSMETIC SPECIFICATION REFER TO WI-QA-038.

FERRITE CORE DIMENSIONS (SPEC): mm [in]

A	22.10 [.870]	±	0.46 [.018]
B	13.72 [.540]	±	0.25 [.010]
C	12.70 [.500]	±	0.25 [.010]

WEIGHT/1000 14.62 kgs [32.23 Lbs]



DIMENSIONS ARE IN mm [INCHES].				This print is the property of Laird Tech. and is loaned in confidence subject to return upon request and with the understanding that no copies shall be made without the written consent of Laird Tech. All rights to design or invention are reserved.					
REV	DESCRIPTION	DATE	INT						
J	UPDATE THE LOGO	05/13/15	QIU	PROJECT/PART NUMBER: 28B0870-100		REV	J	DRAWN BY: DJB	
H	UPDATE COMPANY LOGO	12/28/12	QIU			DATE:	11/13/91	SCALE:	2 : 1
G	UPDATE COMPANY LOGO	05/09/07	TMB			CAD #	28B0870-100-J	TOOL #	B0870
F	CHANGE PRINT FORMAT CHANGE Z SPECS AND ADD CURVE CHANGE P/N TO -100 REMOVE COATING SPECS & NOTES REV	07/21/03	TMB	MATERIAL:		FERRITE			