



# PRODUCT DATASHEET

## Rose series

last update 21/8/2014

### DETAILS

<b>Product Number</b>	CA10559_OSS-2-D
<b>Family</b>	Rose
<b>Type</b>	Assembly
<b>Color</b>	white
<b>Diameter</b>	21,6 + 21,6 mm
<b>Height</b>	13,9 mm
<b>Style</b>	square
<b>Optic Material</b>	PMMA
<b>Holder Material</b>	
<b>Fastening</b>	tape
<b>Status</b>	production ready
<b>ROHS Compliant</b>	Yes
<b>Date Updated</b>	21/08/2014




### OPTICAL PROPERTIES

LED	Viewing Angle	Light Beam	Efficiency	cd/lm	Connector
Golden Dragon+	13 deg	Diffuser	-	11.210	-

# Ledil oy CA10559\_OSS-2-D (Golden Dragon+) LOR=92% / LDC (Linear)


Luminaire: Ledil oy CA10559\_OSS-2-D (Golden Dragon+) LOR=92%  
Lamps: 1 x Osram Golden Dragon+ 67lm @ 250mA



# Ledil oy CA10559\_OSS-2-D (Golden Dragon+) LOR=92% / LDC (Polar)

Luminaire: Ledil oy CA10559\_OSS-2-D (Golden Dragon+) LOR=92%

Lamps: 1 x Osram Golden Dragon+ 67lm @ 250mA



cd/klm

SIMULATED

— C0 - C180 — C90 - C270

**NOTE: The typical divergence will be changed by different color, chip size and chip position tolerance. The typical total divergence is the full angle measured where the luminous intensity is half of the peak value.**