NOTES:		THIRD AN	NGLE PROJ. 🕀 🗧	
I. MATERIALS AND FINISHES: SMA RA PLUG - BRASS, GOLD PLATING CABLE- RG I78				A REL
2. ELECTRICAL: A. IMPEDANCE: 50 OHM				٢
3. PACKAGING: A. QUANTITY: SINGLE PACK B. MARKING: BAG TO BE MARKED "AMPHENOL RF, 95-902-513-XXX AND DATE CODE"				
HEAT SHRINK TUBE				
NTERFACE PER MIL-STD-348 SERIES:SMA PLUG	95-902-5 95-902-5 95-902-5 95-902-5	RIAL)IN MM (INCHES $513-050$ 50.00 ± 2.50 $513-100$ 100.00 ± 2.50 $513-150$ 150.00 ± 3.75 $513-200$ 200.00 ± 5.00	5) ± 0.0981 7± 0.0981 6± 0.1481 4± 0.1971 8± 0.2461	
DESIGN_REQUIREMENTS: X FREQUENCY: DC - 3 GHz X CONTINUITY VSWR: MAX INS. LOSS: MAX OTHER:				CUST
UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN METRIC AND TOLERANCES ARE: <0.5mm 0.5 - 6mm 6 - 30mm 30 - 120mm ANGLES $\pm 0.05mm \pm 0.1mm \pm 0.2mm \pm 0.3mm \pm 1^{\circ}$ NOTICE - These drawings, specifications, or other data (1) are, and remain the property of Amphenol corp. (2) must be returned upon request; and (3) are confidential and not to be disclosed to any person other than those to whom they are given by Amphenol Corp. the furnishing of these drawings, specifications, o other data by Amphenol Corp., or to any other person to anyone for any purpose not to be regarded by implication or otherwise in any manner licensing, granting rights to permitting such holder or any other person to manufacture, use or sel any product, process or design, patented or otherwise, that may in any way be related to or disclosed by said drawings, specifications, or other data.	MATERIAL SEE NOTES REFERENCE EAR# 9092 REF: CONFIGURATION LEVEL: In Work FINISH	DRAWN KARTHIK R ENGINEER KARTHIK R APPROVED K.CAPOZZI CAD FILE	5 - May - 9 DATE 5 - May - 9 DATE	ITLE SMA RA PLUG TO AMC RA PLUG USING RG I78 C VARIOUS LENGTH CALE: 3.5:1.0 SHEET 2 OF DWG SIZE B

