

# BMP®51 and BMP®53 Materials

www.BradyID.com/bmp51

## BMP®51 and BMP®53 General Identification Material: Bin, Storage, & General Industrial ID

Choose from several materials with aggressive adhesives for use in commercial/industrial applications, including low surface energy and textured surfaces.




Figure 29



Figure 33



Diagram	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels/Roll
<b>B-422 – Gloss Polyester</b>							
Fig. 29	M-7-422	B-422	Gloss Polyester	BK on WT	0.500 (12.70)	0.500 (12.70)	280
Fig. 29	M-17-422	B-422	Gloss Polyester	BK on WT	1.000 (25.40)	0.500 (12.70)	360
Fig. 29	M-19-422	B-422	Gloss Polyester	BK on WT	1.000 (25.40)	1.000 (25.40)	200
Fig. 29	M-29-422	B-422	Gloss Polyester	BK on WT	1.500 (38.10)	0.500 (12.70)	360
Fig. 29	M-30-422	B-422	Gloss Polyester	BK on WT	1.500 (38.10)	0.750 (19.05)	200
<b>B-483 – Ultra Aggressive Polyester</b>							
Fig. 29	M-17-483	B-483	Polyester	BK on WT	1.000 (25.40)	0.500 (12.70)	360
Fig. 29	M-61-483	B-483	Polyester	BK on WT	2.000 (50.80)	0.500 (12.70)	80
Fig. 29	M-20-483	B-483	Polyester	BK on WT	2.000 (50.80)	1.000 (25.40)	80
<b>B-499 – Nylon Cloth</b>							
Fig. 29	M-11-499	B-499	Nylon Cloth	BK on WT	0.750 (19.05)	0.500 (12.70)	220
Fig. 29	M-84-499	B-499	Nylon Cloth	BK on WT	0.900 (22.86)	0.500 (12.70)	200
Fig. 29	M-132-499	B-499	Nylon Cloth	BK on WT	1.250 (31.75)	1.500 (38.10)	160
Fig. 29	M-78-499	B-499	Nylon Cloth	BK on WT	1.900 (48.26)	1.000 (25.40)	100
<b>B-595 – Indoor / Outdoor Vinyl Tape*</b>							
Fig. 33	MC-500-595-RD-WT	B-595	Vinyl	WT on RD	0.500 (12.70)	25 ft. (7.62 m)	1
Fig. 33	MC-750-595-RD-WT	B-595	Vinyl	WT on RD	0.750 (19.05)	25 ft. (7.62 m)	1
Fig. 33	MC-1000-595-RD-WT	B-595	Vinyl	WT on RD	1.000 (25.40)	25 ft. (7.62 m)	1
Fig. 33	MC-1500-595-RD-WT	B-595	Vinyl	WT on RD	1.500 (38.10)	25 ft. (7.62 m)	1

\* For additional vinyl label colors, refer to the B-595 Indoor/Outdoor Grade Facility and Safety Labels on page 260.

## BMP®51 and BMP®53 Voice & Data Comm Material:

### B-499 Nylon Cloth Cable Flags

Pre-formatted with two printable areas, allowing label to be easily folded around wires to create a two-sided, printed flag.




Figure 63




Diagram	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Label Height C Inch (mm)	Labels/Roll	Material Notes
<b>B-499 - Nylon Cloth</b>									
Fig. 63	M-151-499	B-499	Nylon Cloth	BK on WT	1.000 (25.40)	1.000 (25.40)	0.250 (6.35)	90	Approx. 1.000" x 1.000" resulting flag size
Fig. 63	M-152-499	B-499	Nylon Cloth	BK on WT	1.500 (38.10)	0.500 (12.70)	0.250 (6.35)	160	Approx. .500" x 1.500" resulting flag size

## BMP®51 and BMP®53 Voice & Data Comm Material:

### Punch Block & Patch Panel ID

Make fully-formatted punch block strips or labels in one easy process. Using BMP®51's built-in templates, LabelMark™ 5 Software or the Brady Mobile App easily create serialized punch block labels with or without grid lines to fit your equipment.




Figure 29



Figure 33




Diagram	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels/Roll	Material Notes
<b>B-412 – Polypropylene Tag</b>								
Fig. 33	MC-375-412	B-412	Polypropylene Tag	BK on WT	0.375 (9.53)	20 ft (6.09 m)	1	Non-Adhesive Slide-in Strips
Fig. 33	MC-475-412	B-412	Polypropylene Tag	BK on WT	0.475 (12.07)	20 ft (6.09 m)	1	Non-Adhesive Slide-in Strips
Fig. 33	MC-625-412	B-412	Polypropylene Tag	BK on WT	0.675 (12.07)	20 ft (6.09 m)	1	Non-Adhesive Slide-in Strips
<b>B-422 - Gloss Polyester</b>								
Fig. 33	MC-375-422	B-422	Gloss Polyester	BK on WT	0.375 (9.53)	25 ft (7.62 m)	1	Adhesive Stick-on Strips
Fig. 33	MC-475-422	B-422	Gloss Polyester	BK on WT	0.475 (12.07)	25 ft (7.62 m)	1	Adhesive Stick-on Strips
Fig. 33	MC-625-422	B-422	Gloss Polyester	BK on WT	0.675 (12.07)	25 ft (7.62 m)	1	Adhesive Stick-on Strips
Fig. 29	M-7-422	B-422	Gloss Polyester	BK on WT	0.500 (12.70)	0.500 (12.70)	280	Individual Port Labels