

Specifications for BMP51/53 Labelmaker PermaSleeve Wiremarker Sleeves

Article No.	143227
Brady Material No.	B-342
Material Type	Heat-shrink Polyolefin Sleeve
Colour	Black on White
Finish	Matt
Order Reference	M-187-1-342
Printer Compatibility	BMP51; BMP53
Size - Height (mm)	8.50
Size - Width (mm)	25.78
Total Qty per Pack	80 Sleeve(s) / Box
Wire Gauge	20-10
Approval/Compliance	SAE-AMS-DTL-23053/5 C (Class 1); SAE-AS-81531; MIL-STD-202 method 215K; UL224
Application	Wire & Cable Marking
Industry	Data & Telecommunications;Electrical
Description	PermaSleeve markers provide a wire marking solution that combines speed, ease of use, and permanence to create long-lasting, high quality identification. These Sleeves are self-extinguishing and meet the requirements of SAE AMS-DTL-23053/5 Class 1, SAE-AS-8153, MIL-STD-202 method 215K and is UL224 recognised
Max. Service Temp. °C	130
Max. Wire/Cable Diameter (mm)	3.81
Min. Service Temp. °C	-70
Min. Wire/Cable Diameter (mm)	1.57
Printable Sides	Single-sided Printable
Shape	Rectangle
Shrink Ratio	3:1
Software	LabelMark

