CHERRY JK-0800





Models may vary from the image shown

Low Cost Corded Keyboard with Whisper Keystroke and Abrasion-Resistant Labeling:

CHERRY JK-0800 is rock-solid CHERRY technology with an excellent price/performance ratio. Modern, flat design with gentle, quiet and durable wear-resistant keys.

Key Benefits

- Whisper keystroke keys with wear-resistant laser key legends
- Up to 10 million keystrokes
- 4 hotkeys (calculator/e-mail/browser/sleep mode)
- Plug & Play via USB connection
- 3 blue status LED's

Technical Data:

Housing Color: Black

Key Color: Black

Weight (product):

Approx. 540 g /1.19 lbs

Total Weight (with packaging):

Approx. 725 g /1.59 lbs.

.

Cable Length:

Approx. 1.80 m / Approx. 5.91 ft.

Current Consumption:

Max. 200 mA

Operating Temperature:

0° C to 50° C / 32° F to 122° F

Storage Temperature:

-20°C to 60°C / -4° F to 140° F

Interface:

USB

Product Approvals:

C-Tick

UL

CE

FCC

TÜV/GS

System Requirements:

USB connection

Delivery Volume:

JK-0800

Operating instructions in hard copy

Dimensions (product):

Approx. 446 x 158 x 28 mm Approx. 17.56" x 6.22" x 1.10"

Packaging Dimensions:

Approx. 468 x 202 x 35 mm Approx. 18.43" x 7.95" x 1.38"

Reliability:

MTBF (90) > 80,000 hours

Keyboard:

- Key switch technology: LPK (low Profile Keyboard)
- Service life, standard key: > 10 million key operations
- Number of Keys: 104
- Number of additional keys: 4

Packaging Unit:

Number of products in the master package: 6 Number of master packages per pallet: 32

Warranty:

2 years



Model:

Product Name	Order Number	EAN Code
CHERRY KC 1000	JK-0800EU-2	402511208149

(Possible country/layout versions, others available on request)

ZF Electronic Systems Pleasant Prairie, LLC 11200 88th Avenue Pleasant Prairie, WI 53158 USA

Phone: 262.942.6500

Internet: www.cherrycorp.com

E-Mail: cep_sales@zf.com Fax: 262.942.6566

The manufacturer accepts no liability for errors or non-availability, and reserves the right to change specifications without prior notice. Technical data relates to product specifications only. Features may differ from those described. Only drawings combined with product specifications shall be deemed binding.

© 2008 ZF Electronics Corporation, Last update: January 30, 2014_V01