

17015.0

QS 3/120/10

QS 3/120/10

---



Cross-connector, No. of poles: 3, Mounting type: Can be screwed on, Width: 96 mm, Rated cross-section: 120 mm<sup>2</sup>, Colour: natural

## Business data

---

Product description	Cross-connector
Packaging unit	10
Quantity unit	PC
Weight per piece (not including packaging)	76.4
Weight per piece (including packaging)	76.6
Unit of weight	G
Customs number	85389099
Country of origin	DE

**17015.0**

**QS 3/120/10**

**QS 3/120/10**

## Technical Data

---

### Dimensions

---

Length	25 mm
--------	-------

Width	96 mm
-------	-------

Height	4 mm
--------	------

Hole diameter	10.6 mm
---------------	---------

Hole spacing (mid-point to mid-point)	34 mm
---------------------------------------	-------

Pitch size	34 mm
------------	-------

### Ratings

---

Max. voltage	1000 V
--------------	--------

Rated current	269 A
---------------	-------

Rated cross-section	120 mm <sup>2</sup>
---------------------	---------------------

Contamination degree	3
----------------------	---

### Connection data

---

No. of poles	3
--------------	---

### Materials

---

Material	Copper
----------	--------

17015.0

QS 3/120/10

QS 3/120/10

## Technical Data

---

### Materials

---

Surface	Tin-plated
---------	------------

---

### Further technical data

---

Mounting type	Screwable
---------------	-----------

---

Number of bridged terminals	3
-----------------------------	---

---