

2547.0

SKS 6

SKS 6



Crimp lug, Pin shape acc. to DIN 46231, Length: 25.5 mm, Max. wire cross-section: 6 mm², Colour: Yellow

Business data

Product description	Crimp
Connector shape	Pen shape acc. to DIN 46231
Product-compliant (according to DIN)	✓
Packaging unit	100
Quantity unit	PC
Weight per piece (not including packaging)	1.7
Weight per piece (including packaging)	1.71
Unit of weight	G
Customs number	85369010
Country of origin	TW

2547.0

SKS 6

SKS 6

Technical Data

Dimensions

Length	25.5 mm
Length of pin	10.5 mm
Width of pin	2.7 mm
Diameter of feed-in funnel	6.5 mm
Size DIN	6

Connection data

Wire cross-section, min.	4 mm ²
Wire cross-section, max.	6 mm ²
Wire cross-section AWG, min.	12
Wire cross-section AWG, max.	10

Materials

Connector material	Copper
Surface	Tin-plated
insul.	Expanded PA insulation
Working temperature, min.	-55 °C
Working temperature, max.	105 °C

Further technical data

Insulation available	✓
Soldered	✓

2547.0

SKS 6

SKS 6

Approvals

Standards and regulations

Standards / specifications

DIN EN 13599
