

2764.2

AQI 3/50 YE

AQI 3/50 YE



External insulated cross-connector, No. of poles: 3, Mounting type: Plug in, Width: 57.04 mm, Rated current: 150 A; Colour: Yellow

Business data

Product description	Insulated external cross-connector
Packaging unit	5
Quantity unit	PC
Weight per piece (not including packaging)	55.8
Weight per piece (including packaging)	56.9
Unit of weight	G
Customs number	85389099
Country of origin	DE

2764.2

AQI 3/50 YE

AQI 3/50 YE

Technical Data

Dimensions

Width	57.04 mm
-------	----------

Pitch size	20 mm
------------	-------

Ratings

Voltage with partition, max.	1000 V
------------------------------	--------

Voltage without partition, max.	1000 V
---------------------------------	--------

Rated current	150 A
---------------	-------

Contamination degree	3
----------------------	---

Connection data

No. of poles	3
--------------	---

Materials

Material	Copper
----------	--------

Surface	Tin-plated
---------	------------

Insulation housing	Polyamide 6.6
--------------------	---------------

Flammability class UL 94	V-2
--------------------------	-----

2764.2

AQI 3/50 YE

AQI 3/50 YE

Technical Data

Materials

Working temperature, min.	-40 °C
---------------------------	--------

Working temperature, max.	105 °C
---------------------------	--------

Further technical data

Mounting type	Plug in
---------------	---------

Insulation available	✓
----------------------	---

Touch protection is available	✓
-------------------------------	---

Number of bridged terminals	3
-----------------------------	---
