

2787.0

H 95,0/44 RD

H 95,0/44 RD

---



Wire-end ferrules, Max. wire cross-section: 95 mm<sup>2</sup>, Length: 44 mm, Length of copper pipe: 25 mm, Colour: Red

## Business data

---

Product description	Ferrules
Packaging unit	25
Quantity unit	PC
Weight per piece (not including packaging)	5.2
Weight per piece (including packaging)	5.4
Unit of weight	G
Customs number	85369010
Country of origin	DE

2787.0

H 95,0/44 RD

H 95,0/44 RD

## Technical Data

---

### Dimensions

---

Length	44 mm
Length of copper pipe	25 mm
Diameter of copper pipe	14.7 mm
Diameter plastic collar	18 mm
Wall thickness of copper pipe	0.35 mm
Wall thickness of plastic collar	0.6 mm

### Connection data

---

Wire cross-section, max.	95 mm <sup>2</sup>
Wire cross-section AWG, max.	3/0
Stripping length	31 mm

### Materials

---

Copper pipe	Copper alloy
Surface	Galvanically tin-plated, shiny
Plastic collar	Polypropylene homopolymer
Working temperature, min.	-5 °C
Working temperature, max.	105 °C

### Further technical data

---

Insulation available	✓
----------------------	---

# Datasheet



2787.0

H 95,0/44 RD

H 95,0/44 RD

## Approvals

---

## Standards and regulations

---

DIN 46228-4:1990

✓