

28130.8

PVCF-KMP 075 25X15 WH

PVCF-KMP 075 25X15 YE



Wire and cable markers, Length: 75 mm, Width: 15 mm, Colour: White

Business data

Product description	Cable and wire markers
Packaging unit	300
Quantity unit	PC
Number of markers per card	6
Weight per piece (not including packaging)	0.9
Weight per piece (including packaging)	0.9
Unit of weight	G
Customs number	39204910
Country of origin	IT

28130.8

PVCF-KMP 075 25X15 WH

PVCF-KMP 075 25X15 YE

Technical Data

Dimensions

Length	75 mm
Length of labelling field	15 mm
Width	15 mm
Width of labelling field	25 mm

Connection data

Outer diameter of insulation, min.	8 mm
Max. outer diameter of insulation	14 mm

Materials

Marker material	PVC film
Flammability class UL 94	V-0
Working temperature, min.	-30 °C
Working temperature, max.	70 °C
Processing temperature, min.	10 °C
Processing temperature, max.	40 °C
Silicone-free	✓

Datasheet



28130.8

PVCF-KMP 075 25X15 WH

PVCF-KMP 075 25X15 YE

Technical Data

Further technical data

Software code

305

28130.8

PVCF-KMP 075 25X15 WH

PVCF-KMP 075 25X15 YE

Accessories

Printer



Thermal transfer printer

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28000.0	TTPCard	4044211207397	1 PC

Inlays



Printer inlay

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28041.0	CCI-PC/PVC/PVCF	4044211208097	1 PC