

28502.4

KDS-SR 8/16 BK

KDS-SR 8/16 BK



Cable entry with foamed-in seal, Mounting type: Screws, Length: 126 mm, Width: 70 mm, IP 66, Colour: Black

RAL: 9005

Business data

Product description	Cable Entry
Packaging unit	1
Quantity unit	PC
Weight per piece (not including packaging)	54.8
Weight per piece (including packaging)	81.8
Unit of weight	G
Customs number	39259020
Country of origin	DE

28502.4

KDS-SR 8/16 BK

KDS-SR 8/16 BK

Technical Data

Dimensions

Length	126 mm
Length of wall cutout	91 mm
Width	70 mm
Width of wall cutout	46 mm
Height	19.6 mm
Installation height	19.6 mm
Diameter of the screw holes	5.5 mm

Materials

Material	Polyamide 6.6
Glass-fibre reinforced	✓
Flammability class UL 94	V-0
Working temperature, min.	-40 °C
Working temperature, max.	120 °C
Sealing material	Polyurethane-based
Type of seal	Sealing and moulded flexible foam
Halogen-free	✓
Silicone-free	✓

28502.4

KDS-SR 8/16 BK

KDS-SR 8/16 BK

Technical Data

Further technical data

Mounting type	Screws
Protection	IP66
NEMA Type	4x
Number of screw holes	4
Fixing screws	M 5 (ISO 4762 / DIN 912)
Torque of the fixing screws	3 Nm

28502.4

KDS-SR 8/16 BK

KDS-SR 8/16 BK

Approvals

cUL Recognized

cUL Recognized	C22.2 No. 14-95
----------------	-----------------

cUL Recognized	✓
----------------	---

UL Recognized

UL Recognized	UL 508
---------------	--------



UL Recognized granted	✓
-----------------------	---

28502.4

KDS-SR 8/16 BK

KDS-SR 8/16 BK

Media



28502.4

KDS-SR 8/16 BK

KDS-SR 8/16 BK

Accessories

Inlays



Cable entry, Inlay, Mounting type: Plug in, IP 66,
Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28516.4	KDS-Inlay 1	4044211210847	5 PC



Cable entry, Inlay, Mounting type: Plug in, IP 66,
Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28517.4	KDS-Inlay 2	4044211210854	5 PC

28502.4

KDS-SR 8/16 BK

KDS-SR 8/16 BK

Accessories

Inlays



Cable entry, Inlay, Mounting type: Plug in, IP 66,
Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28518.4	KDS-Inlay 4	4044211210861	5 PC



Cable entry, Inlay, Mounting type: Plug in, IP 66,
Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28519.4	KDS-Inlay 6	4044211210014	5 PC

28502.4

KDS-SR 8/16 BK

KDS-SR 8/16 BK

Accessories

Dichtelemente klein



Seal, Mounting type: Plug in, Length x width: 20.3 mm,
Max. cable diameter: 5 mm, IP 66, Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28555.4	KDS-DE 2X4-5	4044211215620	10 PC



Seal, Mounting type: Plug in, Length x width: 20.3 mm,
Max. cable diameter: 10 mm, IP 66, Colour: Grey

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28570.6	KDS-DE 9-10	4044211211080	10 PC

28502.4

KDS-SR 8/16 BK

KDS-SR 8/16 BK

Accessories

Dichtelemente klein



Seal, Mounting type: Plug in, Length x width: 20.3 mm,
Max. cable diameter: 8 mm, IP 66, Colour: Grey

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28692.6	KDS-DE 2x8	4044211220846	10 PC



Seal, Mounting type: Plug in, Length x width: 20.3 mm,
Max. cable diameter: 3 mm, IP 66, Colour: Grey

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28698.6	KDS-DE 3	4044211220907	10 PC

28502.4

KDS-SR 8/16 BK

KDS-SR 8/16 BK

Accessories

Dichtelemente klein



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 13 mm, IP 66, Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28532.4	KDS-DE 12-13	4044211210984	10 PC



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 4 mm, IP 66, Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28558.4	KDS-DE 4X3-4	4044211215651	10 PC

28502.4

KDS-SR 8/16 BK

KDS-SR 8/16 BK

Accessories

Dichtelemente klein



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 3 mm, IP 66, Colour: Grey

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28563.6	KDS-DE 2-3	4044211211011	10 PC



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 5 mm, IP 66, Colour: Grey

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28565.6	KDS-DE 4-5	4044211211035	10 PC

28502.4

KDS-SR 8/16 BK

KDS-SR 8/16 BK

Accessories

Dichtelemente klein



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 12 mm, IP 66, Colour: Grey

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28572.6	KDS-DE 11-12	4044211211103	10 PC



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 6 mm, IP 66, Colour: Grey

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28596.6	KDS-DE 2X5-6	4044211215699	10 PC

28502.4

KDS-SR 8/16 BK

KDS-SR 8/16 BK

Accessories

Dichtelemente klein



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 3 mm, IP 66, Colour: Grey

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28597.6	KDS-DE 4X2-3	4044211215705	10 PC



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 8 mm, IP 66, Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28691.4	KDS-DE 2x8	4044211220839	10 PC

28502.4

KDS-SR 8/16 BK

KDS-SR 8/16 BK

Accessories

Dichtelemente klein



-

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28762.6	KDS-DE 4X6	-	10 PC



-

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28763.4	KDS-DE 4X6	-	10 PC

28502.4

KDS-SR 8/16 BK

KDS-SR 8/16 BK

Accessories

Dichtelemente klein



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 7 mm, IP 66, Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28526.4	KDS-DE 6-7	4044211210922	10 PC



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 9 mm, IP 66, Colour: Grey

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28569.6	KDS-DE 8-9	4044211211073	10 PC

28502.4

KDS-SR 8/16 BK

KDS-SR 8/16 BK

Accessories

Dichtelemente klein



Seal, Mounting type: Plug in, Length x width: 20.3 mm,
Max. cable diameter: 4.5 mm, IP 66, Colour: Grey

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28606.6	KDS-DE 4x4,5	4044211216252	10 PC



Seal, Mounting type: Plug in, Length x width: 20.3 mm,
Max. cable diameter: 6.5 mm, IP 66, Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28682.4	KDS-DE 2x6,5	4044211219536	10 PC

28502.4

KDS-SR 8/16 BK

KDS-SR 8/16 BK

Accessories

Dichtelemente klein



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 6 mm, IP 66, Colour: Grey

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28688.6	KDS-DE 3x5-6	4044211220518	10 PC



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 7 mm, IP 66, Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28689.4	KDS-DE 2x7	4044211220815	10 PC

28502.4

KDS-SR 8/16 BK

KDS-SR 8/16 BK

Accessories

Dichtelemente klein



Seal, Mounting type: Plug in, Length x width: 20.3 mm,
Max. cable diameter: 1.5 mm, IP 66, Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28693.4	KDS-DE 1,5	4044211220853	10 PC



Seal, Mounting type: Plug in, Length x width: 20.3 mm,
Max. cable diameter: 2 mm, IP 66, Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28695.4	KDS-DE 2	4044211220877	10 PC

28502.4

KDS-SR 8/16 BK

KDS-SR 8/16 BK

Accessories

Dichtelemente klein



Seal, Mounting type: Plug in, Length x width: 20.3 mm,
Max. cable diameter: 2 mm, IP 66, Colour: Grey

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28696.6	KDS-DE 2	4044211220884	10 PC



Seal, Mounting type: Plug in, Length x width: 20.3 mm,
Max. cable diameter: 3 mm, IP 66, Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28697.4	KDS-DE 3	4044211220891	10 PC

28502.4

KDS-SR 8/16 BK

KDS-SR 8/16 BK

Accessories

Dichtelemente klein



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 14 mm, IP 66, Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28533.4	KDS-DE 13-14	4044211210991	10 PC



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 6 mm, IP 66, Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28556.4	KDS-DE 2X5-6	4044211215637	10 PC

28502.4

KDS-SR 8/16 BK

KDS-SR 8/16 BK

Accessories

Dichtelemente klein



Seal, Mounting type: Plug in, Length x width: 20.3 mm,
Max. cable diameter: 2 mm, IP 66, Colour: Grey

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28562.6	KDS-DE 1,5-2	4044211209988	10 PC



Seal, Mounting type: Plug in, Length x width: 20.3 mm,
Max. cable diameter: 7 mm, IP 66, Colour: Grey

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28567.6	KDS-DE 6-7	4044211211059	10 PC

28502.4

KDS-SR 8/16 BK

KDS-SR 8/16 BK

Accessories

Dichtelemente klein



Seal, Mounting type: Plug in, Length x width: 20.3 mm,
Max. cable diameter: 11 mm, IP 66, Colour: Grey

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28571.6	KDS-DE 10-11	4044211211097	10 PC



Seal, Mounting type: Plug in, Length x width: 20.3 mm,
Max. cable diameter: 14 mm, IP 66, Colour: Grey

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28574.6	KDS-DE 13-14	4044211215231	10 PC

28502.4

KDS-SR 8/16 BK

KDS-SR 8/16 BK

Accessories

Dichtelemente klein



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 5 mm, IP 66, Colour: Grey

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28595.6	KDS-DE 2X4-5	4044211215682	10 PC



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 4 mm, IP 66, Colour: Grey

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28598.6	KDS-DE 4X3-4	4044211215712	10 PC

28502.4

KDS-SR 8/16 BK

KDS-SR 8/16 BK

Accessories

Dichtelemente klein



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 15 mm, IP 66, Colour: Grey

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28609.6	KDS-DE 14-15	4044211219307	10 PC



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 1.5 mm, IP 66, Colour: Grey

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28694.6	KDS-DE 1,5	4044211220860	10 PC

28502.4

KDS-SR 8/16 BK

KDS-SR 8/16 BK

Accessories

Dichtelemente klein



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 2 mm, IP 66, Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28521.4	KDS-DE 1,5-2	4044211210007	10 PC



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 10 mm, IP 66, Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28529.4	KDS-DE 9-10	4044211210953	10 PC

28502.4

KDS-SR 8/16 BK

KDS-SR 8/16 BK

Accessories

Dichtelemente klein



Seal, Mounting type: Plug in, Length x width: 20.3 mm,
Max. cable diameter: 13 mm, IP 66, Colour: Grey

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28573.6	KDS-DE 12-13	4044211215224	10 PC



Seal, Mounting type: Plug in, Length x width: 20.3 mm,
Max. cable diameter: 15 mm, IP 66, Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28608.4	KDS-DE 14-15	4044211219314	10 PC

28502.4

KDS-SR 8/16 BK

KDS-SR 8/16 BK

Accessories

Dichtelemente klein



Seal, Mounting type: Plug in, Length x width: 20.3 mm,
Max. cable diameter: 16 mm, IP 66, Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28670.4	KDS-DE 15-16	4044211219321	10 PC



Seal, Mounting type: Plug in, Length x width: 20.3 mm,
Max. cable diameter: 17 mm, IP 66, Colour: Grey

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28671.6	KDS-DE 15-16	4044211219338	10 PC

28502.4

KDS-SR 8/16 BK

KDS-SR 8/16 BK

Accessories

Dichtelemente klein



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 5 mm, IP 66, Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28672.4	KDS-DE 4X5	4044211219345	10 PC



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 5 mm, IP 66, Colour: Grey

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28673.6	KDS-DE 4X5	4044211219352	10 PC

28502.4

KDS-SR 8/16 BK

KDS-SR 8/16 BK

Accessories

Dichtelemente klein



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 4.5 mm, IP 66, Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28681.4	KDS-DE 4x4,5	4044211219543	10 PC



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 6.5 mm, IP 66, Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28687.4	KDS-DE 3x5-6	4044211220501	10 PC

28502.4

KDS-SR 8/16 BK

KDS-SR 8/16 BK

Accessories

Dichtelemente klein



Seal dummy, Mounting type: Plug in, Length x width: 20.3 mm, IP 66, Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28520.4	KDS-DE/B	4044211210878	10 PC



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 6 mm, IP 66, Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28525.4	KDS-DE 5-6	4044211210915	10 PC

28502.4

KDS-SR 8/16 BK

KDS-SR 8/16 BK

Accessories

Dichtelemente klein



Seal, Mounting type: Plug in, Length x width: 20.3 mm,
Max. cable diameter: 9 mm, IP 66, Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28528.4	KDS-DE 8-9	4044211210946	10 PC



Seal, Mounting type: Plug in, Length x width: 20.3 mm,
Max. cable diameter: 11 mm, IP 66, Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28530.4	KDS-DE 10-11	4044211210960	10 PC

28502.4

KDS-SR 8/16 BK

KDS-SR 8/16 BK

Accessories

Dichtelemente klein



Seal, Mounting type: Plug in, Length x width: 20.3 mm,
Max. cable diameter: 15 mm, IP 66, Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28553.4	KDS-DE/K 2-15	4044211216092	10 PC



Seal, Mounting type: Plug in, Length x width: 20.3 mm,
Max. cable diameter: 3 mm, IP 66, Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28557.4	KDS-DE 4X2-3	4044211215644	10 PC

28502.4

KDS-SR 8/16 BK

KDS-SR 8/16 BK

Accessories

Dichtelemente klein



Seal, Mounting type: Plug in, Length x width: 20.3 mm, IP 66, Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28560.4	KDS-DE/2XASI	4044211215675	10 PC



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 4 mm, IP 66, Colour: Grey

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28564.6	KDS-DE 3-4	4044211211028	10 PC

28502.4

KDS-SR 8/16 BK

KDS-SR 8/16 BK

Accessories

Dichtelemente klein



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 8 mm, IP 66, Colour: Grey

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28568.6	KDS-DE 7-8	4044211211066	10 PC



Seal, Mounting type: Plug in, Length x width: 20.3 mm, IP 66, Colour: Grey

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28600.6	KDS-DE/2XASI	4044211215736	10 PC

28502.4

KDS-SR 8/16 BK

KDS-SR 8/16 BK

Accessories

Dichtelemente klein



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 3 mm, IP 66, Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28522.4	KDS-DE 2-3	4044211210885	10 PC



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 4 mm, IP 66, Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28523.4	KDS-DE 3-4	4044211210892	10 PC

28502.4

KDS-SR 8/16 BK

KDS-SR 8/16 BK

Accessories

Dichtelemente klein



Seal, Mounting type: Plug in, Length x width: 20.3 mm,
Max. cable diameter: 5 mm, IP 66, Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28524.4	KDS-DE 4-5	4044211210908	10 PC



Seal, Mounting type: Plug in, Length x width: 20.3 mm,
Max. cable diameter: 12 mm, IP 66, Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28531.4	KDS-DE 11-12	4044211210977	10 PC

28502.4

KDS-SR 8/16 BK

KDS-SR 8/16 BK

Accessories

Dichtelemente klein



Seal, Mounting type: Plug in, Length x width: 20.3 mm, IP 66, Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28559.4	KDS-DE/1XASI	4044211215668	10 PC



Seal dummy, Mounting type: Plug in, Length x width: 20.3 mm, IP 66, Colour: Grey

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28561.6	KDS-DE/B	4044211211004	10 PC

28502.4

KDS-SR 8/16 BK

KDS-SR 8/16 BK

Accessories

Dichtelemente klein



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 6 mm, IP 66, Colour: Grey

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28566.6	KDS-DE 5-6	4044211211042	10 PC



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 6.5 mm, IP 66, Colour: Grey

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28607.6	KDS-DE 2x6,5	4044211216238	10 PC

28502.4

KDS-SR 8/16 BK

KDS-SR 8/16 BK

Accessories

Dichtelemente klein



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 7 mm, IP 66, Colour: Grey

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28690.6	KDS-DE 2x7	4044211220822	10 PC



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 8 mm, IP 66, Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28527.4	KDS-DE 7-8	4044211210939	10 PC

28502.4

KDS-SR 8/16 BK

KDS-SR 8/16 BK

Accessories

Dichtelemente groß



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 15 mm, IP 66, Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28535.4	KDS-DEG 14-15	4044211209995	10 PC



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 21 mm, IP 66, Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28541.4	KDS-DEG 20-21	4044211215378	10 PC

28502.4

KDS-SR 8/16 BK

KDS-SR 8/16 BK

Accessories

Dichtelemente groß



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 23 mm, IP 66, Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28543.4	KDS-DEG 22-23	4044211215415	10 PC



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 32 mm, IP 66, Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28552.4	KDS-DEG 31-32	4044211215590	10 PC

28502.4

KDS-SR 8/16 BK

KDS-SR 8/16 BK

Accessories

Dichtelemente groß



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 19 mm, IP 66, Colour: Grey

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28580.6	KDS-DEG 18-19	4044211215323	10 PC



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 20 mm, IP 66, Colour: Grey

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28581.6	KDS-DEG 19-20	4044211215347	10 PC

28502.4

KDS-SR 8/16 BK

KDS-SR 8/16 BK

Accessories

Dichtelemente groß



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 21 mm, IP 66, Colour: Grey

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28582.6	KDS-DEG 20-21	4044211215361	10 PC



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 29 mm, IP 66, Colour: Grey

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28590.6	KDS-DEG 28-29	4044211215521	10 PC

28502.4

KDS-SR 8/16 BK

KDS-SR 8/16 BK

Accessories

Dichtelemente groß



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 32 mm, IP 66, Colour: Grey

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28593.6	KDS-DEG 31-32	4044211215583	10 PC



Seal dummy, Mounting type: Plug in, Length x width: 42.8 mm, IP 66, Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28534.4	KDS-DEG/B	4044211215255	10 PC

28502.4

KDS-SR 8/16 BK

KDS-SR 8/16 BK

Accessories

Dichtelemente groß



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 16 mm, IP 66, Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28536.4	KDS-DEG 15-16	4044211215279	10 PC



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 20 mm, IP 66, Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28540.4	KDS-DEG 19-20	4044211215354	10 PC


28502.4

KDS-SR 8/16 BK

KDS-SR 8/16 BK

Accessories


Dichtelemente groß



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 27 mm, IP 66, Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28547.4	KDS-DEG 26-27	4044211215491	10 PC



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 30 mm, IP 66, Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28550.4	KDS-DEG 29-30	4044211215552	10 PC


28502.4

KDS-SR 8/16 BK

KDS-SR 8/16 BK

Accessories

Dichtelemente groß



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 31 mm, IP 66, Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28551.4	KDS-DEG 30-31	4044211215576	10 PC



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 17 mm, IP 66, Colour: Grey

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28578.6	KDS-DEG 16-17	4044211215286	10 PC

28502.4

KDS-SR 8/16 BK

KDS-SR 8/16 BK

Accessories

Dichtelemente groß



Seal, Mounting type: Plug in, Length x width: 42.8 mm,
Max. cable diameter: 18 mm, IP 66, Colour: Grey

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28579.6	KDS-DEG 17-18	4044211215309	10 PC



Seal, Mounting type: Plug in, Length x width: 42.8 mm,
Max. cable diameter: 23 mm, IP 66, Colour: Grey

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28584.6	KDS-DEG 22-23	4044211215408	10 PC

28502.4

KDS-SR 8/16 BK

KDS-SR 8/16 BK

Accessories

Dichtelemente groß



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 31 mm, IP 66, Colour: Grey

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28592.6	KDS-DEG 30-31	4044211215569	10 PC



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 17 mm, IP 66, Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28537.4	KDS-DEG 16-17	4044211215293	10 PC

28502.4

KDS-SR 8/16 BK

KDS-SR 8/16 BK

Accessories

Dichtelemente groß



Seal, Mounting type: Plug in, Length x width: 42.8 mm,
Max. cable diameter: 24 mm, IP 66, Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28544.4	KDS-DEG 23-24	4044211215439	10 PC



Seal, Mounting type: Plug in, Length x width: 42.8 mm,
Max. cable diameter: 26 mm, IP 66, Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28546.4	KDS-DEG 25-26	4044211215460	10 PC

28502.4

KDS-SR 8/16 BK

KDS-SR 8/16 BK

Accessories

Dichtelemente groß



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 34 mm, IP 66, Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28554.4	KDS-DEG/K 15-34	4044211216108	10 PC



Seal dummy, Mounting type: Plug in, Length x width: 42.8 mm, IP 66, Colour: Grey

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28575.6	KDS-DEG/B	4044211215248	10 PC

28502.4

KDS-SR 8/16 BK

KDS-SR 8/16 BK

Accessories

Dichtelemente groß



Seal, Mounting type: Plug in, Length x width: 42.8 mm,
Max. cable diameter: 15 mm, IP 66, Colour: Grey

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28576.6	KDS-DEG 14-15	4044211209971	10 PC



Seal, Mounting type: Plug in, Length x width: 42.8 mm,
Max. cable diameter: 25 mm, IP 66, Colour: Grey

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28586.6	KDS-DEG 24-25	4044211215446	10 PC

28502.4

KDS-SR 8/16 BK

KDS-SR 8/16 BK

Accessories

Dichtelemente groß



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 27 mm, IP 66, Colour: Grey

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28588.6	KDS-DEG 26-27	4044211215484	10 PC



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 33 mm, IP 66, Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28730.4	KDS-DEG 33-34	4044211220969	10 PC

28502.4

KDS-SR 8/16 BK

KDS-SR 8/16 BK

Accessories

Dichtelemente groß



Seal, Mounting type: Plug in, Length x width: 42.8 mm,
Max. cable diameter: 33 mm, IP 66, Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28732.4	KDS-DEG 34-35	4044211220983	10 PC



Seal, Mounting type: Plug in, Length x width: 42.8 mm,
Max. cable diameter: 18 mm, IP 66, Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28538.4	KDS-DEG 17-18	4044211215316	10 PC

28502.4

KDS-SR 8/16 BK

KDS-SR 8/16 BK

Accessories

Dichtelemente groß



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 19 mm, IP 66, Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28539.4	KDS-DEG 18-19	4044211215330	10 PC



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 25 mm, IP 66, Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28545.4	KDS-DEG 24-25	4044211215453	10 PC

28502.4

KDS-SR 8/16 BK

KDS-SR 8/16 BK

Accessories

Dichtelemente groß



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 29 mm, IP 66, Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28549.4	KDS-DEG 28-29	4044211215538	10 PC



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 16 mm, IP 66, Colour: Grey

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28577.6	KDS-DEG 15-16	4044211215262	10 PC

28502.4

KDS-SR 8/16 BK

KDS-SR 8/16 BK

Accessories

Dichtelemente groß



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 24 mm, IP 66, Colour: Grey

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28585.6	KDS-DEG 23-24	4044211215422	10 PC



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 26 mm, IP 66, Colour: Grey

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28587.6	KDS-DEG 25-26	4044211215477	10 PC

28502.4

KDS-SR 8/16 BK

KDS-SR 8/16 BK

Accessories

Dichtelemente groß



Seal, Mounting type: Plug in, Length x width: 42.8 mm,
Max. cable diameter: 30 mm, IP 66, Colour: Grey

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28591.6	KDS-DEG 29-30	4044211215545	10 PC



Seal, Mounting type: Plug in, Length x width: 42.8 mm,
Max. cable diameter: 33 mm, IP 66, Colour: Grey

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28594.6	KDS-DEG 32-33	4044211215606	10 PC

28502.4

KDS-SR 8/16 BK

KDS-SR 8/16 BK

Accessories

Dichtelemente groß



In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28731.6	KDS-DEG 33-34	4044211220976	10 PC



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 22 mm, IP 66, Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28542.4	KDS-DEG 21-22	4044211215392	10 PC

28502.4

KDS-SR 8/16 BK

KDS-SR 8/16 BK

Accessories

Dichtelemente groß



Seal, Mounting type: Plug in, Length x width: 42.8 mm,
Max. cable diameter: 28 mm, IP 66, Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28548.4	KDS-DEG 27-28	4044211215514	10 PC



Seal, Mounting type: Plug in, Length x width: 42.8 mm,
Max. cable diameter: 22 mm, IP 66, Colour: Grey

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28583.6	KDS-DEG 21-22	4044211215385	10 PC

28502.4

KDS-SR 8/16 BK

KDS-SR 8/16 BK

Accessories

Dichtelemente groß



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 28 mm, IP 66, Colour: Grey

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28589.6	KDS-DEG 27-28	4044211215507	10 PC



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 33 mm, IP 66, Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28601.4	KDS-DEG 32-33	4044211215613	10 PC

28502.4

KDS-SR 8/16 BK

KDS-SR 8/16 BK

Accessories

Dichtelemente groß



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 33 mm, IP 66, Colour: Grey

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28733.6	KDS-DEG 34-35	4044211220990	10 PC

Actuating tool



Actuating tool, Material: Polyamide

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28622.0	KDS BW 1	4044211216597	1 PC

28502.4

KDS-SR 8/16 BK

KDS-SR 8/16 BK

Accessories

Locking frames



Inner locking frame, Length: 125 mm, Height: 11.5 mm, Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28503.4	KDS-IVR 8/16	4044211210793	10 PC

EMV-Bügel



Shield-connection rail enabling mounting of shield connection clips directly on cable entry system KDS, Mounting type: Screw, Length: 35,3 mm, Width: 113 mm, Height: 16 mm, Profile: 10x3 mm

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28625.0	KDS-EMV-SAB 8/16	4044211219642	1 PC
