

28518.4

KDS-Inlay 4 BK

KDS-Inlay 4 BK



Cable entry, Inlay, Mounting type: Plug in, IP 66, Colour: Black

RAL: 9005

Business data

Product description	Cable Entry
Packaging unit	5
Quantity unit	PC
Weight per piece (not including packaging)	5.1
Weight per piece (including packaging)	5.5
Unit of weight	G
Customs number	39259020
Country of origin	DE

© CONTA-CLIP Verbindungstechnik GmbH | Otto-Hahn-Str. 7 | D-33161 Hövelhof
Fon +49 (0) 52 57.98 33-0 | Fax +49 (0) 52 57.98 33-33 | E-Mail info@conta-clip.de | conta-clip.de

Creation date 27.05.2020 08:08:40
Subject to technical modifications

28518.4

KDS-Inlay 4 BK

KDS-Inlay 4 BK

Technical Data

Dimensions

Length	45 mm
Width	45 mm
Height	17.7 mm
Installation height	17.7 mm

Materials

Material	Polyamide 6.6
Glass-fibre reinforced	✓
Flammability class UL 94	V-0
Working temperature, min.	-40 °C
Working temperature, max.	120 °C
Sealing material	TPE
Halogen-free	✓
Silicone-free	✓

Further technical data

Mounting type	Plug in
Protection	IP66

28518.4

KDS-Inlay 4 BK

KDS-Inlay 4 BK

Approvals

cUL Recognized

cUL Recognized	C22.2 No. 14-95
----------------	-----------------

cUL Recognized	✓
----------------	---

UL Recognized

UL Recognized	UL 508
---------------	--------

UL Recognized granted	✓
-----------------------	---

28518.4

KDS-Inlay 4 BK

KDS-Inlay 4 BK

Media



CRAUS®

28518.4

KDS-Inlay 4 BK

KDS-Inlay 4 BK

Accessories

Actuating tool



Actuating tool, Material: Polyamide

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28622.0	KDS BW 1	4044211216597	1 PC

Dichtelemente klein



Seal, Mounting type: Plug in, Length x width: 42.8 mm,
Max. cable diameter: 15 mm, IP 66, Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28535.4	KDS-DEG 14-15	4044211209995	10 PC

28518.4

KDS-Inlay 4 BK

KDS-Inlay 4 BK

Accessories

Dichtelemente klein



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 21 mm, IP 66, Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28541.4	KDS-DEG 20-21	4044211215378	10 PC



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 23 mm, IP 66, Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28543.4	KDS-DEG 22-23	4044211215415	10 PC

28518.4

KDS-Inlay 4 BK

KDS-Inlay 4 BK

Accessories

Dichtelemente klein



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 32 mm, IP 66, Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28552.4	KDS-DEG 31-32	4044211215590	10 PC



Seal dummy, Mounting type: Plug in, Length x width: 42.8 mm, IP 66, Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28534.4	KDS-DEG/B	4044211215255	10 PC

28518.4

KDS-Inlay 4 BK

KDS-Inlay 4 BK

Accessories

Dichtelemente klein



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 16 mm, IP 66, Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28536.4	KDS-DEG 15-16	4044211215279	10 PC



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 20 mm, IP 66, Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28540.4	KDS-DEG 19-20	4044211215354	10 PC


28518.4

KDS-Inlay 4 BK

KDS-Inlay 4 BK

Accessories


Dichtelemente klein



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 27 mm, IP 66, Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28547.4	KDS-DEG 26-27	4044211215491	10 PC



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 30 mm, IP 66, Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28550.4	KDS-DEG 29-30	4044211215552	10 PC


28518.4

KDS-Inlay 4 BK

KDS-Inlay 4 BK

Accessories

Dichtelemente klein



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 31 mm, IP 66, Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28551.4	KDS-DEG 30-31	4044211215576	10 PC



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 17 mm, IP 66, Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28537.4	KDS-DEG 16-17	4044211215293	10 PC

28518.4

KDS-Inlay 4 BK

KDS-Inlay 4 BK

Accessories


Dichtelemente klein



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 24 mm, IP 66, Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28544.4	KDS-DEG 23-24	4044211215439	10 PC



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 26 mm, IP 66, Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28546.4	KDS-DEG 25-26	4044211215460	10 PC

28518.4

KDS-Inlay 4 BK

KDS-Inlay 4 BK

Accessories

Dichtelemente klein



Seal, Mounting type: Plug in, Length x width: 42.8 mm,
Max. cable diameter: 34 mm, IP 66, Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28554.4	KDS-DEG/K 15-34	4044211216108	10 PC



Seal, Mounting type: Plug in, Length x width: 42.8 mm,
Max. cable diameter: 18 mm, IP 66, Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28538.4	KDS-DEG 17-18	4044211215316	10 PC

28518.4

KDS-Inlay 4 BK

KDS-Inlay 4 BK

Accessories


Dichtelemente klein



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 19 mm, IP 66, Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28539.4	KDS-DEG 18-19	4044211215330	10 PC



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 25 mm, IP 66, Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28545.4	KDS-DEG 24-25	4044211215453	10 PC


28518.4

KDS-Inlay 4 BK

KDS-Inlay 4 BK

Accessories

Dichtelemente klein



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 29 mm, IP 66, Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28549.4	KDS-DEG 28-29	4044211215538	10 PC



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 22 mm, IP 66, Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28542.4	KDS-DEG 21-22	4044211215392	10 PC


28518.4

KDS-Inlay 4 BK

KDS-Inlay 4 BK

Accessories

Dichtelemente klein



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 28 mm, IP 66, Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28548.4	KDS-DEG 27-28	4044211215514	10 PC



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 5 mm, IP 66, Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28555.4	KDS-DE 2X4-5	4044211215620	10 PC

28518.4

KDS-Inlay 4 BK

KDS-Inlay 4 BK

Accessories

Dichtelemente klein



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 13 mm, IP 66, Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28532.4	KDS-DE 12-13	4044211210984	10 PC



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 7 mm, IP 66, Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28526.4	KDS-DE 6-7	4044211210922	10 PC

28518.4

KDS-Inlay 4 BK

KDS-Inlay 4 BK

Accessories

Dichtelemente klein



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 14 mm, IP 66, Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28533.4	KDS-DE 13-14	4044211210991	10 PC



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 2 mm, IP 66, Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28521.4	KDS-DE 1,5-2	4044211210007	10 PC

28518.4

KDS-Inlay 4 BK

KDS-Inlay 4 BK

Accessories

Dichtelemente klein



Seal, Mounting type: Plug in, Length x width: 20.3 mm,
Max. cable diameter: 10 mm, IP 66, Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28529.4	KDS-DE 9-10	4044211210953	10 PC



Seal dummy, Mounting type: Plug in, Length x width:
20.3 mm, IP 66, Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28520.4	KDS-DE/B	4044211210878	10 PC

28518.4

KDS-Inlay 4 BK

KDS-Inlay 4 BK

Accessories

Dichtelemente klein



Seal, Mounting type: Plug in, Length x width: 20.3 mm,
Max. cable diameter: 6 mm, IP 66, Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28525.4	KDS-DE 5-6	4044211210915	10 PC



Seal, Mounting type: Plug in, Length x width: 20.3 mm,
Max. cable diameter: 9 mm, IP 66, Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28528.4	KDS-DE 8-9	4044211210946	10 PC

28518.4

KDS-Inlay 4 BK

KDS-Inlay 4 BK

Accessories

Dichtelemente klein



Seal, Mounting type: Plug in, Length x width: 20.3 mm,
Max. cable diameter: 11 mm, IP 66, Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28530.4	KDS-DE 10-11	4044211210960	10 PC



Seal, Mounting type: Plug in, Length x width: 20.3 mm,
Max. cable diameter: 15 mm, IP 66, Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28553.4	KDS-DE/K 2-15	4044211216092	10 PC

28518.4

KDS-Inlay 4 BK

KDS-Inlay 4 BK

Accessories

Dichtelemente klein



Seal, Mounting type: Plug in, Length x width: 20.3 mm,
Max. cable diameter: 3 mm, IP 66, Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28522.4	KDS-DE 2-3	4044211210885	10 PC



Seal, Mounting type: Plug in, Length x width: 20.3 mm,
Max. cable diameter: 4 mm, IP 66, Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28523.4	KDS-DE 3-4	4044211210892	10 PC

28518.4

KDS-Inlay 4 BK

KDS-Inlay 4 BK

Accessories

Dichtelemente klein



Seal, Mounting type: Plug in, Length x width: 20.3 mm,
Max. cable diameter: 5 mm, IP 66, Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28524.4	KDS-DE 4-5	4044211210908	10 PC



Seal, Mounting type: Plug in, Length x width: 20.3 mm,
Max. cable diameter: 12 mm, IP 66, Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28531.4	KDS-DE 11-12	4044211210977	10 PC

28518.4

KDS-Inlay 4 BK

KDS-Inlay 4 BK

Accessories

Dichtelemente klein



Seal, Mounting type: Plug in, Length x width: 20.3 mm, Max. cable diameter: 8 mm, IP 66, Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28527.4	KDS-DE 7-8	4044211210939	10 PC

Screw frame



Cable entry with foamed-in seal, Mounting type: Screws, Length: 81 mm, Width: 70 mm, IP 66, Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28506.4	KDS-SR 1-4	4044211210823	1 PC

28518.4

KDS-Inlay 4 BK

KDS-Inlay 4 BK

Accessories

Screw frame



Cable entry with foamed-in seal, Mounting type: Screws, Length: 153 mm, Width: 70 mm, IP 66, Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28504.4	KDS-SR 10/24	4044211210809	1 PC



Cable entry with foamed-in seal, Mounting type: Screws, Length: 126 mm, Width: 70 mm, IP 66, Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28502.4	KDS-SR 8/16	4044211210786	1 PC


28518.4

KDS-Inlay 4 BK

KDS-Inlay 4 BK

Accessories

Locking frames



Inner locking frame, Length: 80 mm, Height: 11.5 mm,
Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28507.4	KDS-IVR 1-4	4044211210830	10 PC



Inner locking frame, Length: 152 mm, Height: 11.5 mm,
Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28505.4	KDS-IVR 10/24	4044211210816	10 PC

28518.4

KDS-Inlay 4 BK

KDS-Inlay 4 BK

Accessories

Locking frames



Inner locking frame, Length: 125 mm, Height: 11.5 mm, Colour: Black

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28503.4	KDS-IVR 8/16	4044211210793	10 PC
