

28728.6

KDS-DE-FB4/B GR

KDS-DE-FB4/B GR

---



Seal, Mounting type: Plug in, Length 109.3 mm, Width: 20.3 mm, IP 66, Colour: Grey

**RAL:** Similar to 7035

## Business data

---

Product description	Sealing Element
Packaging unit	5
Quantity unit	PC
Weight per piece (not including packaging)	36.64
Weight per piece (including packaging)	37.44
Unit of weight	G
Customs number	39259020
Country of origin	DE

28728.6

KDS-DE-FB4/B GR

KDS-DE-FB4/B GR

## Technical Data

---

### Dimensions

---

Length	109.3 mm
Width	20.3 mm
Height	17.7 mm

### Materials

---

Material	TPE
Flammability class UL 94	V-0
Working temperature, min.	-40 °C
Working temperature, max.	90 °C
Halogen-free	✓
Silicone-free	✓

28728.6

KDS-DE-FB4/B GR

KDS-DE-FB4/B GR

## Technical Data

---

### Further technical data

---

Cable thickness max.	5.2 mm
Cable thickness min.	4.2 mm
Cable width max.	99 mm
Cable width min.	85 mm
Mounting type	Plug in
Protection	IP66
Strain relief	✓
NEMA Type	4x

# Datasheet



28728.6

KDS-DE-FB4/B GR

KDS-DE-FB4/B GR

## Approvals

---

## Standards and regulations

---

Standards / specifications

Strain relief complying with DIN EN 62444

---