

2994.0

HZL 0,5 L-D WH

HZL 0,5 L-D WH



Wire-end ferrules, Max. wire cross-section: 0.5 mm², Length: 18 mm, Length of copper pipe: 12 mm, Colour: White

Business data

Product description	Ferrules
Packaging unit	500
Quantity unit	PC
Weight per piece (not including packaging)	0.21
Weight per piece (including packaging)	0.22
Unit of weight	G
Customs number	85369010
Country of origin	DE

2994.0

HZL 0,5 L-D WH

HZL 0,5 L-D WH

Technical Data

Dimensions

Length	18 mm
Length of copper pipe	12 mm
Width of plastic collar	3 mm
Height of plastic collar	5 mm
Diameter of copper pipe	1.4 mm
Wall thickness of copper pipe	0.15 mm
Wall thickness of plastic collar	0.3 mm

Connection data

Wire cross-section, max.	0.5 mm ²
Wire cross-section AWG, max.	20
Stripping length	15 mm
2-wire plastic collar	✓

Materials

Copper pipe	Copper alloy
Surface	Galvanically tin-plated, shiny
Plastic collar	Polypropylene homopolymer

2994.0

HZL 0,5 L-D WH

HZL 0,5 L-D WH

Technical Data

Materials

Working temperature, min.	-5 °C
Working temperature, max.	105 °C

Further technical data

Insulation available	✓
----------------------	---

2994.0

HZL 0,5 L-D WH

HZL 0,5 L-D WH

Approvals

Standards and regulations

DIN 46228-4:1990

✓