

3012.0

HZL 1,5 RD

HZL 1,5 RD

---



Wire-end ferrules, Max. wire cross-section: 1.5 mm<sup>2</sup>, Length: 16 mm, Length of copper pipe: 8 mm, Colour: Red

## Business data

---

Product description	Ferrules
Packaging unit	500
Quantity unit	PC
Weight per piece (not including packaging)	0.17
Weight per piece (including packaging)	0.18
Unit of weight	G
Customs number	85369010
Country of origin	DE

3012.0

HZL 1,5 RD

HZL 1,5 RD

## Technical Data

---

### Dimensions

---

Length	16 mm
Length of copper pipe	8 mm
Width of plastic collar	3.6 mm
Height of plastic collar	6.5 mm
Diameter of copper pipe	2.2 mm
Wall thickness of copper pipe	0.15 mm
Wall thickness of plastic collar	0.3 mm

### Connection data

---

Wire cross-section, max.	1.5 mm <sup>2</sup>
Wire cross-section AWG, max.	16
Stripping length	11 mm
2-wire plastic collar	✓

### Materials

---

Copper pipe	Copper alloy
Surface	Galvanically tin-plated, shiny
Plastic collar	Polypropylene homopolymer

3012.0

HZL 1,5 RD

HZL 1,5 RD

## Technical Data

---

### Materials

---

Working temperature, min.	-5 °C
Working temperature, max.	105 °C

---

### Further technical data

---

Insulation available	✓
----------------------	---

---

3012.0

HZL 1,5 RD

HZL 1,5 RD

## Approvals

---

## Standards and regulations

---

DIN 46228-4:1990

✓