

3024.0

HZL 16,0 GN

HZL 16,0 GN

---



Wire-end ferrules, Max. wire cross-section: 16 mm<sup>2</sup>, Length: 29 mm, Length of copper pipe: 16 mm, Colour: Green

## Business data

---

Product description	Ferrules
Packaging unit	50
Quantity unit	PC
Weight per piece (not including packaging)	1.94
Weight per piece (including packaging)	1.95
Unit of weight	G
Customs number	85369010
Country of origin	DE

3024.0

HZL 16,0 GN

HZL 16,0 GN

## Technical Data

---

### Dimensions

---

Length	29 mm
Length of copper pipe	16 mm
Width of plastic collar	9.5 mm
Height of plastic collar	17.2 mm
Diameter of copper pipe	8.3 mm
Wall thickness of copper pipe	0.3 mm
Wall thickness of plastic collar	0.6 mm

### Connection data

---

Wire cross-section, max.	16 mm <sup>2</sup>
Wire cross-section AWG, max.	6
Stripping length	20 mm
2-wire plastic collar	✓

### Materials

---

Copper pipe	Copper alloy
Surface	Galvanically tin-plated, shiny
Plastic collar	Polypropylene homopolymer

**3024.0**

**HZL 16,0 GN**

**HZL 16,0 GN**

## Technical Data

---

### Materials

---

Working temperature, min.	-5 °C
Working temperature, max.	105 °C

---

### Further technical data

---

Insulation available	✓
----------------------	---

---

3024.0

HZL 16,0 GN

HZL 16,0 GN

## Approvals

---

## Standards and regulations

---

DIN 46228-4:1990

✓