

3073.0

QKS G 6

QKS G 6



Crimp lug, Fork shape acc. to DIN 46237/C, Max. wire cross-section: 6 mm², Colour: Yellow

Business data

Product description	Crimp
Connector shape	Fork shape acc. to DIN 46237/C
Product-compliant (according to DIN)	✓
Packaging unit	100
Quantity unit	PC
Weight per piece (not including packaging)	2.71
Weight per piece (including packaging)	2.72
Unit of weight	G
Customs number	85369010
Country of origin	TW

3073.0

QKS G 6

QKS G 6

Technical Data

Dimensions

Length (input to end of inner fork ring)	26 mm
Outer width of fork	14 mm
Inner width of fork	8.4 mm
Diameter of feed-in funnel	26 mm
Size DIN	C 8 - 6

Connection data

Wire cross-section, min.	4 mm ²
Wire cross-section, max.	6 mm ²
Wire cross-section AWG, min.	12
Wire cross-section AWG, max.	10

Materials

Connector material	Copper
Surface	Tin-plated
insul.	Expanded PA insulation
Working temperature, min.	-55 °C
Working temperature, max.	105 °C

Further technical data

Insulation available	✓
Soldered	✓

3073.0

QKS G 6

QKS G 6

Approvals

Standards and regulations

Standards / specifications

DIN EN 13599
