

3095.0

H 2,5/14 SR GR

H 2,5/14 SR GR



Wire-end ferrules, Max. wire cross-section: 2.5 mm², Length: 14 mm, Length of copper pipe: 8 mm, Colour: Grey

Business data

Product description	Ferrules
---------------------	----------

Packaging unit	500
----------------	-----

Quantity unit	PC
---------------	----

Weight per piece (not including packaging)	0.14
--	------

Weight per piece (including packaging)	0.15
--	------

Unit of weight	G
----------------	---

Customs number	85369010
----------------	----------

Country of origin	EEC
-------------------	-----

3095.0

H 2,5/14 SR GR

H 2,5/14 SR GR

Technical Data

Dimensions

Length	14 mm
Length of copper pipe	8 mm
Diameter of copper pipe	2.2 mm
Diameter plastic collar	4 mm
Wall thickness of copper pipe	0.15 mm
Wall thickness of plastic collar	0.25 mm

Connection data

Wire cross-section, max.	2.5 mm ²
Wire cross-section AWG, max.	14
Stripping length	8 mm

Materials

Copper pipe	Copper alloy
Surface	Galvanically tin-plated, shiny
Plastic collar	Polypropylene homopolymer
Working temperature, min.	-5 °C
Working temperature, max.	105 °C

Further technical data

Insulation available	✓
----------------------	---

3095.0

H 2,5/14 SR GR

H 2,5/14 SR GR

Approvals

Standards and regulations

DIN 46228-4:1990

✓