

3116.0

H 0,5/16 OG

H 0,5/16 OG



Wire-end ferrules, Max. wire cross-section: 0.5 mm², Length: 16 mm, Length of copper pipe: 10 mm, Colour: Orange

Business data

Product description	Ferrules
Packaging unit	500
Quantity unit	PC
Weight per piece (not including packaging)	0.1
Weight per piece (including packaging)	0.11
Unit of weight	G
Customs number	85369010
Country of origin	DE

3116.0

H 0,5/16 OG

H 0,5/16 OG

Technical Data

Dimensions

Length	16 mm
Length of copper pipe	10 mm
Diameter of copper pipe	1 mm
Diameter plastic collar	2.6 mm
Wall thickness of copper pipe	0.15 mm
Wall thickness of plastic collar	0.25 mm

Connection data

Wire cross-section, max.	0.5 mm ²
Wire cross-section AWG, max.	20
Stripping length	12 mm

Materials

Copper pipe	Copper alloy
Surface	Galvanically tin-plated, shiny
Plastic collar	Polypropylene homopolymer
Working temperature, min.	-5 °C
Working temperature, max.	105 °C

Further technical data

Insulation available	✓
----------------------	---

3116.0

H 0,5/16 OG

H 0,5/16 OG

Approvals

Standards and regulations

DIN 46228-4:1990

✓