

3466.8

FQI 2,5/6 YE

FQI 2,5/6 YE

---



Insulated cross-connector, No. of poles: 6, Mounting type: Plug in, Width: 30.5 mm, Colour: Yellow

## Business data

---

|  |                           |
|--|---------------------------|
| Product description                        | Insulated cross-connector |
| Packaging unit                             | 20                        |
| Quantity unit                              | PC                        |
| Weight per piece (not including packaging) | 4                         |
| Weight per piece (including packaging)     | 4.1                       |
| Unit of weight                             | G                         |
| Customs number                             | 85389099                  |
| Country of origin                          | DE                        |

**3466.8**

**FQI 2,5/6 YE**

**FQI 2,5/6 YE**

## Technical Data

---

### Dimensions

---

|            |         |
|------------|---------|
| Length     | 4 mm    |
| Width      | 30.5 mm |
| Pitch size | 5.1 mm  |

### Connection data

---

|              |   |
|--------------|---|
| No. of poles | 6 |
|--------------|---|

### Materials

---

|                           |               |
|---------------------------|---------------|
| Material                  | Copper        |
| Surface                   | Tin-nickel    |
| Insulation housing        | Polyamide 6.6 |
| Flammability class UL 94  | V-2           |
| Working temperature, min. | -40 °C        |
| Working temperature, max. | 105 °C        |

**3466.8**

**FQI 2,5/6 YE**

**FQI 2,5/6 YE**

## Technical Data

---

### Further technical data

---

|                               |         |
|-------------------------------|---------|
| Mounting type                 | Plug in |
| Insulation available          | ✓       |
| Touch protection is available | ✓       |
| Number of bridged terminals   | 6       |