

3995.8

AQI 50/10/18 YE

AQI 50/10/18 YE



External insulated cross-connector, No. of poles: 50, Mounting type: Plug in, Rated current: 57 A; Colour: Yellow

Business data

Product description	Insulated external cross-connector
Packaging unit	1
Quantity unit	PC
Weight per piece (not including packaging)	80
Weight per piece (including packaging)	82.6
Unit of weight	G
Customs number	85389099
Country of origin	DE

3995.8

AQI 50/10/18 YE

AQI 50/10/18 YE

Technical Data

Dimensions

Pitch size	10 mm
------------	-------

Ratings

Rated current	57 A
---------------	------

Contamination degree	3
----------------------	---

Connection data

No. of poles	50
--------------	----

Materials

Material	Copper
----------	--------

Surface	Tin-plated
---------	------------

Insulation housing	Polyamide 6.6
--------------------	---------------

Flammability class UL 94	V-0
--------------------------	-----

Working temperature, min.	-40 °C
---------------------------	--------

Working temperature, max.	120 °C
---------------------------	--------

3995.8

AQI 50/10/18 YE

AQI 50/10/18 YE

Technical Data

Further technical data

Mounting type	Plug in
Insulation available	✓
Touch protection is available	✓
Number of bridged terminals	50