




CUI INC

9615 SW Allen, Suite 103
 Beaverton, OR 97005
 Phone: (503) 643-4899
 800-275-4899
 Fax: (503) 372-1266
 Website: www.cui.com

1	NOMINAL SIZE	20x20x9.5H mm.		inch.	
2	IMPEDANCE	8 $\Omega \pm 15\%$	at 1K Hz	1 V.	
3	RESONANCE FO	530 Hz \pm 106 Hz.	FO Hz	1 V.	
4	S.P. LEVEL	80 dB/w \pm 3 dB	1 w 50 cm average at		
5	RESPONSE	Fo Hz~ 20K Hz	MAX 10 dB	600, 800, 1K, 1.2K Hz.	
6	CROSSOVER FREQ.	Hz Hz	dB/OCT	Net work	
7	INPUT POWER	Nominal input 2 w.	Handling Capacity	4 w.	
8	OPERATION	Must be normal at program source		2 w.	
9	BUZZ, RATTLE, ETC.	Must be normal at Since Wave		4 V.	
10	FLUX DENSITY	Gauss $\pm 10\%$			
11	TOTAL FLUX	Max well min			
12	MAGNET	Size 11.4 x 3.0 mm	gr	oz	
13	TOTAL WEIGHT			gr	oz
14	LOAD TEST	After test meet Item 9 and 10	White noise	2 W.	24 Hours
15	DISTORTION	% MAX	Hz	W.	
16	HEAT TEST	After test meet Item 9 and 10	60 \pm 2 \pm $^{\circ}$ C	20-50 %R. H	24 Hours
17	HUMIDITY TEST	After test meet Item 9 and 10	40 \pm 2 \pm $^{\circ}$ C	90-95 %R. H	24 Hours





PART NO.	CMS0201KLX	UNITS:	mm
TOLERANCE:	± 1.5	PAGE NO:	1 of 2



CUI INC

9615 SW Allen, Suite 103
Beaverton, OR 97005
Phone: (503) 643-4899
800-275-4899
Fax: (503) 372-1266
Website: www.cui.com



PART NO.	CMS0201KLX	UNITS:	mm
TOLERANCE:	±1.5	PAGE NO:	2 of 2