




CUI INC

9615 SW Allen, Suite 103
 Beaverton, OR 97005
 Phone: (503) 643-4899
 800-275-4899
 Fax: (503) 372-1266
 Website: www.cui.com

1	NOMINAL SIZE	34 x 34 x 14.5H mm.		inch.	
2	IMPEDANCE	8 Ω ± 15%	at. 1K Hz.	1	V.
3	RESONANCE FO	260 Hz. ± 52 Hz.	FO Hz.	1	V.
4	S.P. LEVEL	84 dB/w ± 3 dB	1 w 50 cm average at		
5	RESPONSE	Fo Hz ~ 20K Hz			
6	CROSSOVER FREQ.	Hz	Hz	dB/OCT	Net work
7	INPUT POWER	Nominal input 2 w.	Handling Capacity	4	w.
8	OPERATION	Must be normal at program source 2 w.			
9	BUZZ, RATTLE, ETC.	Must be normal at Since Wave 4 V.			
10	FLUX DENSITY	Gauss ± 10%			
11	TOTAL FLUX	Max well min			
12	MAGENET	Size 18.7 x 4.0 mm	gr	oz	
13	TOTAL WEIGHT	gr oz			
14	LOAD TEST	After test meet Item 9 and 10	White noise	2 W.	24 Hours
15	DISTORTION	% MAX Hz W.			
16	HEAT TEST	After test meet Item 9 and 10	65 ± 2 ± °C	20-50 %R. H	24 Hours
17	HUMIDITY TEST	After test meet Item 9 and 10	40 ± 2 ± °C	90-95 %R. H	24 Hours





PART NO.	CMS0341KLX	UNITS:	mm
TOLERANCE:	±1.5	PAGE NO:	1 of 2



CUI INC

9615 SW Allen, Suite 103
Beaverton, OR 97005
Phone: (503) 643-4899
800-275-4899
Fax: (503) 372-1266
Website: www.cui.com



PART NO.	CMS0341KLX	UNITS:	mm
TOLERANCE:	± 1.5	PAGE NO:	2 of 2