





9615 SW Allen, Suite 103  
 Beaverton, OR 97005  
 Phone: (503) 643-4899  
 800-275-4899  
 Fax: (503) 372-1266  
 Website: www.cui.com

# Specifications

1	Part No.	GA0571			
2	Nominal Size	57 mm.	2 1/4"	inch	
3	Impedance	8 $\Omega$ $\pm$ 15%	at 800 Hz.	1 V.	
4	Resonance	400 Hz. $\pm$ 80 Hz.	FO Hz.	1 V.	
5	S.P. Level	80 dB/w $\pm$ 3 dB	0.2 w. 50 cm. average at		
6	Response	fo Hz. $\sim$ 4K Hz. MAX 10dB	800K, 1K, 1.3K, 1.6K Hz.		
7	Crossover Freq.	Hz. Hz.	dB/OCT	Net work	
8	Input Power	Nominal Input 0.25 w.	Handling Capacity 0.5 w.		
9	Operation	Must be normal at program source 0.2 w.			
10	Buzz, Rattle, etc.	Must be normal at sine wave 1.26 v.			
11	Flux Density	Gauss $\pm$ 10%			
12	Total Flux	Max well min			
13	Magnet	Size 13 x 10 mm	gr	oz	
14	Total Weight	gr oz			
15	Load Test	After test meet item 9 and 10	White noise 0.2 W.	48 Hours	
16	Distortion	% MAX Hz W.			
17	Heat Test	After test meet item 9 and 10	70 $\pm$ 2 $\pm$ °C	20-50 %R.H.	48 Hours
18	Humidity Test	After test meet item 9 and 10	40 $\pm$ 2 $\pm$ °C	90-95 %R.H.	48 Hours

PART NO.	GA0571	UNITS:	mm
DRAWN BY:		PAGE NO:	1 of 2



9615 SW Allen, Suite 103  
Beaverton, OR 97005  
Phone: (503) 643-4899  
800-275-4899  
Fax: (503) 372-1266  
Website: www.cui.com

TITLE:	
PART NO. GA0571	UNITS: mm
DRAWN BY:	Page No. 2 of 2