






Tous droits strictement réservés. Reproduction ou communication à des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriété de c FCI. Droits de reproduction FCI.

All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.



CONFIDENTIAL

mat'l. code				tolerances unless otherwise specified		CUSTOMER COPY	FCI www.fciconnect.com	
ltr	ecn no	dr	date	linear	X.X±.3/.XX±.01	projection	title	
A	S10103	JPEH	7/31/01		X.XX±.13/.XXX±.005		LOW PROFILE VCC 2.3 TOP ENTRY SMT ASSY	
B	S10139	JPEH	10/3/01		X.XXX±.051/.XXX±.0020	MM/INCH	product family	code
C	S20092	JPEH	7/19/02	angles	ANGLES ±2°		LPVCC	—
D	S05-0007	KBM	1/19/05	dr	JPEH 7/19/02		size	dwg no
				engr	JPEH 7/19/02		A	55508
				chr	KB MAH 1/19/05	scale		sheet
				appd	JOEY NG 1/19/05	10:1		1 of 2
sheet index	revision sheet	D	D					
		1	2					

cage code 22526

ACAD

PDM: Rev:D

STATUS: Released

Printed: Feb 01, 2007

Tous droits strictement réservés. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriete de c FCI. Droits de reproduction FCI.


All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.




PRODUCT NO ⑤⑥	POSITIONS	DIM. A	DIM. B
55508-X04	2 X 2	2,00 / ,079	3,92 / ,154
-X06	2 X 3	4,00 / ,158	5,92 / ,233
-X08	2 X 4	6,00 / ,236	7,92 / ,312
-X10	2 X 5	8,00 / ,315	9,92 / ,391
-X12	2 X 6	10,00 / ,394	11,92 / ,469
-X14	2 X 7	12,00 / ,472	13,92 / ,548
-X16	2 X 8	14,00 / ,551	15,92 / ,627
-X18	2 X 9	16,00 / ,630	17,92 / ,706
-X20	2 X 10	18,00 / ,709	19,92 / ,784
-X22	2 X 11	20,00 / ,787	21,92 / ,863
-X24	2 X 12	22,00 / ,866	23,92 / ,942
-X26	2 X 13	24,00 / ,945	25,92 / 1,020
-X28	2 X 14	26,00 / 1,024	27,92 / 1,099
-X30	2 X 15	28,00 / 1,102	29,92 / 1,178
-X32	2 X 16	30,00 / 1,181	31,92 / 1,257
-X34	2 X 17	32,00 / 1,260	33,92 / 1,335
-X36	2 X 18	34,00 / 1,339	35,92 / 1,414
-X38	2 X 19	36,00 / 1,417	37,92 / 1,493
-X40	2 X 20	38,00 / 1,496	39,92 / 1,572
-X42	2 X 21	40,00 / 1,575	41,92 / 1,650
-X44	2 X 22	42,00 / 1,654	43,92 / 1,729
-X46	2 X 23	44,00 / 1,732	45,92 / 1,808
-X48	2 X 24	46,00 / 1,811	47,92 / 1,887
-X50	2 X 25	48,00 / 1,890	49,92 / 1,965

PLATING OPTIONS OVER CONTACT AREA
0 = 0,05um/2u" Au
1 = 0,76um/30u" Au
3 = 0,38um/15u" Au

- NOTES :
- HOUSING MAT'L : HIGH TEMP PLASTIC.
 - TERMINAL MAT'L : PHOSPHOR BRONZE.
 - TERMINAL RETENTION 0,5 Kg/1,1 Lbs.
 - 'V' CUT OPTIONAL - MANUFACTURING PROCESS OPTION.
 - ⑤ SOLDER TAILS OF P/N:55508-XXX IS TIN/LEAD PLATED.
 - ⑥ SOLDER TAILS OF P/N: 55508-XXXLF IS 100% MATTE TIN PLATED.
 - PRODUCT DESCRIPTION CODE :



- PACKAGING :
 - (a) XXXXX-XXX --- STD PACKAGING IN TUBE.
 - (b) XXXXX-XXXTR --- TAPE AND REEL PACKAGING WITH PICK-UP CAP (SEE FIG 1).
- CO-PLANARITY :
 - FROM POSITION -X04 THRU -X38 : 0,10/.004
 - X40 THRU -X50 : 0,12/.005
- THE HOUSING WILL WITHSTAND EXPOSURE TO 255° C PEAK TEMPERATURE FOR 10 SECONDS IN A CONVECTION, INFRA-RED OR VAPOR PHASE REFLOW OVEN.
- ⑪ THIS PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.



mat'l. code									
ltr	ecn no	dr	date	linear	tolerances unless otherwise specified	CUSTOMER COPY	CONFIDENTIAL		
D					X.X±.3/.XX±.01	projection	www.fciconnect.com		
					X.XX±.13/.XXX±.005	MM/INCH	title		
					X.XXX±.051/.XXX±.0020		LOW PROFILE VCC 2.3 TOP ENTRY SMT ASSY		
				angles	ANGLES ±2°	scale	product family LPVCC		code
				dr	JPEH 7/19/02		size		-
				engr	JPEH 7/19/02		dwg no		-
				chr	KB MAH 1/19/05		55508		sheet 2 of 2
				appd	JOEY NG 1/19/05	A			
sheet index	revision sheet								

cage code 22526
STATUS: Released
Printed: Feb 01, 2007

ACAD

PDM: Rev:D