

## Specification Sheet

Part Number: 151-02206



Connector Clip, Mounting Hole Dia. 8.0–15.0mm, PA66HIRHSUV, Black, 5000/carton

**Article Number** 151-02206

**Type** CC16R

**Color** Black (BK)

**Features & Benefits**

- Non-rotating fir tree provides easy insertion with high extraction resistance for 8x14 mm and 8x15 mm oval holes.
- Meets installation and extraction requirements of SAE/USCAR-2, for easy installation with reliable performance.
- Short fir tree avoids obstructions on opposite side of panel.
- Connector clip design meets USCAR EWCAP-005-11 clip slot specifications, assuring compliance.

**Quantity Per** carton

**Product Description** Connector Clips feature various attachment point configurations to accommodate the many connectors on the market. They are first mated with a connector on a wire harness or cable assembly, then secured to a surface using the integrated mount. With so many configurations available, attachment surfaces can be a hole, edge, stud or even another harness assembly.

**Short Description** Connector Clip, Mounting Hole Dia. 8.0–15.0mm, PA66HIRHSUV, Black, 5000/carton

**Global Part Name** CC16R-PA66HIRHSUV-BK

**Length L (Imperial)** 1.18

**Length L (Metric)** 30.0

**Fixation Method** Fir Tree

**Width W (Imperial)** 0.72

**Width W (Metric)** 18.2

**Height H (Imperial)** 0.92

**Height H (Metric)** 23.4

**Panel Thickness Min(Imperial)** 0.02

**Panel Thickness Max(Imperial)** 0.31

**Panel Thickness Min (Metric)** 0.6

**Panel Thickness Max (Metric)** 3.0

<b>Mounting Hole Diameter D (Imperial)</b>	0.33 " x 0.55 " 0.31 " x 0.59
<b>Mounting Hole Diameter D (Metric)</b>	8.0 x 15.0 mm 8.0 x 14.0 mm
<b>Mounting Hole Diameter D Min (Imperial)</b>	0.31
<b>Mounting Hole Diameter D Max (Imperial)</b>	0.59

**Material** Polyamide 6.6 high impact modified, heat and UV stabilized (PA66HIRHSUV)

**Material Shortcut** PA66HIRHSUV

**Operating Temperature (Metric)** -40°F to +221°F (-40°C to +105°C)

**Reach Complaint(Article 33)** Yes

**ROHS Complaint** Yes

**Package Quantity(Imperial)** 5000

**Package Quantity (Metric)** 5000

**Customs Number** 3926909988

**Content Unit(BMEcat)** pcs.

© 2020 HellermannTyton. All Rights Reserved.

[Contact Us](#)

[RoHS/WEEE Compliance](#)

[Disclaimer](#)

[Terms and Conditions](#)