

## Specification Sheet

Part Number: 156-01340



1-Pc Cable Ties with Pipe Clip, 15-18mm, PA66HIRHS, Black, 500/pkg

<b>Article Number</b>	156-01340
<b>Type</b>	T50SMVCOC15-18
<b>Color</b>	Black (BK)
<b>Features &amp; Benefits</b>	<ul style="list-style-type: none"><li>• Bundle can rotate to any orientation, allowing routing in any direction regardless of mounting point.</li><li>• Clip is reusable, making relocation or adjustments simple.</li><li>• All-in-one bundling and mounting solution reduces costs.</li></ul>
<b>Quantity Per</b>	bag
<b>Product Description</b>	HellermannTyton's 1-Piece Cable Tie with Pipe Clip secures cables to tubular frame rails. The cable tie bundles wires, cables or tubes, and the C-clip snaps onto the tubular frame rail. The clip can be removed from the mounting surface and reinstalled without additional fasteners.

<b>Short Description</b>	1-Pc Cable Ties with Pipe Clip, 15-18mm, PA66HIRHS, Black, 500/pkg
<b>Global Part Name</b>	T50SMVCOOC15-18-PA66HS/PA66HIRHS-BK
<b>Minimum Tensile Strength (Imperial)</b>	50.0
<b>Minimum Tensile Strength (Metric)</b>	222
<b>Length L (Imperial)</b>	8.3
<b>Length L (Metric)</b>	210.0
<b>Fixation Method</b>	Omega Clips
<b>Identification Plate Position</b>	none
<b>Width W (Imperial)</b>	0.19
<b>Width W (Metric)</b>	4.7
<b>Bundle Diameter Min (Imperial)</b>	0.08
<b>Bundle Diameter Min (Metric)</b>	2.0
<b>Bundle Diameter Max (Imperial)</b>	2.0
<b>Bundle Diameter Max (Metric)</b>	50.0

<b>Material</b>	Polyamide 6.6 heat stabilized (PA66HS) Polyamide 6.6, high impact modified, heat stabilized (PA66HIRHS)
<b>Material Shortcut</b>	PA66HS PA66HIRHS
<b>Material Cable Tie</b>	Polyamide 6.6 heat stabilized (PA66HS)
<b>Flammability</b>	UL 94 HB
<b>Operating Temperature (Metric)</b>	-40°F to +221°F (-40°C to +105°C)
<b>ROHS Complaint</b>	Yes
<b>Package Quantity(Imperial)</b>	500
<b>Package Quantity (Metric)</b>	500
<b>Customs Number</b>	3926909988