

## Specification Sheet

Part Number: 156-01342



1-Pc Cable Ties with Pipe Clip, 19-24.5mm, PA66HIRHS, Black, 500/pkg

**Article Number** 156-01342

**Type** T50SMVCOC19-24.5

**Color** Black (BK)

**Features & Benefits**

- Bundle can rotate to any orientation, allowing routing in any direction regardless of mounting point.
- Clip is reusable, making relocation or adjustments simple.
- All-in-one bundling and mounting solution reduces costs.

**Quantity Per** bag

**Product Description**

HellermannTyton's 1-Piece Cable Tie with Pipe Clip secures cables to tubular frame rails. The cable tie bundles wires, cables or tubes, and the C-clip snaps onto the tubular frame rail. The clip can be removed from the mounting surface and reinstalled without additional fasteners.

<b>Short Description</b>	1-Pc Cable Ties with Pipe Clip, 19-24.5mm, PA66HIRHS, Black, 500/pkg
<b>Global Part Name</b>	T50SMVCOOC19-24.5-PA66HS/PA66HIRHS-BK
<b>Minimum Tensile Strength (Imperial)</b>	50.0
<b>Minimum Tensile Strength (Metric)</b>	222
<b>Length L (Imperial)</b>	8.3
<b>Length L (Metric)</b>	210.0
<b>Fixation Method</b>	Omega Clips
<b>Identification Plate Position</b>	none
<b>Width W (Imperial)</b>	0.19
<b>Width W (Metric)</b>	4.7
<b>Bundle Diameter Min (Imperial)</b>	0.08
<b>Bundle Diameter Min (Metric)</b>	2.0
<b>Bundle Diameter Max (Imperial)</b>	2.0
<b>Bundle Diameter Max (Metric)</b>	50.0
<b>Thickness T (Metric)</b>	1.35

<b>Material</b>	Polyamide 6.6, high impact modified, heat stabilized (PA66HIRHS) Polyamide 6.6 heat stabilized (PA66HS)
<b>Material Shortcut</b>	PA66HS PA66HIRHS
<b>Material Cable Tie</b>	Polyamide 6.6 heat stabilized (PA66HS)
<b>Flammability</b>	UL 94 HB
<b>Operating Temperature (Metric)</b>	-40°F to +221°F (-40°C to +105°C)
<b>ROHS Complaint</b>	Yes
<b>Package Quantity(Imperial)</b>	500
<b>Package Quantity (Metric)</b>	500
<b>Customs Number</b>	3926909988