

## Specification Sheet

Part Number: 156-01818



MOC Clip, 16 mm, Unassembled to T50R Tie, PA66HIRHSUV, Black, 1000/ctn

**Article Number** 156-01818

**Type** T50RMOC16SAD-SET

**Color** Black (BK)

**Features & Benefits**

- Patented retention design on clip features inverted retaining legs, narrow opening and circular retainer to prevent inadvertent disengagement.
- Controlled flex and angled entry promote easy installation.
- Fixed connector controls routing orientation.
- Cable tie accommodates wide range of secondary bundle sizes.

**Quantity Per** carton

<b>Product Description</b>	The MOC with Saddle to T50R Tie has a two-piece design that keeps two routings secured together while providing a fixed orientation for each bundle. The bi-directional saddle design allows the bundles to be coupled parallel or perpendicular to one another. Tie provides additional security against axial slip by clamping around solid tube, pipe or harness.
<b>Short Description</b>	MOC Clip, 16 mm, Unassembled to T50R Tie, PA66HIRHSUV, Black, 1000/ctn
<b>Global Part Name</b>	T50RMOC16SAD-SET-PA66HIRHSUV-BK
<b>Minimum Tensile Strength (Imperial)</b>	50.0
<b>Minimum Tensile Strength (Metric)</b>	225
<b>Length L (Imperial)</b>	0.90
<b>Length L (Metric)</b>	22.9
<b>Fixation Method</b>	Omega Clips
<b>Identification Plate Position</b>	none
<b>Releasable Closure</b>	No
<b>Tie Closure</b>	plastic pawl
<b>Variant</b>	Inside Serrated
<b>Bundle Diameter Min (Imperial)</b>	0.55
<b>Bundle Diameter Min (Metric)</b>	14.0

<b>Bundle Diameter Max (Imperial)</b>	0.72
<b>Bundle Diameter Max (Metric)</b>	18.3
<b>Height H (Imperial)</b>	1.26
<b>Height H (Metric)</b>	31.9
<b>Depth D (imperial)</b>	0.47
<b>Depth D (metric)</b>	12.0
<b>Material</b>	Polyamide 6.6 high impact modified, heat and UV stabilized (PA66HIRHSUV)
<b>Material Shortcut</b>	PA66HIRHSUV
<b>Flammability</b>	UL 94 HB
<b>Halogen free</b>	Yes
<b>Operating Temperature (Metric)</b>	-40°F to +230°F (-40°C to +110°C)
<b>ROHS Complaint</b>	Yes
<b>Package Quantity(Imperial)</b>	1000
<b>Package Quantity (Metric)</b>	1000

**Customs Number** 3926909988

**Weight (Metric)** 2.24

**Weight (Imperial)** 0.08