

Specification Sheet

Part Number: 166-90907



HelaGuard Non-Metallic IP68 Fitting, 90-Elbow, M25 Thread, 0.75" Dia, PA66, Black, 10/pkg

Article Number 166-90907

Type HGL075-90-M25

Color Black (BK)

Features & Benefits

- External Metric thread provides a secure connection.
- Snap-on construction reduces installation time and costs by eliminating the need to thread fittings onto conduits.
- All-around "teeth" attach firmly to conduit and deliver a high extraction force.
- Durable nylon material has high resistance to salts, oils, weak acids and solvents.
- IP68 fitting has additional conduit seal for increased protection against wind, dirt, and water.

Quantity Per pack

Product Description	HelaGuard Non-Metallic 90-Degree Elbow fitting features a snap-on design that provides a quick, secure connection. Constructed of a very durable nylon material with a high resistance to salts, oils, weak acids and solvents. Designed for easy removal with a small screwdriver. IP68 ingress protection rated fittings.
Short Description	HelaGuard Non-Metallic IP68 Fitting, 90-Elbow, M25 Thread, 0.75" Dia, PA66, Black, 10/pkg
Global Part Name	HGL075-90-M25-PA66-BK
Length L (Imperial)	2.60
Length L (Metric)	66
Material	Polyamide 6.6 (PA66)
Material Shortcut	PA66
Operating Temperature (Metric)	-58°F to +275°F (-50°C to +135°C)
ROHS Complaint	Yes
Package Quantity(Imperial)	10
Package Quantity (Metric)	10
Customs Number	3926909988

© 2020 HellermannTyton. All Rights Reserved.

[Contact Us](#) [RoHS/WEEE Compliance](#) [Disclaimer](#) [Terms and Conditions](#)