

Specification Sheet

Part Number: FSU10-E



HelaGuard Metallic Conduit End Cap Insert, Flexible 0.25" (10mm) Dia, NPB Metal, 10/pkg

Article Number 166-90841

Type FSU10-E

Color Metal (ML)

Features & Benefits

- Single-part insert creates smooth entry / exit point for wire and cables.

Quantity Per pack

Product Description Nickel-plated brass end cap insert creates a smooth bore exit, protecting cables from damage. Twist-in ferrule serves as grounding core for spiral-constructed metallic conduit. Use with FSU, LFHU, FPU, SSU and FU-X series metallic conduit.

Short Description	HelaGuard Metallic Conduit End Cap Insert, Flexible 0.25" (10mm) Dia, NPB Metal, 10/pkg
Global Part Name	FSU10-E-GS-SR
Length L (Imperial)	0.64
Length L (Metric)	16.3
Height H (Imperial)	0.54
Height H (Metric)	13.8
Nominal Diameter (Imperial)	0.25
Nominal Diameter (Metric)	10
Material	Galvanised Steel (GS)
Material Shortcut	GS
Operating Temperature (Metric)	-148°F to +572°F (-100°C to +300°C)
Package Quantity(Imperial)	10
Package Quantity (Metric)	10

Customs Number

7415290000

© 2020 HellermannTyton. All Rights Reserved.

[Contact Us](#)

[RoHS/WEEE Compliance](#)

[Disclaimer](#)

[Terms and Conditions](#)