



P/N	DESCRIPTION
47150-0003	W/O BOTTOM SHELL
47150-0004	W BOTTOM SHELL

VIEW OF FINISHED GOOD

DETAIL A SCALE 3:1




NOTES:








1.	PARTS.	MATERIAL
6.	BOTTOM SHELL	STAINLESS STEEL
5.	COIL SPRING	PIANO WIRE
4.	CAM PIN	STAINLESS STEEL
3.	HEART CAM SLIDER	HIGH TEMPERATURE THERMOPLASTIC
2.	HOUSING FOR HEART CAM	HIGH TEMPERATURE THERMOPLASTIC
1.	METAL COVER	STAINLESS STEEL

- 4. APPLICABLE HEADER: 47150-0002
- 5. WHEN DELIVERING, THE HEART CAM SLIDER IS IN THE STATE OF THE SPRING RELEASED. (CARD EJECTED OUT POSITION).
- 6. SLOT DESIGN BASED ON EXPRESS CARD ASSOC. REV.A.
- 7. EXPRESSCARD SLOT TO BE COMPATIBLE BOTH EXPRESSCARD/34 AND /54.

- 2. THE EJECTOR MECHANISM TO BE ASSEMBLED BASES ON 34 CARD CENTER LINE.
- 3. PRODUCT SPEC. REFERS TO PS-47202-001



NEW RELEASE EC NO: SH2006-0040 DRWN: LBAO CHKD: APPR: YTP 2005/07/25 2005/07/26 2005/07/26	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED) <table border="1"> <thead> <tr> <th></th> <th>mm</th> <th>INCH</th> </tr> </thead> <tbody> <tr> <td>4 PLACES</td> <td>± ---</td> <td>± ---</td> </tr> <tr> <td>3 PLACES</td> <td>± ---</td> <td>± ---</td> </tr> <tr> <td>2 PLACES</td> <td>± 0.25</td> <td>± ---</td> </tr> <tr> <td>1 PLACE</td> <td>± 0.25</td> <td>± ---</td> </tr> </tbody> </table>		mm	INCH	4 PLACES	± ---	± ---	3 PLACES	± ---	± ---	2 PLACES	± 0.25	± ---	1 PLACE	± 0.25	± ---	DIMENSION STYLE MM ONLY DRAWN BY: R. BIAN DATE: 2004/11/24 CHECKED BY: DATE: APPROVED BY: DATE:	SCALE 1:1 DESIGN UNITS METRIC THIRD ANGLE PROJECTION	TITLE EXPRESSCARD SLOT WITH PUSH-PUSH MECHANISM TOP MOUNT MOLEX INCORPORATED
		mm	INCH																	
	4 PLACES	± ---	± ---																	
	3 PLACES	± ---	± ---																	
2 PLACES	± 0.25	± ---																		
1 PLACE	± 0.25	± ---																		
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	MATERIAL NO. SEE TABLE	DOCUMENT NO. SD-47150-001	SHEET NO. 1 OF 4																	
SIZE A3	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																			






NOTES:

1. MATERIAL:
 - HOUSING: HIGH TEMPERATURE THERMOPLASTIC
 - TERMINAL: COPPER ALLOY.
 - FITTING NAIL : COPPER ALLOY.
2. FINISH:
 - TERMINAL: SELECTIVE GOLD(AU) IN CONTACT AREA.
 - THICKNESS: 0.3 MICROMETER MIN
 - SELECTIVE PURE TIN IN SOLDER TAIL AREA.
 - THICKNESS: 3 MICROMETER MIN
 - UNDERPLATING : NICKEL(NI) OVERALL
3. COPLANARITY AT SOLDER TAIL TO BE 0.1mm MAX.
4. PRODUCT SPEC. REFERS TO PS-47202-001
5. APPLICABLE EXPRESS CARD SLOT: 47150-0003/47150-0004

SECTION A-A


NEW RELEASE EC NO: SH2006-0040 DRWNLBAA CHKD: APPR: YTYAP REV: B	2005/07/25 2005/07/26 2005/07/26	DESCRIPTION REV	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE	SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION		
			▼=0 □=0	mm INCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± 0.25 ± --- 1 PLACE ± 0.25 ± --- ANGULAR ± 3 °	MM ONLY	2:1	METRIC	DRAWN BY: R. BIAN DATE: 2004/11/24 CHECKED BY: _____ DATE: _____ APPROVED BY: _____ DATE: _____	TITLE	EXPRESSCARD SLOT WITH PUSH-PUSH MECHANISM TOP MOUNT
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	MATERIAL NO.	DOCUMENT NO.	SHEET NO.	MOLEX INCORPORATED 47150-0002 SD-47150-001 2 OF 4			
			SIZE A3	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						



NOTES:

- | 1. NO. | DRAWING | MATERIAL NO. | DESCRIPTION |
|--------|-------------|-----------------------|-------------------|
| 1 | SEE SHEET 1 | 47150-0003/47150-0004 | EJECTOR MECHANISM |
| 2 | SEE SHEET 2 | 47150-0002 | CARD HEADER |
- P.C.B LAYOUT REFERS TO SHEET 4.
 - COPLANRTY OF HEADER FOR SMT SOLDER TAIL TO BE 0.1mm MAX
 - PRODUCT SPEC. REFERS TO PS-47202-001.
 - SCREW FASTENING TORQUE: 2kgf-cm.
 - TRUE POSITION IS 0.15mm MAX BETWEEN SOLDER TAILS.
 - 7 USING M2 SCREW AND NUT TO FIX
 - NON-REFLOW PROCESS FOR CARD SLOT

<p>NEW RELEASE EC NO: SH2006-0040 DRWNLB80 2005/07/25 CHKD: 2005/07/26 APPR: YTYAP 2005/07/26</p>	QUALITY SYMBOLS	<p>GENERAL TOLERANCES (UNLESS SPECIFIED)</p> <table border="1"> <thead> <tr> <th></th> <th>mm</th> <th>INCH</th> </tr> </thead> <tbody> <tr> <td>4 PLACES</td> <td>± ---</td> <td>± ---</td> </tr> <tr> <td>3 PLACES</td> <td>± ---</td> <td>± ---</td> </tr> <tr> <td>2 PLACES</td> <td>± 0.25</td> <td>±</td> </tr> <tr> <td>1 PLACE</td> <td>± 0.25</td> <td>±</td> </tr> </tbody> </table> <p>ANGULAR ± 3 °</p>		mm	INCH	4 PLACES	± ---	± ---	3 PLACES	± ---	± ---	2 PLACES	± 0.25	±	1 PLACE	± 0.25	±	DIMENSION STYLE	SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION
			mm	INCH																	
	4 PLACES		± ---	± ---																	
	3 PLACES		± ---	± ---																	
2 PLACES	± 0.25	±																			
1 PLACE	± 0.25	±																			
	MM ONLY	2:1	METRIC	☉ □																	
	DRAWN BY: R.BIAN CHECKED BY: APPROVED BY:	DATE: 2004/11/24 DATE: DATE:	TITLE																		
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		EXPRESSCARD SLOT WITH PUSH-PUSH MECHANISM TOP MOUNT																		
	MATERIAL NO. N/A		DOCUMENT NO. SD-47150-001		MOLEX INCORPORATED																
	SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																		
	REV		SHEET NO. 3 OF 4																		



NOTES :

1. SOLDER PAD AREA
2. GROUNDING PAD AREA

<p style="text-align: center;">NEW RELEASE</p> <p>EC NO: SH2006-0040 DRWN: LBAO CHKD: APPR: YTYAP</p>	<p style="text-align: center;">2005/07/25 2005/07/26 2005/07/26</p>	<p style="text-align: center;">DESCRIPTION</p>	<p>QUALITY SYMBOLS</p> <p> = 0</p> <p> = 0</p>	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE	SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION																																	
						MM ONLY	1:1	METRIC		TITLE EXPRESSCARD SLOT WITH PUSH-PUSH MECHANISM TOP MOUNT																																
						<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th></th> <th>mm</th> <th>INCH</th> </tr> </thead> <tbody> <tr> <td>4 PLACES</td> <td>± ---</td> <td>± ---</td> </tr> <tr> <td>3 PLACES</td> <td>± ---</td> <td>± ---</td> </tr> <tr> <td>2 PLACES</td> <td>± 0.25</td> <td>±</td> </tr> <tr> <td>1 PLACE</td> <td>± 0.25</td> <td>±</td> </tr> </tbody> </table>		mm				INCH	4 PLACES	± ---	± ---	3 PLACES	± ---	± ---	2 PLACES	± 0.25	±	1 PLACE	± 0.25	±	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">DRAWN BY</td> <td style="width: 50%;">DATE</td> </tr> <tr> <td>R. BIAN</td> <td>2004/11/24</td> </tr> <tr> <td>CHECKED BY</td> <td>DATE</td> </tr> <tr> <td> </td> <td> </td> </tr> <tr> <td>APPROVED BY</td> <td>DATE</td> </tr> <tr> <td> </td> <td> </td> </tr> </table>		DRAWN BY	DATE	R. BIAN	2004/11/24	CHECKED BY	DATE			APPROVED BY	DATE			MATERIAL NO. N/A		DOCUMENT NO. SD-47150-001	
					mm	INCH																																				
4 PLACES	± ---	± ---																																								
3 PLACES	± ---	± ---																																								
2 PLACES	± 0.25	±																																								
1 PLACE	± 0.25	±																																								
DRAWN BY	DATE																																									
R. BIAN	2004/11/24																																									
CHECKED BY	DATE																																									
APPROVED BY	DATE																																									
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																						