






747370111 SHOWN




SPRING FINGER GASKET WITH TWO POINTS OF CONTACT. COMPLIES WITH (SFP) MSA BOARD AND BEZEL LOCATIONS.



- NOTES:
 1. THIS CAGE IS FOR SINGLE SIDED USE ONLY.
 2. CAN BE USED WITH THE FOLLOWING LIGHT PIPE PART NUMBERS:
 747260001 - LIGHT PIPE FROM BACK TO TOP (REFER TO DOCUMENT SD-74726-001)
 747260002 - LIGHT PIPE FROM SIDE TO TOP (REFER TO DOCUMENT SD-74726-002)
 3. MATERIAL: COPPER ALLOY
 4. PLATING: MATTE TIN
 5. NO ROHS EXEMPTIONS.
 6. IDENTIFICATION IS STAMPED AS SHOWN ON RIGHT SIDE OF CAGE
 LAST TWO DIGITS OF PART NUMBER
 TOOLING NUMBER
 REV LETTER OF CAGE
 WW: WEEK OF THE YEAR PER ISO 8601
 YY: LAST TWO DIGITS OF THE YEAR, FOR EXAMPLE 2013-13
 EXAMPLE: 11 2 A 03 12


THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
SYMBOLS		DIMENSION UNITS		SCALE		CURRENT REV DESC:				molex	
= 0		mm		3:1		EC NO: 626031					
= 0		GENERAL TOLERANCES (UNLESS SPECIFIED)				DRWN: ASYAMIKAR 2019/10/18				SFP ONE PIECE 1X1 CAGE 1.8MM LEGS W/SPRING FINGERS SOLDER POSTS	
= 0		ANGULAR TOL ± 1.0°				CHK'D: TKUMARKC 2019/11/05				PRODUCT CUSTOMER DRAWING	
= 0		4 PLACES ±				APPR: JCHIANG 2019/11/05				DOCUMENT NUMBER	
= 0		3 PLACES ±				INITIAL REVISION:				DOC TYPE	
= 0		2 PLACES ± 0.13				DRWN: ASYAMIKAR 2019/10/18				DOC PART	
= 0		1 PLACE ± 0.25				APPR: JCHIANG 2019/11/05				REVISION	
= 0		0 PLACES ±				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		SERIES	
= 0		DRAWING		C-SIZE		74737		MATERIAL NUMBER		CUSTOMER	
		SEE P/N TABLE						SHEET NUMBER		1 OF 6	

747370111 SHOWN



WITH VENT HOLES

747370063 SHOWN





WITHOUT VENT HOLES

F/G PART NUMBER	VENT HOLES	LEG HEIGHT
747370111	YES	1.8
747370063	NO	1.8

SYMBOLS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION	
DIMENSION UNITS	SCALE	CURRENT REV DESC:	
$\nabla = 0$	mm	5:1	molex SFP ONE PIECE 1X1 CAGE 1.8MM LEGS W/SPRING FINGERS SOLDER POSTS PRODUCT CUSTOMER DRAWING
$\nabla = 0$	GENERAL TOLERANCES (UNLESS SPECIFIED)		
$\nabla = 0$	ANGULAR TOL $\pm 1.0^\circ$		
$\nabla = 0$	4 PLACES	\pm	EC NO: 626031 DRWN: ASYAMIKAR 2019/10/18 CHK'D: TKUMARKC 2019/11/05 APPR: JCHIANG 2019/11/05
$\nabla = 0$	3 PLACES	\pm	INITIAL REVISION: DRWN: ASYAMIKAR 2019/10/18 APPR: JCHIANG 2019/11/05
$\nabla = 0$	2 PLACES	± 0.13	
$\nabla = 0$	1 PLACE	± 0.25	DOCUMENT NUMBER 747370111
$\nabla = 0$	0 PLACES	\pm	DOC TYPE DOC PART REVISION PSD ASY E
$\nabla = 0$	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		MATERIAL NUMBER CUSTOMER SHEET NUMBER SEE P/N TABLE 2 OF 6
$\nabla = 0$	THIRD ANGLE PROJECTION		DRAWING SERIES C-SIZE 74737

NOTES:
 1. REFER TO SHEET 1 FOR COMMON FEATURES AND REQUIREMENTS.
 2. 747370063 IS SIMILAR TO 747370111 EXCEPT WITHOUT VENT HOLES.

DOCUMENT STATUS	P1	RELEASE DATE	2019/11/05 10:34:06
-----------------	----	--------------	---------------------



THIS AREA DENOTES COMPONENT KEEP-OUT (TRACES ALLOWED)

9X Ø0.95 ±0.05
 Ø0.1 X A
 (SHOWN AS ●)

SEE KEEPOUT DETAIL

Ø0.85 ±0.05
 Ø0.1 X Y
 A

1. DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
2. PADS AND VIAS ARE CHASSIS GROUND.
3. HOLE LAYOUT SHOWN IS FOR SINGLE SIDED MOUNTING ONLY.
4. CONNECTOR PAD LAYOUT PER SFP MSA, WILL ACCOMODATE MOLEX CONNECTOR SERIES 74441 OR EQUIVALENT.

SYMBOLS										THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									
DIMENSION UNITS		SCALE		CURRENT REV DESC:															
▽ = 0	mm	4:1	EC NO: 626031																
▽ = 0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DRWN: ASYAMIKAR 2019/10/18																
▽ = 0	ANGULAR TOL ± 1.0°		CHK'D: TKUMARKC 2019/11/05																
▽ = 0	4 PLACES ±		APPR: JCHIANG 2019/11/05																
▽ = 0	3 PLACES ±		INITIAL REVISION:																
▽ = 0	2 PLACES ± 0.13		DRWN: ASYAMIKAR 2019/10/18																
▽ = 0	1 PLACE ± 0.25		APPR: JCHIANG 2019/11/05																
▽ = 0	0 PLACES ±		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS																
▽ = 0	THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER								
▽ = 0	C-SIZE		74737		SEE P/N TABLE		747370111		PSD ASY		E								
DOCUMENT STATUS										3 OF 6									

molex

SFP ONE PIECE 1X1 CAGE 1.8MM LEGS W/SPRING FINGERS SOLDER POSTS



PRODUCT CUSTOMER DRAWING

DOCUMENT NUMBER: 747370111




DOC TYPE: PSD

DOC PART: ASY

REVISION: E



THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									
SYMBOLS	DIMENSION UNITS	SCALE	CURRENT REV DESC:						
	$\nabla = 0$	mm	4:1	EC NO: 626031			molex		
$\nabla = 0$	GENERAL TOLERANCES (UNLESS SPECIFIED)		DRWN: ASYAMIKAR			SFP ONE PIECE 1X1 CAGE 1.8MM LEGS W/SPRING FINGERS SOLDER POSTS			
$\nabla = 0$	ANGULAR TOL ± 1.0°		CHK'D: TKUMARKC			PRODUCT CUSTOMER DRAWING			
$\nabla = 0$	4 PLACES ±		APPR: JCHIANG			DOCUMENT NUMBER			
$\nabla = 0$	3 PLACES ±		INITIAL REVISION:			747370111			
$\nabla = 0$	2 PLACES ± 0.13		DRWN: ASYAMIKAR			DOC TYPE			
$\nabla = 0$	1 PLACE ± 0.25		APPR: JCHIANG			PSD			
$\nabla = 0$	0 PLACES ±		SERIES			DOC PART			
$\nabla = 0$	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DRAWING		REVISION		
$\nabla = 0$			C-SIZE		74737		E		
			MATERIAL NUMBER		CUSTOMER		SHEET NUMBER		
			SEE P/N TABLE				4 OF 6		













SYMBOLS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION	
DIMENSION UNITS	SCALE	CURRENT REV DESC:	
$\nabla = 0$	mm	1:1	
$\nabla = 0$	GENERAL TOLERANCES (UNLESS SPECIFIED)		
$\nabla = 0$	ANGULAR TOL $\pm 1.0^\circ$		
$\nabla = 0$	4 PLACES	\pm	
$\nabla = 0$	3 PLACES	\pm	
$\nabla = 0$	2 PLACES	± 0.13	
$\nabla = 0$	1 PLACE	± 0.25	
$\nabla = 0$	0 PLACES	\pm	
$\nabla = 0$	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		
		THIRD ANGLE PROJECTION	DRAWING
			C-SIZE
		SERIES	74737
		EC NO: 626031	
		DRWN: ASYAMIKAR	2019/10/18
		CHK'D: TKUMARKC	2019/11/05
		APPR: JCHIANG	2019/11/05
		INITIAL REVISION:	
		DRWN: ASYAMIKAR	2019/10/18
		APPR: JCHIANG	2019/11/05
DOCUMENT STATUS		DOC TYPE	DOC PART
P1	RELEASE DATE	PSD	ASY
2019/11/05	10:34:06	747370111	E
MATERIAL NUMBER		CUSTOMER	SHEET NUMBER
			5 OF 6

molex





SFP ONE PIECE 1X1 CAGE 1.8MM LEGS
W/SPRING FINGERS SOLDER POSTS

PRODUCT CUSTOMER DRAWING

REV	DATE	DESCRIPTION
1	2011/07/25	PRE-RELEASE
A	2011/12/05	INITIAL RELEASE, PART IDENTIFICATION CHANGED (SHT 1); TAPE CHANGED TO TWO LAYER BOTTOM (SHT 4); CHANGED HOLE SPACING TO 68.4MM (SHT 4); ADDED DETAIL VIEW 1 (SHT 4).
A1	2012/01/05	REMOVED 8.5 AND REPLACED WITH 0.57 (SHT 1); ADDED 0.30±0.10 (SHT 3); CORRECTED ARROW APPERANCE (SHT 4)
C	2012/08/08	DIM 1.80 UPDATED TO 1.80 TYP (SHT 1). SECTION LINE MOVED (SHT 3). UPDATED ALL VIEWS (SHT 4). UPDATED 15.1 TYP TO 15.3 TYP (SHT 4). UPDATED 49.1 TYP TO 49.4 TYP (SHT 4). UPDATED 14 TYP TO 15.6 TYP (SHT 4).
D	2012/09/12	UPDATED TRAY REEL CONE HEIGHT (SHT 4)
E	2019/10/18	REMASTERED FROM "SD-74737-0111 REV_D" TO "747370111 REV_E". ADDED NEW PART NUMBER 747370063 TO THE DRAWING. ADDED SHEET 2 TO SHOW ISO VIEW OF P/N 747370063 AND 747370111.

SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION										
	DIMENSION UNITS	SCALE	CURRENT REV DESC:							molex	
	 = 0	mm	1:1	EC NO: 626031 DRWN: ASYAMIKAR 2019/10/18 CHK'D: TKUMARKC 2019/11/05 APPR: JCHIANG 2019/11/05							
	 = 0	GENERAL TOLERANCES (UNLESS SPECIFIED)									
	 = 0	ANGULAR TOL ± 1.0°									
	 = 0	4 PLACES ±									
	 = 0	3 PLACES ±		INITIAL REVISION: DRWN: ASYAMIKAR 2019/10/18 APPR: JCHIANG 2019/11/05							
	 = 0	2 PLACES ± 0.13									
	 = 0	1 PLACE ± 0.25		DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION			
	 = 0	0 PLACES ±		747370111		PSD	ASY	E			
 = 0	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION	DRAWING	SERIES	MATERIAL NUMBER	CUSTOMER	SHEET NUMBER			
= 0				C-SIZE	74737			6 OF 6			

DOCUMENT STATUS	P1	RELEASE DATE	2019/11/05	10:34:06
-----------------	----	--------------	------------	----------





SPRING FINGER GASKET WITH TWO POINTS OF CONTACT. COMPLIES WITH (SFP) MSA BOARD AND BEZEL LOCATIONS.

TABS USED TO MOUNT LIGHT PIPE COVER

CAGE IDENTIFICATION SEE NOTE 6

ONE PIECE DESIGN SECURELY FASTENED





NOTES:

1. THIS CAGE IS FOR SINGLE SIDED USE ONLY.
2. CAN BE USED WITH THE FOLLOWING LIGHT PIPE PART NUMBERS:
747260001 - LIGHT PIPE FROM BACK TO TOP (REFER TO DOCUMENT SD-74726-001)
747260002 - LIGHT PIPE FROM SIDE TO TOP (REFER TO DOCUMENT SD-74726-002)
3. MATERIAL: COPPER ALLOY
4. PLATING: MATTE TIN
5. LEAD FREE, NO ROHS EXEMPTIONS
6. IDENTIFICATION IS STAMPED AS SHOWN ON RIGHT SIDE OF CAGE
LAST TWO DIGITS OF PART NUMBER
TOOLING NUMBER
REV LETTER OF CAGE
WW: WEEK OF THE YEAR PER ISO 8601
YY: LAST TWO DIGITS OF THE YEAR, FOR EXAMPLE 2013 - 13
EXAMPLE: 11 2 A 03 12




REVISED EC NO: CPG2013-0591 D DRAWN BY: CHKOMCKERVEY 2012/09/11 2012/09/12 APPROVED BY: APPR:KLLOYD 2012/10/12	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED):	DIMENSION STYLE	SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION	
	∇=0 ∇=0 ∇=0	4 PLACES ± --- INCH 3 PLACES ± --- INCH 2 PLACES ± 0.13 INCH 1 PLACE ± 0.25 INCH 0 PLACE ± INCH	MM ONLY	5:1	METRIC	DRAWN BY: DATE MMCKERVEY 2011/07/25 CHECKED BY: DATE APPROVED BY: DATE KLLOYD 2012/01/05	TITLE 1X1 SFP TAPE AND REEL
	ANGULAR ± 1 ° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	MATERIAL NO. 747370111	DOCUMENT NO. SD-74737-0111	SHEET NO. 1 OF 5			
	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						

- 1 DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
- 2 PADS AND VIAS ARE CHASSIS GROUND.
- 3 HOLE LAYOUT SHOWN IS FOR SINGLE SIDED MOUNTING ONLY.
- 4 CONNECTOR PAD LAYOUT PER SFP MSA, WILL ACCOMMODATE MOLEX CONNECTOR SERIES 74441 OR EQUIVALENT.



REVISED EC NO: CPG2013-0591 DRAWN BY: DRWINFOJIAN 2012/09/11 CHECKED BY: CHKOMCKERVEY 2012/09/12 APPR: K LLOYD 2012/10/12 D REV DESCRIPTION	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE	SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION
	▽=0	4 PLACES ± ---	MM ONLY	5:1	METRIC	☉
	▽=0	3 PLACES ± 0.13				
	▽=0	2 PLACES ± 0.25				
		0 PLACE ± ±				
		ANGULAR ± 1 °				
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				
			DRAWN BY: MMCKERVEY 2011/07/25	DATE	TITLE	
			CHECKED BY: DATE		1X1 SFP TAPE AND REEL	
			APPROVED BY: K LLOYD 2012/01/05	DATE		
			MATERIAL NO: 747370111	DOCUMENT NO: SD-74737-0111		
			SIZE: D			
			THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			
					SHEET NO. 2 OF 5	

20 19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1





REVISED EC NO: CPG2013-0591 DORNFELIAN 2012/09/11 CHYOMCKERVEY 2012/09/12 APPR:KLLOYD 2012/10/12	QUALITY SYMBOLS ▽=0 ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY	SCALE 5:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		
		4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± 0.13 ± --- 1 PLACE ± 0.25 ± --- 0 PLACE ± ±	mm INCH	DRAWN BY MMCKERVEY	DATE 2011/07/25	TITLE 1X1 SFP TAPE AND REEL			
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		APPROVED BY KLLOYD	DATE 2012/01/05	MATERIAL NO. 747370111			
				ANGULAR ± 1 °		DOCUMENT NO. SD-74737-0111		SHEET NO. 3 OF 5	

molex


THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1

20 19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1



TAPE FEED DIRECTION →







REVISED EEC NO: CPG2013-0591 2012/09/11 DORWEN/JOAN CHYK/MCKERVEY APPR:K/LLOYD 2012/10/12 REV DESCRIPTION	QUALITY SYMBOLS ∇=0 ∇=0 ∇=0		GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± 0.13 ± --- 1 PLACE ± 0.25 ± --- 0 PLACE ± ±		DIMENSION STYLE MM ONLY DRAWN BY DATE MCKERVEY 2011/07/25 CHECKED BY DATE		SCALE 3:1 DESIGN UNITS METRIC		THIRD ANGLE PROJECTION TITLE 1X1 SFP TAPE AND REEL	
	ANGULAR ± 1 ° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		APPROVED BY DATE K/LLOYD 2012/01/05		MATERIAL NO. 747370111		DOCUMENT NO. SD-74737-0111		SHEET NO. 4 OF 5	
	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									
	moxlex									

19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1

DATE	REV	DESCRIPTION
2011-07-25	1	PRE-RELEASE
2011-12-05	A	INITIAL RELEASE; PART IDENTIFICATION CHANGED [SHT1]; TAPE CHANGED TO TWO LAYER BOTTOM [SHT4]; CHANGED HOLE SPACING TO 68.4MM [SHT4]; ADDED DETAIL VIEW 1 [SHT4];
2012-01-05	A1	REMOVED 8.58 AND REPLACED WITH 0.57 [SHT1]; ADDED 0.30±0.10 [SHT3]; CORRECTED ARROW APPEARANCE [SHT4]
2012-08-08	C	DIM 1.80 UPDATED TO 1.80 TYP [SHT 1]. SECTION LINE MOVED [SHT 3], UPDATED ALL VIEWS [SHT4], UPDATED 15.1 TYP TO 15.3 TYP [SHT4], UPDATED 49.1 TYP TO 49.4 TYP [SHT4], UPDATED 14 TYP TO 15.6 TYP [SHT 4]
2012-09-12	D	UPDATED TRAY REEL CONE HEIGHT [SHT 4]

REVISED IEC NO: CPG2013-0591 D DRAWN BY: CHYKMMCKERVEY APPR: KLLLOYD	2012/09/11 2012/09/12 2012/10/12	QUALITY SYMBOLS ∇=0 ∇=0 ∇=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY	SCALE 5:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION
			4 PLACES ± mm INCH 3 PLACES ± --- ± --- 2 PLACES ± 0.13 ± --- 1 PLACE ± 0.25 ± --- 0 PLACE ± ±	DRAWN BY: MMCKERVEY DATE: 2011/07/25	TITLE 1X1 SFP TAPE AND REEL			
			ANGULAR ± 1 ° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	CHECKED BY: KLLLOYD DATE: 2012/01/05	MATERIAL NO. 747370111	DOCUMENT NO. SD-74737-0111	SHEET NO. 5 OF 5	
			SIZE D THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					







SPRING FINGER GASKET WITH TWO POINTS OF CONTACT. COMPLIES WITH (SFP) MSA BOARD AND BEZEL LOCATIONS.

TABS USED TO MOUNT LIGHT PIPE COVER

CAGE IDENTIFICATION SEE NOTE 6

ONE PIECE DESIGN SECURELY FASTENED





NOTES:

1. THIS CAGE IS FOR SINGLE SIDED USE ONLY.
2. CAN BE USED WITH THE FOLLOWING LIGHT PIPE PART NUMBERS:
747260001 - LIGHT PIPE FROM BACK TO TOP (REFER TO DOCUMENT SD-74726-001)
747260002 - LIGHT PIPE FROM SIDE TO TOP (REFER TO DOCUMENT SD-74726-002)
3. MATERIAL: COPPER ALLOY
4. PLATING: MATTE TIN
5. LEAD FREE, NO ROHS EXEMPTIONS
6. IDENTIFICATION IS STAMPED AS SHOWN ON RIGHT SIDE OF CAGE
LAST TWO DIGITS OF PART NUMBER
TOOLING NUMBER
REV LETTER OF CAGE
WW: WEEK OF THE YEAR PER ISO 8601
YY: LAST TWO DIGITS OF THE YEAR, FOR EXAMPLE 2013 - 13
EXAMPLE: 11 2 A 03 12




REVISED EC NO: CPG2013-0591 D DRAWN BY: CHKOMCKERVEY 2012/09/11 2012/09/12 APPR: K LLOYD 2012/10/12	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED):	DIMENSION STYLE	SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION
	▽=0	4 PLACES ± --- INCH	MM ONLY	5:1	METRIC	☉
	▽=0	3 PLACES ± ---				
	▽=0	2 PLACES ± 0.13				
		1 PLACE ± 0.25				
		0 PLACE ±				
		ANGULAR ± 1 °				
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				
			MATERIAL NO.	DOCUMENT NO.		
			747370111	SD-74737-0111		
			THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			
						SHEET NO. 1 OF 5

- 1 DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
- 2 PADS AND VIAS ARE CHASSIS GROUND.
- 3 HOLE LAYOUT SHOWN IS FOR SINGLE SIDED MOUNTING ONLY.
- 4 CONNECTOR PAD LAYOUT PER SFP MSA, WILL ACCOMODATE MOLEX CONNECTOR SERIES 74441 OR EQUIVALENT.



REVISED EC NO: CPG2013-0591 DRAWN BY: CHYKONKERRY CHECKED BY: KLOYD APPR: KLOYD DATE: 2012/09/11 DATE: 2012/09/12 DATE: 2012/10/12	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE	SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION
	▽=0	4 PLACES ± ---	MM ONLY	5:1	METRIC	☉
	▽=0	3 PLACES ± 0.13				
	▽=0	2 PLACES ± 0.25				
		0 PLACE ± ±				
		ANGULAR ± 1 °				
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				
			DRAWN BY: MMCKERVEY	DATE: 2011/07/25	TITLE: 1X1 SFP TAPE AND REEL	
			CHECKED BY:	DATE:		
			APPROVED BY: KLOYD	DATE: 2012/01/05		
			MATERIAL NO: 747370111	DOCUMENT NO: SD-74737-0111	SHEET NO: 2 OF 5	
			THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			

20 19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1



REVISED EC NO: CPG2013-0591 DRAWN BY: JORWINDIAN 2012/09/11 CHECKED BY: CHYOMCKERVEY 2012/09/12 APPR: KLLOYD 2012/10/12	QUALITY SYMBOLS ▽=0 ▽=0 ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 5:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	
		4 PLACES ± --- ± ---	mm	INCH	DRAWN BY MMCKERVEY	DATE 2011/07/25	TITLE 1X1 SFP TAPE AND REEL		
		3 PLACES ± --- ± ---	± 0.13	± ---	CHECKED BY	DATE	MATERIAL NO. 747370111		
		2 PLACES ± 0.25 ± ---	± ---	± ---	APPROVED BY KLLOYD	DATE 2012/01/05	DOCUMENT NO. SD-74737-0111	SHEET NO. 3 OF 5	
1 PLACE ± 0.25 ± ---		ANGULAR ± 1 °		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					
0 PLACE ± ±		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SIZE D					

19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1

20 19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1

M

L

K

J

I

H

G

F




E

D

C

B

A



TAPE FEED DIRECTION →

REVISED EEC NO: CP62013-0591 2012/09/11 DORWEN/JOAN CHYOM/MCKERVEY 2012/09/12 APPROX/KLLOYD 2012/10/12 REV DESCRIPTION	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE	SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION
	▽=0	4 PLACES ±0.05	MM ONLY	3:1	METRIC	☉
	▽=0	3 PLACES ±0.13	mm			
	▽=0	2 PLACES ±0.25	INCH			
		1 PLACE ±0.50				
		0 PLACE ±1.00				
		ANGULAR ±1°				
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				
			DRAWN BY	DATE	TITLE	
			MCKERVEY	2011/07/25	1X1 SFP TAPE AND REEL	
			CHECKED BY	DATE		
			APPROVED BY	DATE		
			KLLOYD	2012/01/05		
			MATERIAL NO.	DOCUMENT NO.		
			747370111	SD-74737-0111		
			SIZE			
			D			

molex

SHEET NO. 4 OF 5

19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1

DATE	REV	DESCRIPTION
2011-07-25	1	PRE-RELEASE
2011-12-05	A	INITIAL RELEASE; PART IDENTIFICATION CHANGED [SHT1]; TAPE CHANGED TO TWO LAYER BOTTOM [SHT4]; CHANGED HOLE SPACING TO 68.4MM [SHT4]; ADDED DETAIL VIEW 1 [SHT4];
2012-01-05	A1	REMOVED 8.58 AND REPLACED WITH 0.57 [SHT1]; ADDED 0.30±0.10 [SHT3]; CORRECTED ARROW APPEARANCE [SHT4]
2012-08-08	C	DIM 1.80 UPDATED TO 1.80 TYP [SHT 1]. SECTION LINE MOVED [SHT 3], UPDATED ALL VIEWS [SHT4], UPDATED 15.1 TYP TO 15.3 TYP [SHT4], UPDATED 49.1 TYP TO 49.4 TYP [SHT4], UPDATED 14 TYP TO 15.6 TYP [SHT 4]
2012-09-12	D	UPDATED TRAY REEL CONE HEIGHT [SHT 4]

REVISED IEC NO: CPG2013-0591 DRAWN BY: CHYDMMCKERVEY APPR: K LLOYD	2012/09/11 2012/09/12 2012/10/12	QUALITY SYMBOLS ∇=0 ∇=0 ∇=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY	SCALE 5:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION
			4 PLACES ± mm INCH 3 PLACES ± --- ± --- 2 PLACES ± 0.13 ± --- 1 PLACE ± 0.25 ± --- 0 PLACE ± ±	DRAWN BY DATE MMCKERVEY 2011/07/25	TITLE 1X1 SFP TAPE AND REEL			
			ANGULAR ± 1 ° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	CHECKED BY DATE K LLOYD 2012/01/05	APPROVED BY DATE K LLOYD 2012/01/05	MATERIAL NO. 747370111	DOCUMENT NO. SD-74737-0111	
			SIZE D	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			SHEET NO. 5 OF 5	

