

**PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION**

**Part Number:** [75556-5101](#)  
**Status:** **Active**  
**Overview:** EXTreme PowerMass™  
**Description:** EXTreme PowerMass™ 3.18mm Pitch, 150A Module, 1 Circuit, Right Angle Plug, Short Blade, Tail Length 3.81mm

**Documents:**

[3D Model](#) [RoHS Certificate of Compliance \(PDF\)](#)  
[Drawing \(PDF\)](#)

**Agency Certification**


CSA LR19980  
 UL E29179

**General**

Product Family PCB Headers  
 Series [75556](#)  
 Application Board-to-Board, Power  
 Comments 150A Module Tin Tails  
 Overview EXTreme PowerMass™  
 Product Name EXTreme PowerMass™  
 UPC 800756779621

**Physical**

(p)ower-(s)ignal Configuration 1p - 0s  
 Breakaway No  
 Circuits (Loaded) 4  
 Circuits (maximum) 4  
 Durability (mating cycles max) 50  
 First Mate / Last Break No  
 Flammability 94V-0  
 Glow-Wire Compliant No  
 Guide to Mating Part No  
 Keying to Mating Part None  
 Lock to Mating Part No  
 Material - Plating Mating Gold  
 Material - Plating Termination Tin  
 Net Weight 16.920/g  
 Number of Rows 1  
 Orientation Right Angle  
 PC Tail Length 3.81mm  
 PCB Locator No  
 PCB Retention None  
 PCB Thickness - Recommended 2.40mm  
 Packaging Type Tray  
 Pitch - Mating Interface N/A  
 Pitch - Termination Interface 1.60mm  
 Plating min - Mating 0.762µm  
 Plating min - Termination 2.540µm  
 Polarized to Mating Part Yes  
 Polarized to PCB Yes  
 Shrouded Fully  
 Stackable No  
 Surface Mount Compatible (SMC) Yes  
 Temperature Range - Operating -40°C to +105°C  
 Termination Interface: Style Through Hole



**EU RoHS**

**ELV and RoHS Compliant**

**REACH SVHC**

Not Reviewed

**Low-Halogen Status**

**Low-Halogen**

**China RoHS**



**Need more information on product environmental compliance?**

Email [productcompliance@molex.com](mailto:productcompliance@molex.com)  
 For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

**Search Parts in this Series**

[75556Series](#)

**Mates With**

[755425000](#) , [755425001](#) , [454815000](#)

**Electrical**

Current - Maximum per Contact 150A  
Voltage - Maximum 600V

**Material Info****Reference - Drawing Numbers**

Sales Drawing SD-75556-100

This document was generated on 01/22/2013

**PLEASE CHECK [WWW.MOLEX.COM](http://WWW.MOLEX.COM) FOR LATEST PART INFORMATION**