


CODING BOARD			
ORIGINALS		COMPLEMENTARY CODING	
BROWN		GREY	
GREEN		BLUE	
WHITE		MALE HOUSING NOT AVAILABLE FOR COMPLEMENTARY CODING MECHANICAL SETTINGS CAN BE DIFFERENT FROM ORIGINAL CODING TO COMPLEMENTARY ONES.	
BLACK			

AREA FOR CONNECTOR ASSEMBLY  
Scale: 1:1



NOTES:

- ▽ CAVITY PREINT MUST NOT GET OUTSIDE THE BOTTOM OF THE PREINT
- ▽ NO BURR ADMITTED IN THAT AREA
- 3 RADIUS WITHOUT DIMENSIONS R=0.5 MAX

Recommended Plastic Material: >PBT-GF20<  
Recommended Metal Material: CuSn6 or CuFe2  
Plating: 0.84µm to 3.34µm minus of pure tin (Sn)  
1.34µm mini Nickel (Ni) underlayer.

FIRST RELEASE  
EC NO: G2005-0319  
DRAWING REVISIONS: 2005/04/27  
CHKD: JLDUCLOS 2005/04/27  
APPROVAL: LSTICKEIR 2005/04/28

REV	DESCRIPTION
1	

QUALITY SYMBOLS	
	0.25
	0.10

GENERAL TOLERANCES (UNLESS SPECIFIED)	
4 PLACES	± 0.10
3 PLACES	± 0.15
2 PLACES	± 0.20
1 PLACE	± 0.25
ANGULAR ± 1/2°	

DIMENSION STYLE		SCALE	DESIGN UNITS	FIRST ANGLE PROJECTION
MM ONLY		5:1	METRIC	
DRAWN BY	DATE	TITLE		
GDESBRUERES	2005/04/13	INTERFACE DRAWING MOX RCPT HSG DR 3CKT 98298 SERIES#		
CHECKED BY	DATE	MOLEX INCORPORATED		
JLDUCLOS	2005/04/15	MATERIAL NO. SD-98298-003		
APPROVED BY	DATE	DOCUMENT NO. SD-98298-003		
LSTICKEIR	2005/04/19	SHEET NO. 1 OF 1		

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION