

NOTES:

- ① MAT'L: COPPER (STOCK TKN. $\frac{.028}{71}$ ^{*.886})
- ② PLATING: ELECTRO TIN (.0003 MIN)
- ③ TIN-PLATED BRASS FUNNEL FERRULE
- ③ NYLON INSULATION (COLOR CODED)

STUD SIZES: ($\pm .005$)


- 02 = .094
- 04 = .119
- 06 = .146
- 08 = .173
- 10 = .198
- 14 = .265
- 56 = .328
- 38 = .390

"UL" LISTING # E32244
 "CSA" LISTING # 18689

WIRE SIZE: 22-18 AWG²
 .25-1.5 MM²

ALL DIMENSIONS = $\frac{\text{INCHES}}{\text{MM}}$

(MWID) = DENOTES MAXIMUM WIRE INSULATION DIAMETER



FILE NO.

AA-CD-803-03

PART NUMBER	"W" $\pm .010$	"C" MIN.	"L" MAX.	SCALE:	NTS	DATE	TITLE:	DWG. NO.	A	CUSTOMER DWG.
AA-835	$\frac{.316}{8.03}$	$\frac{.303}{7.70}$	$\frac{.915}{23.24}$	CHKD. BY: SJ	5Z	11.8.84	SPADE TONGUE TERMINAL AVIKRIMP 800-SERIES	A		
				APPRD. BY:		11.20.84				



CUSTOMER DWG