








| CIRCUIT SIZE | DIM. "A" | DIM. "B" |
|--------------|-------------|-------------|
| 6 | .54 (13.8) | .33 (8.4) |
| 8 | .71 (18.0) | .50 (12.6) |
| 10 | .87 (22.2) | .66 (16.8) |
| 12 | 1.04 (26.4) | .83 (21.0) |
| 14 | 1.20 (30.6) | .99 (25.2) |
| 16 | 1.37 (34.8) | 1.16 (29.4) |
| 18 | 1.54 (39.0) | 1.32 (33.6) |
| 20 | 1.70 (43.2) | 1.49 (37.8) |
| 22 | 1.87 (47.4) | 1.65 (42.0) |
| 24 | 2.03 (51.6) | 1.82 (46.2) |



NOTES:
 1) MATERIAL:
 HOUSING:
 "BLANK" = NYLON (PA66), UNFILLED, UL94V-2, COLOR: NATURAL
 "100" = NYLON (PA66), UNFILLED, UL94V-2, COLOR: BLACK
 "BL" = NYLON (PA66), UNFILLED, UL94V-2, COLOR: BLACK
 "210" = NYLON (PA66), UNFILLED, UL94V-0, COLOR: NATURAL
 "400" = NYLON (PA66), UNFILLED, UL94V-0, COLOR: BLACK
 TERMINAL:
 BRASS ALLOY
 2) FINISH (PLATING):
 "BLANK" = .000200/(0.00508) MIN. BRIGHT TIN OVER
 .000100/(0.00254) MIN. COPPER
 "G" = .000030/(0.00076) MIN. GOLD OVER
 .000050/(0.00127) MIN. NICKEL
 "G2" = .000015/(0.00038) MIN. GOLD OVER
 .000030/(0.00076) MIN. NICKEL
 "G3" = .000050/(0.00127) MIN. GOLD OVER
 .000050/(0.00127) MIN. NICKEL
 "*GS" = .000030/(0.00076) MIN. SELECT GOLD OVER
 .000100/(0.00254) MIN. SELECT MATTE TIN
 OVER .000050/(0.00127) MIN. NICKEL OVERALL
 "*GS2" = .000015/(0.00038) MIN. SELECT GOLD OVER
 .000100/(0.00254) MIN. SELECT MATTE TIN
 OVER .000050/(0.00127) MIN. NICKEL OVERALL
 "*GS3" = .000050/(0.00127) MIN. SELECT GOLD OVER
 .000100/(0.00254) MIN. SELECT MATTE TIN
 OVER .000050/(0.00127) MIN. NICKEL OVERALL
 "S" = .000100/(0.00254) MIN. BRIGHT TIN OVER
 .000050/(0.00127) MIN. NICKEL
 *THE PRIMARY SHIPPING CARTON WILL BE LABELED "COMPLIANT TO
 ROHS DIRECTIVE 2002/95/EC AND ELV ANNEX II OF DIRECTIVE
 2000/53/EC", CARTONS WITHOUT THIS LABEL MAY CONTAIN
 PRODUCT WITH TIN-LEAD PLATING.



3) PRODUCT SPECIFICATION: SHOWN IN CHART AT RIGHT
 4) PACKAGING:
 "BLANK" = BULK PACKED PER PK-5569-002
 "T" = TRAY PACKED PER PK-5569-003
 5) PART MATES WITH MINI-FIT JR. RECEPTACLE SERIES 5557.
 6) MOUNTING OPTIONS:
 1 = SCREW MOUNT (SEE SD-5569-NA* SERIES DRAWING)
 2 = PEG MOUNT
 7) DISCOLORATION IN THE BANDOLIER CARRIER AREA OF THE PIN IS
 INHERENT TO THE PLATING PROCESS AND IS DUE TO THE MASKING
 EFFECT OF THE CARRIER. THIS DISCOLORATION IS IN A NON-FUNCTIONAL
 AREA OF THE PIN AND WILL NOT AFFECT THE PERFORMANCE OF THE
 HEADER ASSEMBLY.
 8) PART CONFORMS TO CLASS "B" REQUIREMENTS OF COSMETIC
 SPECIFICATION PS-45499-002.
 9) CONNECTORS ARE NOT TO BE MATED AND UNMATED WHILE CIRCUITS ARE LIVE.
 10) PARTS ARE NOT DESIGNED FOR CURRENT SHARING.

| | |
|-------------------------|-------------|
| 5569-A2S-BL | PS-5556-001 |
| 5569-A2G3-BL | PS-5556-001 |
| 5569-A2G2-BL | PS-5556-001 |
| 5569-A2G-BL | PS-5556-001 |
| 5569-A2-BL | PS-5556-001 |
| 5569-A2G3 & -A2G3-210 | PS-5556-001 |
| 5569-A2S & -A2S-210 | PS-5556-001 |
| 5569-A2GS3 & -A2GS3-210 | PS-5556-001 |
| 5569-A2GS2 & -A2GS2-210 | PS-5556-001 |
| 5569-A2GS & -A2GS-210 | PS-5556-001 |
| 5569-A2G2 & -A2G2-210 | PS-5556-001 |
| 5569-A2G & -A2G-210 | PS-5556-001 |
| 5569-A2 & -A2-210 | PS-5556-001 |

| | | |
|------|---------------|------|
| 2-6 | GENERAL DOCS. | L |
| 1 | MEIO | L |
| SHT. | SOFTWARE | REV. |

| | | |
|--|-----------------|--|
| ENG. NO. | | PROD. SPEC. NO. |
| PRODUCT SPEC. CHART | | |
| SCALE | DESIGN UNITS | THIRD ANGLE PROJECTION |
| 4:1 | METRIC | <input checked="" type="checkbox"/> <input type="checkbox"/> |
| MINI-FIT JR RIGHT ANGLE HEADER ASSEMBLIES WITH MOUNTING PEGS | | |
| MOLEX INCORPORATED | | |
| MATERIAL NO. | DOCUMENT NO. | SHEET NO. |
| SEE CHART | SDA-5569-NA2*-* | 1 OF 6 |

ADD RIB TO SIDE VIEW
 EC NO: UCP2007-2432
 DR: WALSCHMIDT 2007/05/03
 CHKD: ADERR 2007/05/04
 APPR: FSMITH 2007/05/07

QUALITY SYMBOLS
 GENERAL TOLERANCES (UNLESS SPECIFIED)

| | mm | INCH |
|----------------|--------|--------|
| 4 PLACES ± --- | ± .10 | ± .004 |
| 3 PLACES ± --- | ± .015 | ± .002 |
| 2 PLACES ± .25 | ± .010 | ± .003 |
| 1 PLACE ± .38 | ± .015 | ± .005 |

 ANGULAR ±1/2°
 DRAFT WHERE APPLICABLE
 MUST REMAIN WITHIN DIMENSIONS

DRAWN BY: R/JF DATE: 1988/02/16
 CHECKED BY: GT DATE: 1988/02/16
 APPROVED BY: RAS DATE: 1988/02/16

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

BULK PACKAGED PER PK-5569-002

| PART NUMBER | ENG. NUMBER | CKT. SIZE | PLATING (NOTE 2) | HSG MAT'L | PART NUMBER | ENG. NUMBER | CKT. SIZE | PLATING (NOTE 2) | HSG MAT'L |
|-------------|-------------|-----------|------------------|-----------|-------------|---------------|-----------|------------------|-----------|
| 39-30-1020 | 5569-02A2 | 2 | | | 39-30-0020 | 5569-02A2-210 | 2 | | |
| 39-30-1040 | 5569-04A2 | 4 | | | 39-30-0040 | 5569-04A2-210 | 4 | | |
| 39-30-1060 | 5569-06A2 | 6 | | | 39-30-0060 | 5569-06A2-210 | 6 | | |
| 39-30-1080 | 5569-08A2 | 8 | TIN OVER COPPER | | 39-30-0080 | 5569-08A2-210 | 8 | TIN OVER COPPER | |
| 39-30-1100 | 5569-10A2 | 10 | SEE NOTE 2 | 94V-2 | 39-30-0100 | 5569-10A2-210 | 10 | SEE NOTE 2 | 94V-0 |
| 39-30-1120 | 5569-12A2 | 12 | NOTE 2 | | 39-30-0120 | 5569-12A2-210 | 12 | NOTE 2 | |
| 39-30-1140 | 5569-14A2 | 14 | OPTION | | 39-30-0140 | 5569-14A2-210 | 14 | OPTION | |
| 39-30-1160 | 5569-16A2 | 16 | "BLANK" | | 39-30-0160 | 5569-16A2-210 | 16 | "BLANK" | |
| 39-30-1180 | 5569-18A2 | 18 | | | 39-30-0180 | 5569-18A2-210 | 18 | | |
| 39-30-1200 | 5569-20A2 | 20 | | | 39-30-0200 | 5569-20A2-210 | 20 | | |
| 39-30-1220 | 5569-22A2 | 22 | | | 39-30-0220 | 5569-22A2-210 | 22 | | |
| 39-30-1240 | 5569-24A2 | 24 | | | 39-30-0240 | 5569-24A2-210 | 24 | | |

| | | | | | | | | | |
|------------|------------|----|------------|-------|------------|----------------|----|------------|-------|
| 39-30-1021 | 5569-02A2G | 2 | | | 39-30-1022 | 5569-02A2G-210 | 2 | | |
| 39-30-1041 | 5569-04A2G | 4 | | | 39-30-1042 | 5569-04A2G-210 | 4 | | |
| 39-30-1061 | 5569-06A2G | 6 | | | 39-30-1062 | 5569-06A2G-210 | 6 | | |
| 39-30-1081 | 5569-08A2G | 8 | 30 μ" GOLD | | 39-30-1082 | 5569-08A2G-210 | 8 | 30 μ" GOLD | |
| 39-30-1101 | 5569-10A2G | 10 | SEE NOTE 2 | 94V-2 | 39-30-1102 | 5569-10A2G-210 | 10 | SEE NOTE 2 | 94V-0 |
| 39-30-1121 | 5569-12A2G | 12 | OPTION | | 39-30-1122 | 5569-12A2G-210 | 12 | OPTION | |
| 39-30-1141 | 5569-14A2G | 14 | | | 39-30-1142 | 5569-14A2G-210 | 14 | | |
| 39-30-1161 | 5569-16A2G | 16 | "G" | | 39-30-1162 | 5569-16A2G-210 | 16 | "G" | |
| 39-30-1181 | 5569-18A2G | 18 | | | 39-30-1182 | 5569-18A2G-210 | 18 | | |
| 39-30-1201 | 5569-20A2G | 20 | | | 39-30-1202 | 5569-20A2G-210 | 20 | | |
| 39-30-1221 | 5569-22A2G | 22 | | | 39-30-1222 | 5569-22A2G-210 | 22 | | |
| 39-30-1241 | 5569-24A2G | 24 | | | 39-30-1242 | 5569-24A2G-210 | 24 | | |

| | | | | | | | | | |
|------------|-------------|----|------------|-------|------------|-----------------|----|------------|-------|
| 39-30-0021 | 5569-02A2G2 | 2 | | | 39-30-0022 | 5569-02A2G2-210 | 2 | | |
| 39-30-0041 | 5569-04A2G2 | 4 | | | 39-30-0042 | 5569-04A2G2-210 | 4 | | |
| 39-30-0061 | 5569-06A2G2 | 6 | | | 39-30-0062 | 5569-06A2G2-210 | 6 | | |
| 39-30-0081 | 5569-08A2G2 | 8 | 15 μ" GOLD | | 39-30-0082 | 5569-08A2G2-210 | 8 | 15 μ" GOLD | |
| 39-30-0101 | 5569-10A2G2 | 10 | SEE NOTE 2 | 94V-2 | 39-30-0102 | 5569-10A2G2-210 | 10 | SEE NOTE 2 | 94V-0 |
| 39-30-0121 | 5569-12A2G2 | 12 | OPTION | | 39-30-0122 | 5569-12A2G2-210 | 12 | OPTION | |
| 39-30-0141 | 5569-14A2G2 | 14 | "G2" | | 39-30-0142 | 5569-14A2G2-210 | 14 | "G2" | |
| 39-30-0161 | 5569-16A2G2 | 16 | | | 39-30-0162 | 5569-16A2G2-210 | 16 | | |
| 39-30-0181 | 5569-18A2G2 | 18 | | | 39-30-0182 | 5569-18A2G2-210 | 18 | | |
| 39-30-0201 | 5569-20A2G2 | 20 | | | 39-30-0202 | 5569-20A2G2-210 | 20 | | |
| 39-30-0221 | 5569-22A2G2 | 22 | | | 39-30-0222 | 5569-22A2G2-210 | 22 | | |
| 39-30-0241 | 5569-24A2G2 | 24 | | | 39-30-0242 | 5569-24A2G2-210 | 24 | | |

| | | | | | | | | | |
|------------|-------------|----|------------|-------|------------|-----------------|----|------------|-------|
| NOT TOOLED | 5569-02A2G3 | 2 | | | NOT TOOLED | 5569-02A2G3-210 | 2 | | |
| 15-27-1514 | 5569-04A2G3 | 4 | | | NOT TOOLED | 5569-04A2G3-210 | 4 | | |
| 15-27-1511 | 5569-06A2G3 | 6 | | | NOT TOOLED | 5569-06A2G3-210 | 6 | | |
| 15-27-1512 | 5569-08A2G3 | 8 | 50 μ" GOLD | | NOT TOOLED | 5569-08A2G3-210 | 8 | 50 μ" GOLD | |
| 15-27-1503 | 5569-10A2G3 | 10 | SEE NOTE 2 | 94V-2 | 15-27-1504 | 5569-10A2G3-210 | 10 | SEE NOTE 2 | 94V-0 |
| NOT TOOLED | 5569-12A2G3 | 12 | OPTION | | NOT TOOLED | 5569-12A2G3-210 | 12 | OPTION | |
| NOT TOOLED | 5569-14A2G3 | 14 | "G3" | | NOT TOOLED | 5569-14A2G3-210 | 14 | "G3" | |
| 15-27-1513 | 5569-16A2G3 | 16 | | | NOT TOOLED | 5569-16A2G3-210 | 16 | | |
| NOT TOOLED | 5569-18A2G3 | 18 | | | NOT TOOLED | 5569-18A2G3-210 | 18 | | |
| NOT TOOLED | 5569-20A2G3 | 20 | | | NOT TOOLED | 5569-20A2G3-210 | 20 | | |
| NOT TOOLED | 5569-22A2G3 | 22 | | | NOT TOOLED | 5569-22A2G3-210 | 22 | | |
| NOT TOOLED | 5569-24A2G3 | 24 | | | NOT TOOLED | 5569-24A2G3-210 | 24 | | |

REVISION: ECR/ECON INFORMATION:

TITLE:

SHEET No.

L

EC No: UCP2007-2432

**MINI-FIT JR.® RIGHT ANGLE
HEADER ASSEMBLIES
WITH MOUNTING PEGS**

- 2 -

DATE: 2007/04/02

DOCUMENT NUMBER:

Drawn By:

Checked By:

Approved By:

SDA-5569-NA2*-*

LSCHMIDT

ADERR

FSMITH

BULK PACKAGED PK-5569-002

| PART NUMBER | ENG. NUMBER | CKT. SIZE | PLATING (NOTE 2) | HSG MAT'L | PART NUMBER | ENG. NUMBER | CKT. SIZE | PLATING (NOTE 2) | HSG MAT'L |
|-------------|-------------|-----------|--------------------|-----------|-------------|-----------------|-----------|--------------------|-----------|
| 39-30-0023 | 5569-02A2GS | 2 | 30 μ" SELECT | 94V-2 | 39-30-0024 | 5569-02A2GS-210 | 2 | 30 μ" SELECT | 94V-0 |
| 39-30-0043 | 5569-04A2GS | 4 | | | 39-30-0044 | 5569-04A2GS-210 | 4 | | |
| 39-30-0063 | 5569-06A2GS | 6 | | | 39-30-0064 | 5569-06A2GS-210 | 6 | | |
| 39-30-0083 | 5569-08A2GS | 8 | | | 39-30-0084 | 5569-08A2GS-210 | 8 | | |
| 39-30-0103 | 5569-10A2GS | 10 | | | 39-30-0104 | 5569-10A2GS-210 | 10 | | |
| 39-30-0123 | 5569-12A2GS | 12 | | | 39-30-0124 | 5569-12A2GS-210 | 12 | | |
| 39-30-0143 | 5569-14A2GS | 14 | NOTE 2 OPTION "GS" | 94V-0 | 39-30-0144 | 5569-14A2GS-210 | 14 | NOTE 2 OPTION "GS" | 94V-0 |
| 39-30-0163 | 5569-16A2GS | 16 | | | 39-30-0164 | 5569-16A2GS-210 | 16 | | |
| 39-30-0183 | 5569-18A2GS | 18 | | | 39-30-0184 | 5569-18A2GS-210 | 18 | | |
| 39-30-0203 | 5569-20A2GS | 20 | | | 39-30-0204 | 5569-20A2GS-210 | 20 | | |
| 39-30-0223 | 5569-22A2GS | 22 | | | 39-30-0224 | 5569-22A2GS-210 | 22 | | |
| 39-30-0243 | 5569-24A2GS | 24 | | | 39-30-0244 | 5569-24A2GS-210 | 24 | | |

| | | | | | | | | | |
|------------|--------------|----|---------------------|-------|------------|------------------|----|---------------------|-------|
| 39-30-1023 | 5569-02A2GS2 | 2 | 15 μ" SELECT | 94V-2 | 39-30-1024 | 5569-02A2GS2-210 | 2 | 15 μ" SELECT | 94V-0 |
| 39-30-1043 | 5569-04A2GS2 | 4 | | | 39-30-1044 | 5569-04A2GS2-210 | 4 | | |
| 39-30-1063 | 5569-06A2GS2 | 6 | | | 39-30-1064 | 5569-06A2GS2-210 | 6 | | |
| 39-30-1083 | 5569-08A2GS2 | 8 | | | 39-30-1084 | 5569-08A2GS2-210 | 8 | | |
| 39-30-1103 | 5569-10A2GS2 | 10 | | | 39-30-1104 | 5569-10A2GS2-210 | 10 | | |
| 39-30-1123 | 5569-12A2GS2 | 12 | | | 39-30-1124 | 5569-12A2GS2-210 | 12 | | |
| 39-30-1143 | 5569-14A2GS2 | 14 | NOTE 2 OPTION "GS2" | 94V-0 | 39-30-1144 | 5569-14A2GS2-210 | 14 | NOTE 2 OPTION "GS2" | 94V-0 |
| 39-30-1163 | 5569-16A2GS2 | 16 | | | 39-30-1164 | 5569-16A2GS2-210 | 16 | | |
| 39-30-1183 | 5569-18A2GS2 | 18 | | | 39-30-1184 | 5569-18A2GS2-210 | 18 | | |
| 39-30-1203 | 5569-20A2GS2 | 20 | | | 39-30-1204 | 5569-20A2GS2-210 | 20 | | |
| 39-30-1223 | 5569-22A2GS2 | 22 | | | 39-30-1224 | 5569-22A2GS2-210 | 22 | | |
| 39-30-1243 | 5569-24A2GS2 | 24 | | | 39-30-1244 | 5569-24A2GS2-210 | 24 | | |

| | | | | | | | | | |
|------------|--------------|----|---------------------|-------|------------|------------------|----|---------------------|-------|
| 39-34-4026 | 5569-02A2GS3 | 2 | 50 μ" SELECT | 94V-2 | 39-34-4027 | 5569-02A2GS3-210 | 2 | 50 μ" SELECT | 94V-2 |
| 39-34-4046 | 5569-04A2GS3 | 4 | | | 39-34-4047 | 5569-04A2GS3-210 | 4 | | |
| NOT TOOLED | 5569-06A2GS3 | 6 | | | NOT TOOLED | 5569-06A2GS3-210 | 6 | | |
| NOT TOOLED | 5569-08A2GS3 | 8 | | | NOT TOOLED | 5569-08A2GS3-210 | 8 | | |
| NOT TOOLED | 5569-10A2GS3 | 10 | | | NOT TOOLED | 5569-10A2GS3-210 | 10 | | |
| NOT TOOLED | 5569-12A2GS3 | 12 | | | NOT TOOLED | 5569-12A2GS3-210 | 12 | | |
| NOT TOOLED | 5569-14A2GS3 | 14 | NOTE 2 OPTION "GS3" | 94V-2 | NOT TOOLED | 5569-14A2GS3-210 | 14 | NOTE 2 OPTION "GS3" | 94V-2 |
| NOT TOOLED | 5569-16A2GS3 | 16 | | | NOT TOOLED | 5569-16A2GS3-210 | 16 | | |
| NOT TOOLED | 5569-18A2GS3 | 18 | | | NOT TOOLED | 5569-18A2GS3-210 | 18 | | |
| NOT TOOLED | 5569-20A2GS3 | 20 | | | NOT TOOLED | 5569-20A2GS3-210 | 20 | | |
| NOT TOOLED | 5569-22A2GS3 | 22 | | | NOT TOOLED | 5569-22A2GS3-210 | 22 | | |
| NOT TOOLED | 5569-24A2GS3 | 24 | | | NOT TOOLED | 5569-24A2GS3-210 | 24 | | |

| | | | | | | | | | |
|------------|------------|----|---------------------------------------|------------|----------------|----------------|-------|---------------------------------------|-------|
| 39-30-7025 | 5569-02A2S | 2 | TIN OVER NICKEL SEE NOTE 2 OPTION "S" | 94V-2 | 39-30-7026 | 5569-02A2S-210 | 2 | TIN OVER NICKEL SEE NOTE 2 OPTION "S" | 94V-0 |
| 39-30-7045 | 5569-04A2S | 4 | | | 39-30-7046 | 5569-04A2S-210 | 4 | | |
| 39-30-7065 | 5569-06A2S | 6 | | | 39-30-7066 | 5569-06A2S-210 | 6 | | |
| 39-30-7085 | 5569-08A2S | 8 | | | 39-30-7086 | 5569-08A2S-210 | 8 | | |
| 39-30-7105 | 5569-10A2S | 10 | | | 39-30-7106 | 5569-10A2S-210 | 10 | | |
| 39-30-7125 | 5569-12A2S | 12 | | | 39-30-7126 | 5569-12A2S-210 | 12 | | |
| 39-30-7145 | 5569-14A2S | 14 | 94V-0 | 39-30-7146 | 5569-14A2S-210 | 14 | 94V-0 | | |
| 39-30-7165 | 5569-16A2S | 16 | | 39-30-7166 | 5569-16A2S-210 | 16 | | | |
| 39-30-7185 | 5569-18A2S | 18 | | 39-30-7186 | 5569-18A2S-210 | 18 | | | |
| 39-30-7205 | 5569-20A2S | 20 | | 39-30-7206 | 5569-20A2S-210 | 20 | | | |
| 39-30-7225 | 5569-22A2S | 22 | | 39-30-7226 | 5569-22A2S-210 | 22 | | | |
| 39-30-7245 | 5569-24A2S | 24 | | 39-30-7246 | 5569-24A2S-210 | 24 | | | |

| REVISION: | EC/RECN INFORMATION: | TITLE: | SHEET No. |
|-----------|-------------------------|---|-----------|
| L | DATE: 2007/04/02 | MINI-FIT JR.® RIGHT ANGLE HEADER ASSEMBLIES WITH MOUNTING PEGS | - 3 - |

| | | | |
|--|------------------------------|-----------------------------|-------------------------------|
| DOCUMENT NUMBER: SDA-5569-NA2*-* | Drawn By: LSCHMIDT | Checked By: ADERR | Approved By: FSMITH |
|--|------------------------------|-----------------------------|-------------------------------|

BULK PACKAGED PER PK-5569-002

| PART NUMBER | ENG. NUMBER | CKT. SIZE | PLATING (NOTE 2) | HSG MAT'L | PART NUMBER | ENG. NUMBER | CKT. SIZE | PLATING (NOTE 2) | HSG MAT'L |
|-------------|---------------|-----------|------------------|-----------|-------------|--------------|-----------|------------------|-----------|
| 39-34-9022 | 5569-02A2-100 | 2 | | | 39-31-1021 | 5569-02A2-BL | 2 | | |
| 39-34-9042 | 5569-04A2-100 | 4 | | | 39-31-1041 | 5569-04A2-BL | 4 | | |
| 39-34-9064 | 5569-06A2-100 | 6 | | | 39-31-1061 | 5569-06A2-BL | 6 | | |
| 39-34-9084 | 5569-08A2-100 | 8 | TIN OVER COPPER | | 39-31-1081 | 5569-08A2-BL | 8 | TIN OVER COPPER | |
| 39-34-9104 | 5569-10A2-100 | 10 | | | 39-31-1101 | 5569-10A2-BL | 10 | | |
| 39-34-9124 | 5569-12A2-100 | 12 | SEE NOTE 2 | 94V-2 | 39-31-1121 | 5569-12A2-BL | 12 | SEE NOTE 2 | 94V-2 |
| 39-34-9144 | 5569-14A2-100 | 14 | OPTION "BLANK" | | 39-31-1141 | 5569-14A2-BL | 14 | OPTION "BLANK" | |
| 39-34-9164 | 5569-16A2-100 | 16 | | | 39-31-1161 | 5569-16A2-BL | 16 | | |
| 39-34-9184 | 5569-18A2-100 | 18 | | | 39-31-1181 | 5569-18A2-BL | 18 | | |
| 39-34-9204 | 5569-20A2-100 | 20 | | | 39-31-1201 | 5569-20A2-BL | 20 | | |
| 39-34-9224 | 5569-22A2-100 | 22 | | | 39-31-1221 | 5569-22A2-BL | 22 | | |
| 39-34-9244 | 5569-24A2-100 | 24 | | | 39-31-1241 | 5569-24A2-BL | 24 | | |

| | | | | | | | | | |
|------------|----------------|----|-----------------|-------|------------|---------------|----|------------|-------|
| 39-34-9023 | 5569-02A2S-100 | 2 | | | 39-31-6029 | 5569-02A2G-BL | 2 | | |
| 39-34-9043 | 5569-04A2S-100 | 4 | | | 39-31-6049 | 5569-04A2G-BL | 4 | | |
| 39-34-9063 | 5569-06A2S-100 | 6 | | | 39-31-6069 | 5569-06A2G-BL | 6 | | |
| 39-34-9083 | 5569-08A2S-100 | 8 | TIN OVER NICKEL | | 39-31-6089 | 5569-08A2G-BL | 8 | 30 μ" | |
| 39-34-9103 | 5569-10A2S-100 | 10 | | | 39-31-6109 | 5569-10A2G-BL | 10 | GOLD | |
| 39-34-9123 | 5569-12A2S-100 | 12 | SEE NOTE 2 | 94V-2 | 39-31-6129 | 5569-12A2G-BL | 12 | SEE NOTE 2 | 94V-2 |
| 39-34-9143 | 5569-14A2S-100 | 14 | OPTION "S" | | 39-31-6149 | 5569-14A2G-BL | 14 | OPTION "G" | |
| 39-34-9163 | 5569-16A2S-100 | 16 | | | 39-31-6169 | 5569-16A2G-BL | 16 | | |
| 39-34-9183 | 5569-18A2S-100 | 18 | | | 39-31-6189 | 5569-18A2G-BL | 18 | | |
| 39-34-9203 | 5569-20A2S-100 | 20 | | | 39-31-6209 | 5569-20A2G-BL | 20 | | |
| 39-34-9223 | 5569-22A2S-100 | 22 | | | 39-31-6229 | 5569-22A2G-BL | 22 | | |
| 39-34-9243 | 5569-24A2S-100 | 24 | | | 39-31-6249 | 5569-24A2G-BL | 24 | | |

| | | | | | | | | | |
|------------|---------------|----|-----------------|-------|------------|----------------|----|-------------|-------|
| 39-34-9020 | 5569-02A2-400 | 2 | | | 39-31-7020 | 5569-02A2G2-BL | 2 | | |
| 39-34-9040 | 5569-04A2-400 | 4 | | | 39-31-7040 | 5569-04A2G2-BL | 4 | | |
| 39-34-9060 | 5569-06A2-400 | 6 | | | 39-31-7060 | 5569-06A2G2-BL | 6 | | |
| 39-34-9080 | 5569-08A2-400 | 8 | TIN OVER COPPER | | 39-31-7080 | 5569-08A2G2-BL | 8 | 15 μ" | |
| 39-34-9100 | 5569-10A2-400 | 10 | | | 39-31-7100 | 5569-10A2G2-BL | 10 | GOLD | |
| 39-34-9120 | 5569-12A2-400 | 12 | SEE NOTE 2 | 94V-2 | 39-31-7120 | 5569-12A2G2-BL | 12 | SEE NOTE 2 | 94V-2 |
| 39-34-9140 | 5569-14A2-400 | 14 | OPTION "BLANK" | | 39-31-7140 | 5569-14A2G2-BL | 14 | OPTION "G2" | |
| 39-34-9160 | 5569-16A2-400 | 16 | | | 39-31-7160 | 5569-16A2G2-BL | 16 | | |
| 39-34-9180 | 5569-18A2-400 | 18 | | | 39-31-7180 | 5569-18A2G2-BL | 18 | | |
| 39-34-9200 | 5569-20A2-400 | 20 | | | 39-31-7200 | 5569-20A2G2-BL | 20 | | |
| 39-34-9220 | 5569-22A2-400 | 22 | | | 39-31-7220 | 5569-22A2G2-BL | 22 | | |
| 39-34-9240 | 5569-24A2-400 | 24 | | | 39-31-7240 | 5569-24A2G2-BL | 24 | | |

| | | | | | | | | | |
|------------|----------------|----|-----------------|-------|------------|----------------|----|-------------|-------|
| 39-34-9021 | 5569-02A2S-400 | 2 | | | 39-31-7021 | 5569-02A2G3-BL | 2 | | |
| 39-34-9041 | 5569-04A2S-400 | 4 | | | 39-31-7041 | 5569-04A2G3-BL | 4 | | |
| 39-34-9061 | 5569-06A2S-400 | 6 | | | 39-31-7061 | 5569-06A2G3-BL | 6 | | |
| 39-34-9081 | 5569-08A2S-400 | 8 | TIN OVER NICKEL | | 39-31-7081 | 5569-08A2G3-BL | 8 | 50 μ" | |
| 39-34-9101 | 5569-10A2S-400 | 10 | | | 39-31-7101 | 5569-10A2G3-BL | 10 | GOLD | |
| 39-34-9121 | 5569-12A2S-400 | 12 | SEE NOTE 2 | 94V-2 | 39-31-7121 | 5569-12A2G3-BL | 12 | SEE NOTE 2 | 94V-2 |
| 39-34-9141 | 5569-14A2S-400 | 14 | OPTION "S" | | 39-31-7141 | 5569-14A2G3-BL | 14 | OPTION "G3" | |
| 39-34-9161 | 5569-16A2S-400 | 16 | | | 39-31-7161 | 5569-16A2G3-BL | 16 | | |
| 39-34-9181 | 5569-18A2S-400 | 18 | | | 39-31-7181 | 5569-18A2G3-BL | 18 | | |
| 39-34-9201 | 5569-20A2S-400 | 20 | | | 39-31-7201 | 5569-20A2G3-BL | 20 | | |
| 39-34-9221 | 5569-22A2S-400 | 22 | | | 39-31-7221 | 5569-22A2G3-BL | 22 | | |
| 39-34-9241 | 5569-24A2S-400 | 24 | | | 39-31-7241 | 5569-24A2G3-BL | 24 | | |

REVISION: ECR/ECON INFORMATION:

TITLE:

SHEET No.

EC No: UCP2007-2432

**MINI-FIT JR.® RIGHT ANGLE
HEADER ASSEMBLIES
WITH MOUNTING PEGS**

DATE: 2007/04/02

- 4 -

DOCUMENT NUMBER:
SDA-5569-NA2*-*

Drawn By:
LSCHMIDT

Checked By:
ADERR

Approved By:
FSMITH

TRAY PACKAGED PER PK-5569-003

| PART NUMBER | ENG. NUMBER | CKT. SIZE | PLATING (NOTE 2) | HSG MATL | PART NUMBER | ENG. NUMBER | CKT. SIZE | PLATING (NOTE 2) | HSG MATL |
|-------------|---------------|-----------|------------------------|----------|-------------|-------------------|-----------|------------------------|----------|
| 50-36-1757 | 5569-02A2S-T | 2 | | | 50-36-1758 | 5569-02A2S-210-T | 2 | | |
| 50-36-1767 | 5569-04A2S-T | 4 | | | 50-36-1768 | 5569-04A2S-210-T | 4 | | |
| 50-36-1777 | 5569-06A2S-T | 6 | | | 50-36-1778 | 5569-06A2S-210-T | 6 | | |
| 50-36-1787 | 5569-08A2S-T | 8 | TIN OVER NICKEL | | 50-36-1788 | 5569-08A2S-210-T | 8 | TIN OVER NICKEL | |
| 50-36-1797 | 5569-10A2S-T | 10 | | | 50-36-1798 | 5569-10A2S-210-T | 10 | | |
| 50-36-1807 | 5569-12A2S-T | 12 | SEE NICKEL | | 50-36-1808 | 5569-12A2S-210-T | 12 | SEE NICKEL | |
| 50-36-1817 | 5569-14A2S-T | 14 | NOTE 2 OPTION "S" | 94V-2 | 50-36-1818 | 5569-14A2S-210-T | 14 | NOTE 2 OPTION "S" | 94V-0 |
| 50-36-1827 | 5569-16A2S-T | 16 | | | 50-36-1828 | 5569-16A2S-210-T | 16 | | |
| 50-36-1837 | 5569-18A2S-T | 18 | | | 50-36-1838 | 5569-18A2S-210-T | 18 | | |
| 50-36-1847 | 5569-20A2S-T | 20 | | | 50-36-1848 | 5569-20A2S-210-T | 20 | | |
| 50-36-1857 | 5569-22A2S-T | 22 | | | 50-36-1858 | 5569-22A2S-210-T | 22 | | |
| 50-36-1867 | 5569-24A2S-T | 24 | | | 50-36-1868 | 5569-24A2S-210-T | 24 | | |
| 50-36-1755 | 5569-02A2GS-T | 2 | | | 50-36-1756 | 5569-02A2GS-210-T | 2 | | |
| 50-36-1765 | 5569-04A2GS-T | 4 | | | 50-36-1766 | 5569-04A2GS-210-T | 4 | | |
| 50-36-1775 | 5569-06A2GS-T | 6 | | | 50-36-1776 | 5569-06A2GS-210-T | 6 | | |
| 50-36-1785 | 5569-08A2GS-T | 8 | 30 μ" SELECT GOLD | | 50-36-1786 | 5569-08A2GS-210-T | 8 | 30 μ" SELECT GOLD | |
| 50-36-1795 | 5569-10A2GS-T | 10 | SEE NOTE 2 OPTION "GS" | 94V-2 | 50-36-1796 | 5569-10A2GS-210-T | 10 | SEE NOTE 2 OPTION "GS" | 94V-0 |
| 50-36-1805 | 5569-12A2GS-T | 12 | | | 50-36-1806 | 5569-12A2GS-210-T | 12 | | |
| 50-36-1815 | 5569-14A2GS-T | 14 | | | 50-36-1816 | 5569-14A2GS-210-T | 14 | | |
| 50-36-1825 | 5569-16A2GS-T | 16 | | | 50-36-1826 | 5569-16A2GS-210-T | 16 | | |
| 50-36-1835 | 5569-18A2GS-T | 18 | | | 50-36-1836 | 5569-18A2GS-210-T | 18 | | |
| 50-36-1845 | 5569-20A2GS-T | 20 | | | 50-36-1846 | 5569-20A2GS-210-T | 20 | | |
| 50-36-1855 | 5569-22A2GS-T | 22 | | | 50-36-1856 | 5569-22A2GS-210-T | 22 | | |
| 50-36-1865 | 5569-24A2GS-T | 24 | | | 50-36-1866 | 5569-24A2GS-210-T | 24 | | |
| | | 2 | | | | | 2 | | |
| | | 4 | | | | | 4 | | |
| | | 6 | | | | | 6 | | |
| | | 8 | | | | | 8 | | |
| | | 10 | | | | | 10 | | |
| | | 12 | | | | | 12 | | |
| | | 14 | | | | | 14 | | |
| | | 16 | | | | | 16 | | |
| | | 18 | | | | | 18 | | |
| | | 20 | | | | | 20 | | |
| | | 22 | | | | | 22 | | |
| | | 24 | | | | | 24 | | |

REVISION: ECR/ECON INFORMATION: TITLE: SHEET No.

EC No: UCP2007-2432

L

DATE: 2007/04/02

**MINI-FIT JR.® RIGHT ANGLE
HEADER ASSEMBLIES
WITH MOUNTING PEGS**

DOCUMENT NUMBER: **SDA-5569-NA2*-*** Drawn By: **LSCHMIDT** Checked By: **ADERR** Approved By: **FSMITH**