

6


5

4

3

2


1




$\overline{.006}$  ACROSS ALL  
SOLDER CHARGES

LEAD CODE:  
1 = TIN  
2 = TIN / LEAD

DATE CODE




DIM R  $\begin{matrix} +.002 \\ -.004 \end{matrix}$   
UNMATED HEIGHT




ROW 1 / POSITION 1 ID THIS SIDE

.050 TYP  
TERMINAL PITCH



NOTES:

1. MATERIALS: HOUSING: LCP, UL94V-0, BLACK  
CONTACTS: COPPER ALLOY  
SOLDER CHARGE: SEE CHART
2. FINISH: SELECT GOLD IN CONTACT: 30 MI MIN  
SELECT TIN IN TAIL: 100 MI MIN  
BOTH OVER NICKEL
3. PRODUCT SPECIFICATION: PS-45970-001
4. PACKAGING SPECIFICATION: SEE CHART
5. MATES WITH SEARAY PLUG ASSEMBLY 45970
6. APPLICATION SPECIFICATION: AS-45970-001
7. COSMETIC SPECIFICATION: PS-45499-002 CLASS B
8. PART STATUS: CONTACT MOLEX



REVISED	EC NO: UCP2010-0532	DRWN: TGREGOR I	2009/08/26	CHKD: JCOMERC I	2009/08/26	APPR: JCOMERC I	2009/08/26
N2	DESCRIPTION						
REV	DESCRIPTION						

GENERAL TOLERANCES (UNLESS SPECIFIED)		
	mm	INCH
4 PLACES	± ---	± ---
3 PLACES	± ---	± .005
2 PLACES	± ---	± ---
1 PLACE	± ---	± ---
ANGULAR ± ---°		
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		

DIMENSION STYLE	
INCH ONLY	
DRAWN BY	DATE
TGREGOR I	2005/05/17
CHECKED BY	DATE
JCOMERC I	2005/05/17
APPROVED BY	DATE
JCOMERC I	2009/08/26
MATERIAL NO.	
SEE CHART	
SIZE	
A	

SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION	
3:1	INCH		
TITLE			
SEARAY RECEPTACLE ASSEMBLY .050 CENTERS			
MOLEX INCORPORATED			
DOCUMENT NO.		SHEET NO.	
SD-45971-001		1 OF 10	
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			

5

4

3

2

6


5

4

3

2

1




**F**  
 .005  
 MIN SOLDER  
 PASTE THICKNESS

NO OF ROWS	DIM C	DIM E
6	.378	.125
8	.478	.175
10	.578	.225
12	.678	.275

RECOMMENDED PCB LAYOUT: COMPONENT SIDE  
 SOLDER SCREEN APERTURE SIZE: .035 **F**  
 PCB THICKNESS: NA

		DIM R RECEPTACLE STACK HEIGHT					
		MM	5.0	6.0	6.5	7.5	8.0
DIM P PLUG STACK HEIGHT	2.0	7.0	8.0	8.5	9.5	10.0	10.5
	3.0	8.0	9.0	9.5	10.5	11.0	11.5
	3.5	8.5	9.5	10.0	11.0	11.5	12.0
	2.5	7.5	8.5	9.0	10.0	10.5	11.0
	4.5	9.5	10.5	11.0	12.0	12.5	13.0
	5.0	10.0	11.0	11.5	12.5	13.0	13.5
	7.0	12.0	13.0	13.5	14.5	15.0	15.5



STACK HEIGHTS GIVEN IN METRIC FOR REF ONLY

MATED STACK HEIGHTS  
 (MILLIMETERS) REF

SEE SHEET 1  
 EC NO: UCP2010-0532  
 DRWN: TGREGORI 2009/08/26  
 CHKD: 2009/08/26  
 APPR: JCOMERCI 2009/08/26

REV	DESCRIPTION
N2	

GENERAL TOLERANCES (UNLESS SPECIFIED)		
	mm	INCH
4 PLACES	± .005	± .0005
3 PLACES	± .005	± .0005
2 PLACES	± .005	± .0005
1 PLACE	± .005	± .0005
ANGULAR ± .005°		

DRAFT WHERE APPLICABLE  
 MUST REMAIN  
 WITHIN DIMENSIONS

DIMENSION STYLE INCH ONLY	
DRAWN BY	DATE
TGREGORI	2005/05/17
CHECKED BY	DATE
JCOMERCI	2005/05/17
APPROVED BY	DATE
JCOMERCI	2009/08/26
MATERIAL NO.	
SEE CHARTS	

SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION
3:1	INCH	
TITLE		
SEARAY RECEPTACLE ASSEMBLY .050 CENTERS		
molex MOLEX INCORPORATED		
DOCUMENT NO.		SHEET NO.
SD-45971-001		2 OF 10

5

4

3


2

1

6		5		4		3		2		1		
DIM R: (REF)		5.0 MM		6.0 MM		6.5 MM		7.5 MM		8.0 MM		STACK HEIGHTS GIVEN IN METRIC FOR REF ONLY
DIM R: HOUSING HEIGHT												
		.199		.238		.258		.297		.297		
POSITION	DIM M	MATERIAL NO	MATERIAL NO	MATERIAL NO	MATERIAL NO	MATERIAL NO	MATERIAL NO	MATERIAL NO	MATERIAL NO	MATERIAL NO	MATERIAL NO	
19	1.232	45971-0161	45971-0261	45971-0361	45971-0461	45971-0561	45971-0661	45971-0761	45971-0861	45971-0961	45971-1061	
10	0.782	45971-1161	45971-1261	45971-1361	45971-1461	45971-1561	45971-1661	45971-1761	45971-1861	45971-1961	45971-2061	
20	1.282	45971-2161	45971-2261	45971-2361	45971-2461	45971-2561	45971-2661	45971-2761	45971-2861	45971-2961	45971-3061	
30	1.782	45971-3161	45971-3261	45971-3361	45971-3461	45971-3561	45971-3661	45971-3761	45971-3861	45971-3961	45971-4061	
40	2.282	45971-4161	45971-4261	45971-4361	45971-4461	45971-4561	45971-4661	45971-4761	45971-4861	45971-4961	45971-5061	
50	2.782	45971-5161	45971-5261	45971-5361	45971-5461	45971-5561	45971-5661	45971-5761	45971-5861	45971-5961	45971-6061	
15	1.032	45971-6161	45971-6261	45971-6361	45971-6461	45971-6561	45971-6661	45971-6761	45971-6861	45971-6961	45971-7061	
25	1.532	45971-7161	45971-7261	45971-7361	45971-7461	45971-7561	45971-7661	45971-7761	45971-7861	45971-7961	45971-8061	
35	2.032	45971-8161	45971-8261	45971-8361	45971-8461	45971-8561	45971-8661	45971-8761	45971-8861	45971-8961	45971-9061	
45	2.532	45971-9161	45971-9261	45971-9361	45971-9461	45971-9561	45971-9661	45971-9761	45971-9861	45971-9961	45971-10061	

6		5		4		3		2		1		
DIM R: (REF)		5.0 MM		6.0 MM		6.5 MM		7.5 MM		8.0 MM		STACK HEIGHTS GIVEN IN METRIC FOR REF ONLY
DIM R: HOUSING HEIGHT												
		.199		.238		.258		.297		.297		
POSITION	DIM M	MATERIAL NO	MATERIAL NO	MATERIAL NO	MATERIAL NO	MATERIAL NO	MATERIAL NO	MATERIAL NO	MATERIAL NO	MATERIAL NO	MATERIAL NO	
19	1.232	45971-0165	45971-0265	45971-0365	45971-0465	45971-0565	45971-0665	45971-0765	45971-0865	45971-0965	45971-1065	
10	0.782	45971-1165	45971-1265	45971-1365	45971-1465	45971-1565	45971-1665	45971-1765	45971-1865	45971-1965	45971-2065	
20	1.282	45971-2165	45971-2265	45971-2365	45971-2465	45971-2565	45971-2665	45971-2765	45971-2865	45971-2965	45971-3065	
30	1.782	45971-3165	45971-3265	45971-3365	45971-3465	45971-3565	45971-3665	45971-3765	45971-3865	45971-3965	45971-4065	
40	2.282	45971-4165	45971-4265	45971-4365	45971-4465	45971-4565	45971-4665	45971-4765	45971-4865	45971-4965	45971-5065	
50	2.782	45971-5165	45971-5265	45971-5365	45971-5465	45971-5565	45971-5665	45971-5765	45971-5865	45971-5965	45971-6065	
15	1.032	45971-6165	45971-6265	45971-6365	45971-6465	45971-6565	45971-6665	45971-6765	45971-6865	45971-6965	45971-7065	
25	1.532	45971-7165	45971-7265	45971-7365	45971-7465	45971-7565	45971-7665	45971-7765	45971-7865	45971-7965	45971-8065	
35	2.032	45971-8165	45971-8265	45971-8365	45971-8465	45971-8565	45971-8665	45971-8765	45971-8865	45971-8965	45971-9065	
45	2.532	45971-9165	45971-9265	45971-9365	45971-9465	45971-9565	45971-9665	45971-9765	45971-9865	45971-9965	45971-10065	

NOTES:  
 1. THIS SHEET CONTAINS THE FOLLOWING OPTIONS  
 NO OF ROWS: 6  
 SOLDER CHARGE: TIN  
 PACKAGING: TRAYS AND TAPE AND REEL

SEE SHEET 1 EC NO: UCP2010-0532 DRWN: TGREGORI 2009/08/26 CHKD: JCOMERCI 2009/08/26 APPR: JCOMERCI 2009/08/26	DESCRIPTION REV	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE <b>INCH ONLY</b>		SCALE <b>1:1</b>	DESIGN UNITS <b>INCH</b>	THIRD ANGLE PROJECTION		
			mm	INCH	DRAWN BY TGREGORI	DATE 2005/05/17	TITLE <b>SEARAY RECEPTACLE ASSEMBLY .050 CENTERS</b>   <b>MOLEX INCORPORATED</b>  DOCUMENT NO. <b>SD-45971-001</b>			
		4 PLACES	± ---	± ---	CHECKED BY JCOMERCI	DATE 2005/05/17				
		3 PLACES	± ---	± .005	APPROVED BY JCOMERCI	DATE 2009/08/26				
		2 PLACES	± ---	± ---	MATERIAL NO.					
1 PLACE	± ---	± ---	ANGULAR ± ---°		SEE CHART		SHEET NO. 3 OF 10			
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SIZE <b>A</b>		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						


6		5		4		3	
DIM R: (REF)		5.0 MM		6.0 MM		8.0 MM	
DIM R: HOUSING HEIGHT							
POSITION		DIM M		MATERIAL NO		MATERIAL NO	
19	1.232	45971-0163	45971-0263	45971-0363	45971-0463	45971-0563	
10	0.782	45971-1163	45971-1263	45971-1363	45971-1463	45971-1563	
20	1.282	45971-2163	45971-2263	45971-2363	45971-2463	45971-2563	
30	1.782	45971-3163	45971-3263	45971-3363	45971-3463	45971-3563	
40	2.282	45971-4163	45971-4263	45971-4363	45971-4463	45971-4563	
50	2.782	45971-5163	45971-5263	45971-5363	45971-5463	45971-5563	
15	1.032	45971-6163	45971-6263	45971-6363	45971-6463	45971-6563	
25	1.532	45971-7163	45971-7263	45971-7363	45971-7463	45971-7563	
35	2.032	45971-8163	45971-8263	45971-8363	45971-8463	45971-8563	
45	2.532	45971-9163	45971-9263	45971-9363	45971-9463	45971-9563	

STACK HEIGHTS GIVEN IN METRIC FOR REF ONLY

6		5		4		3	
DIM R: (REF)		5.0 MM		6.0 MM		8.0 MM	
DIM R: HOUSING HEIGHT							
POSITION		DIM M		MATERIAL NO		MATERIAL NO	
19	1.232	45971-0167	45971-0267	45971-0367	45971-0467	45971-0567	
10	0.782	45971-1167	45971-1267	45971-1367	45971-1467	45971-1567	
20	1.282	45971-2167	45971-2267	45971-2367	45971-2467	45971-2567	
30	1.782	45971-3167	45971-3267	45971-3367	45971-3467	45971-3567	
40	2.282	45971-4167	45971-4267	45971-4367	45971-4467	45971-4567	
50	2.782	45971-5167	45971-5267	45971-5367	45971-5467	45971-5567	
15	1.032	45971-6167	45971-6267	45971-6367	45971-6467	45971-6567	
25	1.532	45971-7167	45971-7267	45971-7367	45971-7467	45971-7567	
35	2.032	45971-8167	45971-8267	45971-8367	45971-8467	45971-8567	
45	2.532	45971-9167	45971-9267	45971-9367	45971-9467	45971-9567	

STACK HEIGHTS GIVEN IN METRIC FOR REF ONLY

NOTES:  
1. THIS SHEET CONTAINS THE FOLLOWING OPTIONS  
NO OF ROWS: 6  
SOLDER CHARGE: TIN / LEAD  
PACKAGING: TRAYS AND TAPE AND REEL

SEE SHEET 1 EC NO: UCP2010-0532 DRWN: TREGORI 2009/08/26 CHKD: JCOMERC I 2009/08/26 APPR: JCOMERC I 2009/08/26	DESCRIPTION REV	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE <b>INCH ONLY</b>		SCALE <b>1:1</b>	DESIGN UNITS <b>INCH</b>	THIRD ANGLE PROJECTION	
			mm	INCH	DRAWN BY TREGORI	DATE 2005/05/17	TITLE <b>SEARAY RECEPTACLE ASSEMBLY .050 CENTERS</b>   <b>MOLEX INCORPORATED</b>		
		4 PLACES	± .005	± .005	CHECKED BY JCOMERC I	DATE 2005/05/17			
		3 PLACES	± .005	± .005	APPROVED BY JCOMERC I	DATE 2009/08/26			
		2 PLACES	± .005	± .005	MATERIAL NO.				
1 PLACE	± .005	± .005	ANGULAR ± ---°		DOCUMENT NO. <b>SD-45971-001</b>		SHEET NO. 4 OF 10		
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SEE CHART			THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			

D	TRAY PACK PK-45971-001	DIM R: (REF)		5.0 MM	6.0 MM	6.5 MM	7.5 MM	8.0 MM	STACK HEIGHTS GIVEN IN METRIC FOR REF ONLY
		DIM R: HOUSING HEIGHT		.199	.238	.258	.297	.297	
		POSITION	DIM M	MATERIAL NO	MATERIAL NO	MATERIAL NO	MATERIAL NO	MATERIAL NO	
		19	1.232	45971-0181	45971-0281	45971-0381	45971-0481	45971-0581	
		10	0.782	45971-1181	45971-1281	45971-1381	45971-1481	45971-1581	
		20	1.282	45971-2181	45971-2281	45971-2381	45971-2481	45971-2581	
		30	1.782	45971-3181	45971-3281	45971-3381	45971-3481	45971-3581	
		40	2.282	45971-4181	45971-4281	45971-4381	45971-4481	45971-4581	
		50	2.782	45971-5181	45971-5281	45971-5381	45971-5481	45971-5581	
		15	1.032	45971-6181	45971-6281	45971-6381	45971-6481	45971-6581	
		25	1.532	45971-7181	45971-7281	45971-7381	45971-7481	45971-7581	
		35	2.032	45971-8181	45971-8281	45971-8381	45971-8481	45971-8581	
45	2.532	45971-9181	45971-9281	45971-9381	45971-9481	45971-9581			

B	TRAY PACK PK-45971-002	DIM R: (REF)		5.0 MM	6.0 MM	6.5 MM	7.5 MM	8.0 MM	STACK HEIGHTS GIVEN IN METRIC FOR REF ONLY
		DIM R: HOUSING HEIGHT		.199	.238	.258	.297	.297	
		POSITION	DIM M	MATERIAL NO	MATERIAL NO	MATERIAL NO	MATERIAL NO	MATERIAL NO	
		19	1.232	45971-0185	45971-0285	45971-0385	45971-0485	45971-0585	
		10	0.782	45971-1185	45971-1285	45971-1385	45971-1485	45971-1585	
		20	1.282	45971-2185	45971-2285	45971-2385	45971-2485	45971-2585	
		30	1.782	45971-3185	45971-3285	45971-3385	45971-3485	45971-3585	
		40	2.282	45971-4185	45971-4285	45971-4385	45971-4485	45971-4585	
		50	2.782	45971-5185	45971-5285	45971-5385	45971-5485	45971-5585	
		15	1.032	45971-6185	45971-6285	45971-6385	45971-6485	45971-6585	
		25	1.532	45971-7185	45971-7285	45971-7385	45971-7485	45971-7585	
		35	2.032	45971-8185	45971-8285	45971-8385	45971-8485	45971-8585	
45	2.532	45971-9185	45971-9285	45971-9385	45971-9485	45971-9585			

NOTES:  
 1. THIS SHEET CONTAINS THE FOLLOWING OPTIONS  
 NO OF ROWS: 8  
 SOLDER CHARGE: TIN  
 PACKAGING: TRAYS AND TAPE AND REEL

A	SEE SHEET 1 EC NO: UCP2010-0532 DRWN: T GREGORI 2009/08/26 CHKD: JCOMERCI 2009/08/26 APPR: JCOMERCI 2009/08/26	DESCRIPTION REV	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE INCH ONLY		SCALE 1:1	DESIGN UNITS INCH	THIRD ANGLE PROJECTION
				mm	INCH	DRAWN BY T GREGORI	DATE 2005/05/17	TITLE SEARAY RECEPTACLE ASSEMBLY .050 CENTERS MOLEX INCORPORATED	
			4 PLACES	± ---	± ---	CHECKED BY JCOMERCI	DATE 2005/05/17		
			3 PLACES	± ---	± .005	APPROVED BY JCOMERCI	DATE 2009/08/26		
			2 PLACES	± ---	± ---	MATERIAL NO.	DOCUMENT NO.		
1 PLACE	± ---	± ---	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART	SD-45971-001	SHEET NO. 5 OF 10		
	N2				SIZE A	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			

6		5		4		3	
DIM R: (REF)		5.0 MM		6.0 MM		8.0 MM	
DIM R: HOUSING HEIGHT							
POSITION		DIM M		MATERIAL NO		MATERIAL NO	
19	1.232	45971-0183	45971-0283	45971-0383	45971-0483	45971-0583	
10	0.782	45971-1183	45971-1283	45971-1383	45971-1483	45971-1583	
20	1.282	45971-2183	45971-2283	45971-2383	45971-2483	45971-2583	
30	1.782	45971-3183	45971-3283	45971-3383	45971-3483	45971-3583	
40	2.282	45971-4183	45971-4283	45971-4383	45971-4483	45971-4583	
50	2.782	45971-5183	45971-5283	45971-5383	45971-5483	45971-5583	
15	1.032	45971-6183	45971-6283	45971-6383	45971-6483	45971-6583	
25	1.532	45971-7183	45971-7283	45971-7383	45971-7483	45971-7583	
35	2.032	45971-8183	45971-8283	45971-8383	45971-8483	45971-8583	
45	2.532	45971-9183	45971-9283	45971-9383	45971-9483	45971-9583	

STACK HEIGHTS GIVEN IN METRIC FOR REF ONLY

6		5		4		3	
DIM R: (REF)		5.0 MM		6.0 MM		8.0 MM	
DIM R: HOUSING HEIGHT							
POSITION		DIM M		MATERIAL NO		MATERIAL NO	
19	1.232	45971-0187	45971-0287	45971-0387	45971-0487	45971-0587	
10	0.782	45971-1187	45971-1287	45971-1387	45971-1487	45971-1587	
20	1.282	45971-2187	45971-2287	45971-2387	45971-2487	45971-2587	
30	1.782	45971-3187	45971-3287	45971-3387	45971-3487	45971-3587	
40	2.282	45971-4187	45971-4287	45971-4387	45971-4487	45971-4587	
50	2.782	45971-5187	45971-5287	45971-5387	45971-5487	45971-5587	
15	1.032	45971-6187	45971-6287	45971-6387	45971-6487	45971-6587	
25	1.532	45971-7187	45971-7287	45971-7387	45971-7487	45971-7587	
35	2.032	45971-8187	45971-8287	45971-8387	45971-8487	45971-8587	
45	2.532	45971-9187	45971-9287	45971-9387	45971-9487	45971-9587	

STACK HEIGHTS GIVEN IN METRIC FOR REF ONLY

NOTES:  
1. THIS SHEET CONTAINS THE FOLLOWING OPTIONS  
NO OF ROWS: 8  
SOLDER CHARGE: TIN / LEAD  
PACKAGING: TRAYS AND TAPE AND REEL

SEE SHEET 1  
EC NO: UCP2010-0532  
DRWN: TGREGORI 2009/08/26  
CHKD: JCOMERCI 2009/08/26  
APPR: JCOMERCI 2009/08/26

REV	DESCRIPTION
N2	

GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE INCH ONLY	
	mm	INCH	DRAWN BY	DATE
4 PLACES	± ---	± ---	TGREGORI	2005/05/17
3 PLACES	± ---	± .005	CHECKED BY	DATE
2 PLACES	± ---	± ---	JCOMERCI	2005/05/17
1 PLACE	± ---	± ---	APPROVED BY	DATE
ANGULAR ± ---°			JCOMERCI	2009/08/26
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			MATERIAL NO. <b>SEE CHART</b>	

SCALE 1:1	DESIGN UNITS INCH	THIRD ANGLE PROJECTION
TITLE <b>SEARAY RECEPTACLE ASSEMBLY .050 CENTERS</b>		
<b>MOLEX INCORPORATED</b>		
DOCUMENT NO. SD-45971-001	SHEET NO. 6 OF 10	

6		5		4		3	
DIM R: (REF)		5.0 MM		6.0 MM		8.0 MM	
DIM R: HOUSING HEIGHT							
		.199		.238		.297	
POSITION	DIM M	MATERIAL NO	MATERIAL NO	MATERIAL NO	MATERIAL NO	MATERIAL NO	
19	1.232	45971-0111	45971-0211	45971-0311	45971-0411	45971-0511	
10	0.782	45971-1111	45971-1211	45971-1311	45971-1411	45971-1511	
20	1.282	45971-2111	45971-2211	45971-2311	45971-2411	45971-2511	
30	1.782	45971-3111	45971-3211	45971-3311	45971-3411	45971-3511	
40	2.282	45971-4111	45971-4211	45971-4311	45971-4411	45971-4511	
50	2.782	45971-5111	45971-5211	45971-5311	45971-5411	45971-5511	
15	1.032	45971-6111	45971-6211	45971-6311	45971-6411	45971-6511	
25	1.532	45971-7111	45971-7211	45971-7311	45971-7411	45971-7511	
35	2.032	45971-8111	45971-8211	45971-8311	45971-8411	45971-8511	
45	2.532	45971-9111	45971-9211	45971-9311	45971-9411	45971-9511	

STACK HEIGHTS GIVEN IN METRIC FOR REF ONLY

6		5		4		3	
DIM R: (REF)		5.0 MM		6.0 MM		8.0 MM	
DIM R: HOUSING HEIGHT							
		.199		.238		.297	
POSITION	DIM M	MATERIAL NO	MATERIAL NO	MATERIAL NO	MATERIAL NO	MATERIAL NO	
19	1.232	45971-0115	45971-0215	45971-0315	45971-0415	45971-0515	
10	0.782	45971-1115	45971-1215	45971-1315	45971-1415	45971-1515	
20	1.282	45971-2115	45971-2215	45971-2315	45971-2415	45971-2515	
30	1.782	45971-3115	45971-3215	45971-3315	45971-3415	45971-3515	
40	2.282	45971-4115	45971-4215	45971-4315	45971-4415	45971-4515	
50	2.782	45971-5115	45971-5215	45971-5315	45971-5415	45971-5515	
15	1.032	45971-6115	45971-6215	45971-6315	45971-6415	45971-6515	
25	1.532	45971-7115	45971-7215	45971-7315	45971-7415	45971-7515	
35	2.032	45971-8115	45971-8215	45971-8315	45971-8415	45971-8515	
45	2.532	45971-9115	45971-9215	45971-9315	45971-9415	45971-9515	

STACK HEIGHTS GIVEN IN METRIC FOR REF ONLY

NOTES:  
 1. THIS SHEET CONTAINS THE FOLLOWING OPTIONS  
 NO OF ROWS: 10  
 SOLDER CHARGE: TIN  
 PACKAGING: TRAYS AND TAPE AND REEL

TRAY PACK PK-45971-001  
 TRAY PACK PK-45971-002

SEE SHEET 1  
 EC NO: UCP2010-0532  
 DRWN: TGREGORI 2009/08/26  
 CHKD: JCOMERCI 2009/08/26  
 APPR: JCOMERCI 2009/08/26

REV	DESCRIPTION
N2	

GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE INCH ONLY		SCALE 1:1	DESIGN UNITS INCH	THIRD ANGLE PROJECTION
4 PLACES	± ---	± ---	DRAWN BY	DATE	TITLE SEARAY RECEPTACLE ASSEMBLY .050 CENTERS		
3 PLACES	± ---	± .005	TGREGORI	2005/05/17			
2 PLACES	± ---	± ---	JCOMERCI	2005/05/17			
1 PLACE	± ---	± ---	JCOMERCI	2009/08/26			
ANGULAR ± ---°			APPROVED BY	DATE	MOLEX INCORPORATED		
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			JCOMERCI	2009/08/26			
			MATERIAL NO.	SEE CHART		DOCUMENT NO.	SHEET NO.
			SIZE A	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			7 OF 10

D	TRAY PACK PK-45971-001	DIM R: (REF)		5.0 MM	6.0 MM	6.5 MM	7.5 MM	8.0 MM	STACK HEIGHTS GIVEN IN METRIC FOR REF ONLY
		DIM R: HOUSING HEIGHT		.199	.238	.258	.297	.297	
		POSITION	DIM M	MATERIAL NO	MATERIAL NO	MATERIAL NO	MATERIAL NO	MATERIAL NO	
		19	1.232	45971-0113	45971-0213	45971-0313	45971-0413	45971-0513	
		10	0.782	45971-1113	45971-1213	45971-1313	45971-1413	45971-1513	
		20	1.282	45971-2113	45971-2213	45971-2313	45971-2413	45971-2513	
		30	1.782	45971-3113	45971-3213	45971-3313	45971-3413	45971-3513	
		40	2.282	45971-4113	45971-4213	45971-4313	45971-4413	45971-4513	
		50	2.782	45971-5113	45971-5213	45971-5313	45971-5413	45971-5513	
		15	1.032	45971-6113	45971-6213	45971-6313	45971-6413	45971-6513	
		25	1.532	45971-7113	45971-7213	45971-7313	45971-7413	45971-7513	
		35	2.032	45971-8113	45971-8213	45971-8313	45971-8413	45971-8513	
		45	2.532	45971-9113	45971-9213	45971-9313	45971-9413	45971-9513	

B	TRAY PACK PK-45971-002	DIM R: (REF)		5.0 MM	6.0 MM	6.5 MM	7.5 MM	8.0 MM	STACK HEIGHTS GIVEN IN METRIC FOR REF ONLY
		DIM R: HOUSING HEIGHT		.199	.238	.258	.297	.297	
		POSITION	DIM M	MATERIAL NO	MATERIAL NO	MATERIAL NO	MATERIAL NO	MATERIAL NO	
		19	1.232	45971-0117	45971-0217	45971-0317	45971-0417	45971-0517	
		10	0.782	45971-1117	45971-1217	45971-1317	45971-1417	45971-1517	
		20	1.282	45971-2117	45971-2217	45971-2317	45971-2417	45971-2517	
		30	1.782	45971-3117	45971-3217	45971-3317	45971-3417	45971-3517	
		40	2.282	45971-4117	45971-4217	45971-4317	45971-4417	45971-4517	
		50	2.782	45971-5117	45971-5217	45971-5317	45971-5417	45971-5517	
		15	1.032	45971-6117	45971-6217	45971-6317	45971-6417	45971-6517	
		25	1.532	45971-7117	45971-7217	45971-7317	45971-7417	45971-7517	
		35	2.032	45971-8117	45971-8217	45971-8317	45971-8417	45971-8517	
		45	2.532	45971-9117	45971-9217	45971-9317	45971-9417	45971-9517	

NOTES:  
 1. THIS SHEET CONTAINS THE FOLLOWING OPTIONS  
 NO OF ROWS: 10  
 SOLDER CHARGE: TIN / LEAD  
 PACKAGING: TRAYS AND TAPE AND REEL

SEE SHEET 1 EC NO: UCP2010-0532 DRWN: TGREGORI 2009/08/26 CHKD: JCOMERCI 2009/08/26 APPR: JCOMERCI 2009/08/26	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE <b>INCH ONLY</b>		SCALE <b>1:1</b>	DESIGN UNITS <b>INCH</b>	THIRD ANGLE PROJECTION	
			mm	INCH	DRAWN BY TGREGORI	DATE 2005/05/17	TITLE <b>SEARAY RECEPTACLE ASSEMBLY .050 CENTERS</b> <b>MOLEX INCORPORATED</b>		
		4 PLACES	± ---	± ---	CHECKED BY JCOMERCI	DATE 2005/05/17			
		3 PLACES	± ---	± .005	APPROVED BY JCOMERCI	DATE 2009/08/26			
		2 PLACES	± ---	± ---	MATERIAL NO.	DOCUMENT NO.			
1 PLACE	± ---	± ---	ANGULAR ± ---°		SEE CHART		SD-45971-001	SHEET NO. 8 OF 10	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SIZE <b>A</b>	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						



DIM R: (REF)		5.0 MM	6.0 MM	6.5 MM	7.5 MM	8.0 MM
DIM R: HOUSING HEIGHT		.199	.238	.258	.297	.297
POSITION	DIM M	MATERIAL NO	MATERIAL NO	MATERIAL NO	MATERIAL NO	MATERIAL NO
19	1.232	45971-0121	45971-0221	45971-0321	45971-0421	45971-0521
10	0.782	45971-1121	45971-1221	45971-1321	45971-1421	45971-1521
20	1.282	45971-2121	45971-2221	45971-2321	45971-2421	45971-2521
30	1.782	45971-3121	45971-3221	45971-3321	45971-3421	45971-3521
40	2.282	45971-4121	45971-4221	45971-4321	45971-4421	45971-4521
50	2.782	45971-5121	45971-5221	45971-5321	45971-5421	45971-5521
15	1.032	45971-6121	45971-6221	45971-6321	45971-6421	45971-6521
25	1.532	45971-7121	45971-7221	45971-7321	45971-7421	45971-7521
35	2.032	45971-8121	45971-8221	45971-8321	45971-8421	45971-8521
45	2.532	45971-9121	45971-9221	45971-9321	45971-9421	45971-9521

STACK HEIGHTS GIVEN IN METRIC FOR REF ONLY

DIM R: (REF)		5.0 MM	6.0 MM	6.5 MM	7.5 MM	8.0 MM
DIM R: HOUSING HEIGHT		.199	.238	.258	.297	.297
POSITION	DIM M	MATERIAL NO	MATERIAL NO	MATERIAL NO	MATERIAL NO	MATERIAL NO
19	1.232	45971-0125	45971-0225	45971-0325	45971-0425	45971-0525
10	0.782	45971-1125	45971-1225	45971-1325	45971-1425	45971-1525
20	1.282	45971-2125	45971-2225	45971-2325	45971-2425	45971-2525
30	1.782	45971-3125	45971-3225	45971-3325	45971-3425	45971-3525
40	2.282	45971-4125	45971-4225	45971-4325	45971-4425	45971-4525
50	2.782	45971-5125	45971-5225	45971-5325	45971-5425	45971-5525
15	1.032	45971-6125	45971-6225	45971-6325	45971-6425	45971-6525
25	1.532	45971-7125	45971-7225	45971-7325	45971-7425	45971-7525
35	2.032	45971-8125	45971-8225	45971-8325	45971-8425	45971-8525
45	2.532	45971-9125	45971-9225	45971-9325	45971-9425	45971-9525

STACK HEIGHTS GIVEN IN METRIC FOR REF ONLY

NOTES:  
 1. THIS SHEET CONTAINS THE FOLLOWING OPTIONS  
 NO OF ROWS: 12  
 SOLDER CHARGE: TIN  
 PACKAGING: TRAYS AND TAPE AND REEL

TRAY PACK PK-45971-001

TRAY PACK PK-45971-002

SEE SHEET 1  
 EC NO: UCP2010-0532  
 DRWN: TGREGORI 2009/08/26  
 CHKD: JCOMERCI 2009/08/26  
 APPR: JCOMERCI 2009/08/26

REV	DESCRIPTION
N2	

GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE INCH ONLY		SCALE 3:1	DESIGN UNITS INCH	THIRD ANGLE PROJECTION
4 PLACES	± ---	± ---	DRAWN BY	DATE	TITLE SEARAY RECEPTACLE ASSEMBLY .050 CENTERS		
3 PLACES	± ---	± .005	TGREGORI	2005/05/17			
2 PLACES	± ---	± ---	JCOMERCI	2005/05/17			
1 PLACE	± ---	± ---	JCOMERCI	2009/08/26			
ANGULAR ± ---°			APPROVED BY	DATE	MOLEX INCORPORATED		
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			JCOMERCI	2009/08/26			
			MATERIAL NO.	SEE CHART	DOCUMENT NO.	SD-45971-001	
			SIZE A	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			SHEET NO. 9 OF 10

D	TRAY PACK PK-45971-001	DIM R: (REF)		5.0 MM	6.0 MM	6.5 MM	7.5 MM	8.0 MM	STACK HEIGHTS GIVEN IN METRIC FOR REF ONLY
		DIM R: HOUSING HEIGHT		.199	.238	.258	.297	.297	
		POSITION	DIM M	MATERIAL NO	MATERIAL NO	MATERIAL NO	MATERIAL NO	MATERIAL NO	
		19	1.232	45971-0123	45971-0223	45971-0323	45971-0423	45971-0523	
		10	0.782	45971-1123	45971-1223	45971-1323	45971-1423	45971-1523	
		20	1.282	45971-2123	45971-2223	45971-2323	45971-2423	45971-2523	
		30	1.782	45971-3123	45971-3223	45971-3323	45971-3423	45971-3523	
		40	2.282	45971-4123	45971-4223	45971-4323	45971-4423	45971-4523	
		50	2.782	45971-5123	45971-5223	45971-5323	45971-5423	45971-5523	
		15	1.032	45971-6123	45971-6223	45971-6323	45971-6423	45971-6523	
		25	1.532	45971-7123	45971-7223	45971-7323	45971-7423	45971-7523	
		35	2.032	45971-8123	45971-8223	45971-8323	45971-8423	45971-8523	
		45	2.532	45971-9123	45971-9223	45971-9323	45971-9423	45971-9523	

B	TRAY PACK PK-45971-002	DIM R: (REF)		5.0 MM	6.0 MM	6.5 MM	7.5 MM	8.0 MM	STACK HEIGHTS GIVEN IN METRIC FOR REF ONLY
		DIM R: HOUSING HEIGHT		.199	.238	.258	.297	.297	
		POSITION	DIM M	MATERIAL NO	MATERIAL NO	MATERIAL NO	MATERIAL NO	MATERIAL NO	
		19	1.232	45971-0127	45971-0227	45971-0327	45971-0427	45971-0527	
		10	0.782	45971-1127	45971-1227	45971-1327	45971-1427	45971-1527	
		20	1.282	45971-2127	45971-2227	45971-2327	45971-2427	45971-2527	
		30	1.782	45971-3127	45971-3227	45971-3327	45971-3427	45971-3527	
		40	2.282	45971-4127	45971-4227	45971-4327	45971-4427	45971-4527	
		50	2.782	45971-5127	45971-5227	45971-5327	45971-5427	45971-5527	
		15	1.032	45971-6127	45971-6227	45971-6327	45971-6427	45971-6527	
		25	1.532	45971-7127	45971-7227	45971-7327	45971-7427	45971-7527	
		35	2.032	45971-8127	45971-8227	45971-8327	45971-8427	45971-8527	
		45	2.532	45971-9127	45971-9227	45971-9327	45971-9427	45971-9527	

NOTES:  
 1. THIS SHEET CONTAINS THE FOLLOWING OPTIONS  
 NO OF ROWS: 12  
 SOLDER CHARGE: TIN / LEAD  
 PACKAGING: TRAYS AND TAPE AND REEL

A	SEE SHEET 1 EC NO: UCP2010-0532 DRWN: TGREGORI 2009/08/26 CHKD: 2009/08/26 APPR: JCOMERCI 2009/08/26	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE <b>INCH ONLY</b>		SCALE <b>1:1</b>	DESIGN UNITS <b>INCH</b>	THIRD ANGLE PROJECTION
				mm	INCH	DRAWN BY TGREGORI	DATE 2005/05/17	TITLE <b>SEARAY RECEPTACLE ASSEMBLY .050 CENTERS</b>	
			4 PLACES	± ---	± ---	CHECKED BY JCOMERCI	DATE 2005/05/17		
			3 PLACES	± ---	± .005	APPROVED BY JCOMERCI	DATE 2009/08/26		
			2 PLACES	± ---	± ---	MATERIAL NO.		DOCUMENT NO. <b>SD-45971-001</b>	SHEET NO. 10 OF 10
1 PLACE	± ---	± ---	SEE CHART						
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SIZE <b>A</b>	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					