


Search Results

- Evaluate
  - FAQ's
- Design a Solution
  - Specification Sheets
  - PDFMini-Com Min..
- How to Buy
  - Bill of Material
  - Favorite Products List
  - Locate Distributor
- Install & Maintain
  - Installation Instructions
  - PDFMini-Com Min..

Home > Products Overview > Search Results >

Current refinements (click  to remove) Search Tips

 Text Search: 'CJ588RDY'

Your search criteria matched only one product, shown below

**CJ588RDY**



- Exceed requirements of ANSI/TIA-568-C.2 Category 5e and ISO 11801 Class D channel standards
- Exceed ANSI/TIA-568-C.2 Category 5e and ISO 11801 Class D component standards
- Meet requirements of IEEE 802.af and IEEE 802.3at for PoE applications
- Contacts plated with 50 microinches of gold for superior performance
- No punchdown tool required; termination tool (CJT -X) ensures conductors are fully terminated by utilizing a smooth forward motion without impact on critical internal components for maximum reliability
- Orange module base sled designates Category 5e performance
- Terminate 4-pair, 24 – 22 AWG, 100 ohm, solid twisted pair cable
- Universal label is color -coded for T568A and T568B wiring schemes
- Can be clearly identified with optional labels and icons
- Compatible with Mini -Com® Modular Patch Panels, Faceplates, and Surface Mount Boxes

Part Number	CJ588RDY
RoHS Compliancy Status	Compliant
Note	CJ588RDY replaces CJ588RD
Part Description	Category 5e, RJ45, leadframe, 8position, 8-wire universal module.
Product Type	Leadframe Copper Module
Color	Red
CE Compliant	No
Modular Jack Type	RJ45
No. of Module Spaces	1
Performance Level	Category 5e/Class D
Pricing Description	Mini-Com MiniJack Module, Cat 5e, UTP, 8 pos 8 wire, Universal, Red
Wiring Scheme	T568A and T568B
Min. Order UOM	PC
Min. Order Qty.	1
BOM Qty. (# of Pkgs.)	<input type="text" value="0"/>
Add to Favorite Product List	<input type="button" value="e"/>

Please [register](#) to utilize the 'Bill of Materials', 'Submit Quotes' and 'Favorite Product List' features.