

Search Results

Evaluate

- FAQ's

Design a Solution

- Part Drawings

- PDF Fiber Optic ..

How to Buy

- Bill of Material

- Favorite Products List

- Locate Distributor

Home > Products Overview > Search Results >

Current refinements (click  to remove) Search Tips  Within Results


 Text Search: 'F6LZ2-12M5'

Your search criteria matched only one product, shown below

F6LZ2-12M5



- Pass all TIA/EIA-568-B.3 performance requirements
- Insertion loss per connection: 0.10dB typical; 0.30dB maximum
- Factory terminated and 100% tested for insertion loss
- Insertion loss data recorded for every multimode patch cord
- Lifetime traceability of test data to a Q.C. number on each patch cord
- SC Duplex Patch Cords include SC Duplex Clips to maintain polarity
- Highest quality flame retardant fiber optic cable with tight -buffered coating on each optical fiber

Part Number	F6LZ2-12M5
RoHS Compliancy Status	Compliant
Part Description	ST to female MTRJ multimode duplex LSZH patch cord, 1.8mm jacketed cable (two ST connectors on one end and one female MTRJ connector on the other end)– 62.5/125µ m.
Product Type	Hybrid Patch Cords
Length (m)	5
Fiber Compatibility	62.5/125µm
Fiber Cable Size	1.8mm
Fiber Cable Type	Jacketed
Fiber Type	Multimode
Connector 1 Type	ST Connector
Connector 2 Type	MT-RJ Connector
End Configurations	ST to MTRJ
Fiber Count	2
Flammability Rating	Low Smoke Zero Halogen (LSZH)
Min. Order UOM	PC
Min. Order Qty.	1
BOM Qty. (# of Pkgs.)	<input type="text" value="0"/>
Add to Favorite Product List	

Please [register](#) to utilize the 'Bill of Materials', 'Submit Quotes' and 'Favorite Product List' features.