

**Search Results**

- Evaluate
  - FAQ's
- Design a Solution
  - Part Drawings
  - PDF-QuickNet Plu ..
- How to Buy
  - Bill of Material
  - Favorite Products List
  - Locate Distributor
- Install & Maintain
  - Installation Instructions
  - PDF-QuickNet Plu ..

Home > Product On-Line Catalog > Search Results >

Current refinements (click  to remove) Search Tips [?](#)

Text Search: 'QPPDCBBW14'

Your search criteria matched only one product, shown below

**QPPDCBBW14**



- Facilitate quick and easy connection and disconnection of multiple patch cords, simultaneously to a variety of switches, reducing time and cost associated when installing and maintaining structured cabling links
- Exceed requirements of ANSI/TIA-568-C.2 Category 5e, IEEE 802.3an-2006, and ISO 11801 Class D channel standards
- Exceed requirements of ANSI/TIA-568-C.2 Category 5e and IEC 61156-5 Category 5e component standards
- Constructed of Category 5e, 24 AWG UTP stranded cable and Pan-Plug® Modular Plugs; plug contacts plated with 50 microinches of gold for superior performance
- Plug meets all applicable ANSI/TIA-968-A requirements and exceeds IEC 60603-7 specifications
- Meet requirements of IEEE 802.3af and IEEE 802.3at for PoE applications
- Each patch cord is 100% performance tested and wired T568A
- Third party tested to Category 5e component compliance
- Integrated finger latch enables quick, one-handed installation and removal from switch
- Low profile design allows assemblies to be installed side by side or stacked on top of each other providing maximum port density in high density installations
- Marker ties enable easy identification in high density installations and provides an additional level of security when used with optional lock out device
- Labels on patch cords provide identification of performance level, length and quality control number
- Optional removal tool (QPPRT) facilitates removal of individual cable links without disrupting service to other network connections
- Optional lock in device (QPPLD6-X or QPPLD8-X) prevents unauthorized removal of patch cords from the switch for an additional level of security
- Cable available in blue or white; plug packs available in blue or white

|                                |   |
|--------------------------------|---|
| • Part Number                  | QPPDCBBW14  |
| • RoHS Compliancy Status       | RoHS directive is not applicable  |
| • Note                         | Intended for use in fixed installations which are outside the scope of RoHS   |
| • Part Description             | QuickNet® Plug Pack Cable Assembly made with Category 5e, CM blue cable with a 12-pack white plug pack on one end and modular plugs on the other end. |
| • Product Type                 | Plug Pack Assembly  |
| • Color                        | White Plug Pack   |
| • Length (ft.)                 | 14  |
| • Length (m)                   | 4.27  |
| • Cable Color                  | Blue  |
| • Cable Type                   | UTP   |
| • CE Compliant                 | No  |
| • Flammability Rating          | CM  |
| • Performance Level            | Category 5e   |
| • Pricing Description          | QN Plug Pack Assembly, 12 Pack, Blue Cat 5e UTP CM Cable w/White Plug Pack, 14Feet  |
| • Termination End 1            | Modular Plugs   |
| • Termination End 2            | Plug Pack with Modular Plugs  |
| • Min. Order UOM               | PC  |
| • Min. Order Qty.              | 1   |
| • BOM Qty. (# of Pkgs.)        | <input type="text" value="0"/>  |
| • Add to Favorite Product List | <input type="checkbox"/>  |

Please [register](#) to utilize the 'Bill of Materials', 'Submit Quotes' and 'Favorite Product List' features.