


Switchcraft®

[Previous Page](#) | [Return to Index](#) | [Next Page](#)



PC MOUNT PHONO JACKS

1. Number 3514PC
2. Part Number 3515PC

3. Part Number 3517PC

[click here to download a schematic drawing](#)

(you will need to have Adobe Acrobat installed on your system to do this)



3514PC 2-conductor phono jack mounts directly to PC boards. Accepts plugs with pins up to .563 inch (14.3 mm) long. Typical mating Switchcraft plug: 3502.

3515PC Low profile 2-conductor phono jack mounts directly to PC boards. Accepts plugs with pins up to .375 inch (9.5 mm) long. Typical mating Switchcraft plug: P3218.

3517PC 2-conductor right angle phono jack mounts directly to PC boards. Accepts plugs with pins up to .563 inch (14.3 mm) long. Typical mating Switchcraft plug: 3502.

SPECIFICATIONS

Frame and Shell: Steel, cadmium-plated.

Center Terminal: Plated copper alloy (3517PC). Plated copper alloy (3514PC).

Insulator: Thermoplastic (3514PC). Ceramic and glass filled thermoplastic (3517PC).

FOR 3515PC ONLY:


Contact and Saddle: Spring type copper alloy, copper alloy pre-tinned.

Shell: Steel or copper alloy, plated.

Insulator Bushing: Ceramic.

Insulator Spacer: Glass-filled thermoplastic.

To search a category please click on the corresponding icon:



| [Connectors](#) | [Jacks and Plugs](#) |
| [Patch Panels, Patch Kits & Jackfields](#) | [Cable Assemblies and Patch Cords](#) | [Switches](#) |

All products shown are covered by Switchcraft's limited lifetime warranty.

| [Switchcraft home](#) |
[About Us](#) | [Products](#) | [What's New](#) | [Search](#) | [Contact Us](#)